

PROJECT MANUAL

FOR

FOUR SEASONS POND DREDGING PLAN

IBF NO. 2014-08153-09

TIMMONS GROUP

919 2nd STREET, S.E..

CHARLOTTESVILLE, VIRGINIA 22902

t: (434) 295.5624

f: (434).295.8317

DATE July 16, 2013

BID SET NO. _____

FOUR SEASONS POND DERDGING PLAN

County of Albemarle



CIVIL ENGINEER

Timmons Group
ATTN: Gregor Patsch, PE
919 2nd Street S.E.
Charlottesville, VA 22902
voice: (434) 295.5624
facsimile: (434).295.8317

Four Seasons Pond - Dredging Plan Project Manual

TABLE OF CONTENTS

BIDDING INFORMATION

Invitation for Bids
Instructions to Bidders
Prebid Question Form
Bid Form

CONTRACT DOCUMENTS AND & FORMS

	<u>AC Form #</u>
General Conditions Table of Contents	
Construction Contract General Conditions	
Supplemental General Conditions	
Contract Between Owner and Contractor	AC-9
Post Bid Modification	AC-9b
Standard Performance Bond for Construction Contracts	AC-10
Standard Labor and Material Payment Bond	AC-10.1
Contract Summary	
Contract Change Order	AC-11
Justification for Construction Contract Change Order	AC-11a
General Contractor Estimate for Change Order	GC-1
Subcontractor Estimate for Change Order	SC-1
Sub-Subcontractor Estimate for Change Order	SS-1
Schedule of Values and Certificate for Payment	AC-12 (A)
Schedule of Values and Certificate for Payment	AC-12 (B)
Schedule of Values and Certificate for Payment	AC-12 (C)
Affidavit of Payment of Claims	AC-13
Certificate of Completion by Architect/Engineer	AC-13.1
Architect/Engineer's Certificate of Substantial Completion	AC-13.1a
Certificate of Completion by Contractor	AC-13.2
Certificate of Partial or Substantial Completion by Contractor	AC-13.2a

SPECIFICATIONS

<u>Section</u>	<u><i>DIVISION 1 – GENERAL REQUIREMENTS</i></u>	<u>Pages</u>
<i>01010</i>	<i>List of Drawings</i>	<i>1</i>
<i>01045</i>	<i>Cutting and Patching</i>	<i>4</i>
<i>01300</i>	<i>Submittals</i>	<i>6</i>
<i>01500</i>	<i>Temporary Facilities</i>	<i>3</i>
<i>01700</i>	<i>Project Closeout</i>	<i>3</i>
<i>01740</i>	<i>Warranties and Bonds</i>	<i>2</i>

<u>Section</u>	<u>DIVISION 2 – SITEWORK</u>	<u>Pages</u>
02000	<i>General Sitework Requirements</i>	2
02230	<i>Site Clearing</i>	3
02300	<i>Earthwork</i>	12
02370	<i>Erosion Control</i>	4
02920	<i>Lawns and Grasses</i>	7

**NOTICE OF
INVITATION FOR BIDS**

Sealed bids are invited for the dredging of the Four Seasons Stormwater Management Pond located on Four Seasons Drive, Charlottesville, Virginia, 22901. The project is generally described as the removal of approximately 1,600 – 1,800 cubic yards of sediment and the installation of a drawdown apparatus.

Sealed bids will be received at the Albemarle County Purchasing Office, Room 248, Albemarle County Office Building, 401 McIntire Road, Charlottesville, Virginia. The deadline for submitting bids is **3:00 P.M.** on **Thursday, August 15, 2013**, as determined by the Purchasing Agent. The bids will be opened publicly and read aloud immediately following the receipt of bids.

The estimated construction cost range for this project is \$90K-\$140K. A Bid Bond is required for any bid which exceeds \$100,000. The “Time for Completion” will be as detailed in the Bid Form.

Bids to be considered shall be received in a sealed envelope marked as follows: County of Albemarle, Purchasing Office, Room 248, Albemarle County Office Building, 401 McIntire Road, Charlottesville, VA 22902 / Contract: Four Seasons Pond Dredging Plan / IFB No. 2014-08153-09.

Procedures for submitting a bid, claiming an error, withdrawal of bids, and other pertinent information are contained in the Instructions to Bidders, which is part of the Invitation for Bids. Withdrawal due to error in bid shall be permitted in accord with Section 9 of the Instructions to Bidders and §2.2-4330A (i), Code of Virginia. The Owner reserves the right to reject any or all bids.

A pre-bid conference will be held on site at 10:00 A.M., on Tuesday, August 6, 2013. Attendance will be optional for those submitting a bid.

The contract shall be awarded on a lump sum basis as follows: the Total Base Bid Amount plus such successive Additive Bid Items as the Owner in its discretion decides to award.

Contractor registration in accordance with Title 54.1, Chapter 11, of the Code of Virginia, is required. See the Instructions to Bidders for additional qualification requirements.

The Invitation for Bids for the above project, including the drawings and the specifications prepared by Timmons Group, Inc. and containing the information necessary for bidding, may be downloaded online from the Albemarle County Purchasing FTP site at www.albemarle.org/purchasing . Please note that Bidders are responsible to check the Purchasing FTP site and download any Addenda issued for this Bid. The Invitation for Bid documents may also be inspected at the County of Albemarle, Purchasing Office, Room 248, Albemarle County Office Building, 401 McIntire Road, Charlottesville, VA 22902, Telephone 434-296-5854 or email to kokken@albemarle.org.

The County of Albemarle does not discriminate on the basis of race, religion, color, sex, national origin, age or disability, or against faith-based organizations as defined under the Virginia Public Procurement Act on the basis of such organization’s religious or charitable character.

INSTRUCTIONS TO BIDDERS

The Invitation For Bids (IFB) consists of the Notice, this Instructions to Bidders, the Bid Form, the Pre-Bid Question Form, the Construction Contract General Conditions, the Supplemental General Conditions (if any), the Special Conditions (if any), the Forms to be used, and the Scope of Work as described by the Plans and Specifications, other documents listed in the Specifications, and any addenda which may be issued, all of which request qualified bidders to submit competitive prices or bids for providing the described work on the project.

- 1. CONDITIONS AT SITE OR STRUCTURE:** Bidders shall be responsible for ascertaining pertinent local conditions such as location, accessibility, general character of the site or building, and the character and extent of existing work within or adjacent to the site. Claims, as a result of failure to have done so, will not be considered by the Owner. See Section 7 of the General Conditions entitled “Conditions at Site.”

- 2. EXPLANATIONS TO BIDDERS:** Bidders may not rely on any oral explanation in regard to the meaning of drawings and specifications or oral instructions given before the award of the contract. Discrepancies, omissions or doubts as to the meaning of drawings and specifications shall be communicated in writing to the Architect/Engineer for interpretation. Bidders should use the “Prebid Question Form” provided in the bid documents. Bidders must so act to assure that questions reach the Architect/Engineer at least seven (7) days prior to the time set for the receipt of bids to allow a sufficient time for an addendum to reach them before the submission of their bids. If an addendum is required for clarification or interpretation of the Bid Documents, the addendum will be issued not later than five (5) days prior to the date set for the receipt of bids except an addendum withdrawing the invitation for bid or one which includes postponement of the date set for the receipt of bids. Any interpretation made will be in the form of an addendum to the Invitation For Bids, which will be made available to all bidders, and its receipt shall be acknowledged, in writing, by the bidder on the Bid Form.

- 3. TIME FOR COMPLETION:**
 - (a) “Time for Completion” shall be designated by the Owner on the Invitation for Bids or other pre-bid documents and shall mean the number of consecutive calendar days following the issuance of the Notice to Proceed which the Contractor has to substantially complete all Work required by the Contract. In some instances, the Time for Completion may be stated in the form of a Contract Completion Date based on a stipulated date of Notice to Proceed.

Unless otherwise specified, the Contractor shall achieve Final Completion within thirty (30) days after the date of Substantial Completion.
 - (b) When the Notice to Proceed is issued, it will state a Contract Completion Date, which has been set by the Owner based on date of the Notice to Proceed and the Time for Completion.
 - (c) The Contractor, in preparing and submitting his bid, is required to take into consideration normal weather conditions. No additional compensation will be paid to the Contractor because of adverse weather conditions; however, an extension of time for abnormal weather will be considered by the Owner as indicated in the General Conditions.

4. PREPARATION AND SUBMISSION OF BIDS:

- (a) Bids shall be submitted on the forms furnished, or copies thereof, and shall be signed in ink. Erasures or other changes in a bid must be explained or noted over the signature of the bidder. Bids containing any conditions, omissions, unexplained erasures, alterations or items not called for in the proposal, or irregularities of any kind, may be rejected by the Owner as being incomplete or nonresponsive.
- (b) Each bid must give the complete legal name and full business address of the bidder and be signed by the bidder, or the bidder's authorized representative, with his usual signature. Bids by partnerships must be signed in the partnership name by one of the general partners of the partnership or an authorized representative, followed by the designation/title of the person signing. Bids by corporations must be signed with the legal name of the corporation followed by the name of the state in which it is incorporated and by the signature and title of the person authorized to bind it in this matter. The name of each person signing shall be typed or printed below the signature. A signature on a bid by a person who identifies his title as "President," "Secretary," "Agent" or other designation without disclosing the principal firm, shall be held to be the bid of the individual signing. When requested by the Owner, satisfactory evidence of the authority of the officer signing on behalf of the corporation shall be furnished. Trade or fictitious names may be referenced by using "t/a ____" but bids shall be in the legal name of the person or entity submitting the bid.
- (c) Bids with the bid guarantee shall be enclosed in a sealed envelope which shall be marked and addressed as indicated by the advertisement. If a contract is for one hundred twenty thousand dollars (\$120,000) or more, or if the total value of all construction, removal, repair or improvements undertaken by the bidder within any twelve-month period is seven hundred fifty thousand dollars (\$750,000) or more, the bidder is required under Title 54.1, Chapter 11, Section 1100, Code of Virginia, as amended, to be licensed in Virginia as a "Class A Contractor." If a contract is for seven thousand five hundred dollars (\$7,500) or more, but less than one hundred twenty thousand dollars (\$120,000), the bidder is required to be licensed in Virginia as a "Class B Contractor." The bidder shall place on the outside of the envelope containing the bid and shall place in the bid over his signature whichever of the following notations is appropriate and insert his Contractor license/registration number:

Licensed Class A Virginia Contractor No. _____
or
Licensed Class B Virginia Contractor No. _____

If the bidder is not properly licensed in Virginia at the time the bid is submitted, or if the bidder fails to provide this information on his bid or on the envelope containing the bid and fails to promptly provide said Contractor license number to the Owner in writing when requested to do so before or after the opening of bids, he shall be deemed to be in violation of Section 54.1-1115 of the Code of Virginia, as amended, and his bid will not be considered.

- (d) The Board for Contractors has interpreted its regulations to mean "a licensed Contractor can bid on a contract which contains work outside his license classification(s) as long as he subcontracts those items for which he is not qualified to licensed contractors with the appropriate License Classification and the work of the second party is incidental to the contract." Therefore, the Owner may, as a part of determining whether the bidder is "responsible," require the apparent low

bidder to submit a listing of his subcontractors along with the license number and classification or specialty of each.

- (e) The bidder must also place its Employer Identification Number (SSN or FEIN) in the space provided on the Bid Form.

5. BID GUARANTEE:

- (a) Any bid (including the Total Base Bid plus all Additive Bid Items) which exceeds one hundred thousand dollars (\$100,000) shall be accompanied by a Bid Bond payable to the Owner as obligee in an amount equal to five percent (5%) of the amount of the bid. A Bid Bond may be required for projects having bids of less than one hundred thousand dollars (\$100,000) if such requirement is stated in the Notice of Invitation for Bids. The Bid Bond must be issued by a surety company which is legally authorized by the Virginia State Corporation Commission to do fidelity and surety business in the Commonwealth of Virginia. **The bid bond shall identify the name and address of an attorney-in-fact who is appointed to act on behalf of the surety within the Commonwealth of Virginia. The address of the attorney-in-fact shall be within the Commonwealth of Virginia. The attorney-in-fact shall affix to the bond a certified and current copy of the power of attorney.** Such Bid Bond shall guarantee that the bidder will not withdraw his bid during the period of sixty (60) days following the opening of bids; that if his bid is accepted, he will enter into a formal contract with the Owner in accordance with the Contract Between Owner and Contractor included as a part of the IFB Documents; that he will submit a properly executed and authorized Standard Performance Bond and Standard Labor and Material Payment Bond on the forms included in the IFB documents; and that in the event of the withdrawal of said bid within said period, or failure to enter into said contract and give said bonds within ten (10) days after he has received notice of acceptance of his bid, or other forfeiture under the Bid Bond, the bidder shall be liable to the Owner for the difference between the amount specified in said bid and such larger amount for which the Owner may contract with another party to perform the work covered by said bid, up to the amount of the bid guarantee. This amount represents the damage to the Owner on account of the default of the bidder in any particular hereof. See §2.2-4336 of the Code of Virginia.
- (b) See §2.2-4338 of the Code of Virginia for provisions allowing alternative forms of bid security in lieu of a Bid Bond.
- (c) The Bid Bonds or other bid security will be returned to all except the three lowest bidders after the formal opening of bids. The remaining Bid Bonds or bid security will be returned to the bidders after the Owner and the accepted bidder have executed the Contract and the Performance Bond and the Payment Bond have been approved by the Owner.
- (d) If the required Contract and bonds have not been executed within sixty (60) days after the date of the opening of the bids, then the bond or other bid security of any bidder will be returned upon his request, provided he has not been notified of the acceptance of his bid prior to the date of such request.

6. WITHDRAWAL OR MODIFICATION OF BIDS:

- (a) **WITHDRAWAL:** Bids may be withdrawn by written or telefaxed notice received from bidders prior to the deadline fixed for bid receipt. The bidder has sole responsibility to ensure that such

notice is received by the Owner in the appropriate office designated in the Instructions to Bidders, and the Owner shall not be responsible for ensuring accurate or prompt delivery. A withdrawal must be signed by the person signing the sealed bid or by other individual(s) who is authorized to act on behalf of the bidder. Such authorization must be provided in writing at the time of withdrawal, and stated on the face of the withdrawal notice. Withdrawn bids may be resubmitted by the bidder up to the deadline fixed for bid receipt.

- (b) **MODIFICATION:** Bids may be modified only in the following manner. E-mail modifications are not acceptable. All modifications must be made by withdrawing the bid and including all modifications, including but not limited to price, inside the sealed bid envelope. All modifications must be signed by the person signing the sealed bid or by other individual(s) who is authorized to act on behalf of the bidder. Such authorization must be provided in writing with the modification, and stated on the face of the modification notice, to be placed inside the sealed bid. No modifications will be accepted unless they are submitted inside a sealed bid envelope. Unless otherwise specified by the bidder, price modifications will be applied to the Total Base Bid amount shown on the Bid Form. Faxes, notations on the outside of envelopes, envelope "cuts" or other external writings will not be accepted. Delivery of modifications to the appropriate office designated in the Instructions to Bidders shall be the sole responsibility of the bidder, and the Owner shall not be responsible for ensuring accurate or prompt delivery.

7. RECEIPT OF BIDS:

- (a) Bids will be received at or before the date and the hour and at the place stipulated in the Invitation for Bids as may be modified by subsequent Addenda.
- (b) It is the responsibility of the bidder to assure that his bid and any bid modifications are delivered to the place designated for receipt of bids by the date and hour (deadline) set for receipt of bids. Therefore, it is the bidder's responsibility to take into account all factors which may impact on its bid deliverer/courier's ability to deliver the bid and to implement whatever actions are necessary to have the bid delivered to the proper bid receipt location prior to the bid receipt deadline. No bids or bid modifications submitted or offered after the date and hour designated for receipt of bids will be accepted or considered.
- (c) The Purchasing Agent is the Owner's representative designated to receive bids at the time and place noted in the IFB and to open the bids received at the appointed time.
- (d) The official time used for the receipt of responses is determined by reference to the clock designated by the Purchasing Agent. The Purchasing Agent shall determine when the Bid Receipt Deadline has arrived and shall announce that the Deadline has arrived and that no further bids or bid modifications will be accepted. All bids and bid modifications in the possession of the Purchasing Agent and his assistants at the time the announcement is completed are deemed to be timely, whether or not the bid envelope has been physically date/time stamped or otherwise marked by the time the Purchasing Agent makes the deadline announcement.

8. OPENING OF BIDS:

- (a) Bids will be opened at the time and place stated in the Invitation for Bids or as modified by subsequent Addenda, and their contents publicly announced. The Purchasing Agent shall decide

when the specified time for bid opening has arrived. No responsibility will be attached to any officer or agent for the premature opening of a bid not properly addressed and identified.

- (b) The provisions of §2.2-4342 of the Code of Virginia shall be applicable to the inspections of bids received.

- 9. ERRORS IN BIDS:** A bidder may withdraw his bid from consideration if the price bid was substantially lower than the other bids due solely to a mistake therein, provided the bid was submitted in good faith, and the mistake was a clerical mistake as opposed to a judgment mistake, and was actually due to an unintentional arithmetic error or an unintentional omission of a quantity of work, labor or material made directly in the compilation of a bid, which unintentional arithmetic error or unintentional omission can be clearly shown by objective evidence drawn from inspection of original work papers, documents and materials used in the preparation of the bid sought to be withdrawn. The bidder shall give notice of a claim to withdraw a bid, in writing, and submit his original work papers, documents and materials used in the preparation of his bid, to the Purchasing Agent within two business days after the conclusion of the opening of bids. §2.2-4330(B)(1) of the Code of Virginia.

Failure of a bidder to give notice and submit his original work papers, documents and materials used in the preparation of his bid on or before the time, date and place required shall constitute a waiver by that bidder of his right to withdraw his bid due to a mistake.

No bid may be withdrawn under this section when the result would be the awarding of the Contract on another bid of the same bidder or of another bidder in which the ownership of the withdrawing bidder is more than five percent (5%).

No bidder who is permitted to withdraw a bid shall, for compensation, supply any material or labor to or perform any subcontract or other work agreement for the person or firm to whom the Contract is awarded or otherwise benefit, directly or indirectly, from the performance of the project for which the withdrawn bid was submitted. The person or firm to whom the Contract was awarded and the withdrawing bidder are jointly liable to the Owner in an amount equal to any compensation paid to or for the benefit of the withdrawing bidder without such approval.

If a bid is withdrawn under authority of this section, the lowest remaining bid shall be deemed to be the low bidder on the project.

- 10. REJECTION OF BIDS:** The Owner reserves the right to cancel the Invitation for Bids, to reject any and all bids at its sole discretion when such rejection is in the interest of the Owner, or to reject the bid of any bidder who is determined to be not responsive or not responsible. See §2.2-4319, Code of Virginia.

11. DETERMINATION OF RESPONSIBILITY:

Each bidder shall be prepared, if so requested by the Owner, to present evidence of his experience, qualifications and financial ability to carry out the terms of the Contract.

Prior to award of the Contract, an evaluation will be made to determine if the low bidder has the capability, in all respects, to perform fully the contract requirements and the moral and business integrity and reliability which will assure good faith performance, and who has been prequalified, if required. Factors to be evaluated may include, but are not limited to:

- (a) sufficient financial ability to perform the contract as evidenced by the bidder's ability to obtain payment and performance bonds from an acceptable surety;
- (b) appropriate experience to perform the Work described in the bid documents;
- (c) any judgments entered against the bidder, or any officers, directors, partners or owners for breach of a contract for construction;
- (d) any substantial noncompliance with the terms and conditions of prior construction contracts with a public body without good cause where the substantial noncompliance is documented; or
- (e) a conviction of the bidder or any officer, director, partner, project manager, procurement manager, chief financial officer, or owner in the last five years of a crime relating to governmental or nongovernmental construction or contracting;
- (f) any current debarment of the contractor, any officer, director or owner, from bidding or contracting by any public body of any state, any state agency, or any agency of the federal government.

The Owner reserves the right to disqualify or refuse to accept the bid of any bidder who has been convicted, or entered a plea of guilty or nolo contendere, in any federal or state court to any charge involving any unlawful, corrupt or collusive practice involving a public contract whether federal, state, or local, or who has been determined in any judicial proceeding to have violated any antitrust, bid-rigging or collusive practice statute in connection with any public contract, or against whom such formal criminal prosecution or other judicial proceeding has been initiated.

A bidder who, despite being the apparent low bidder, is determined not to be a responsible bidder shall be notified in writing in conformance with the procedures in §2.2-4359 of the Code of Virginia.

12. AWARD OF CONTRACT:

- (a) **Basis for Contract Award:** The Contract, if awarded, will be awarded to the lowest responsive and responsible bidder, if any, provided his bid is reasonable and it is in the best interest of the Owner to accept it and subject to the Owner's right to reject any and all bids and to waive informality in the bids and in the bidding. The Bid Form may contain a multi-part Base Bid and may contain Additive Bid Items. Determination of the lowest responsible bidder, if any, will be based on the Total Base Bid amount entered on the Bid Form including any properly submitted bid modifications plus as many Additive Bid Items taken in sequence as the Owner in its discretion chooses to Award. Where the sum of the values entered in the multiple parts do not agree with the Total Base Bid amount, the Total Base Bid amount entered on the Bid Form, including any properly submitted bid modifications, shall take precedence. In the event that the Total Base Bid from the lowest responsible bidder exceeds available funds, the Owner may negotiate the Total Base Bid amount with the apparent low bidder to obtain a contract price within available funds, pursuant to §2.2-4318 of the Code of Virginia and Section 12(c) herein.
- (b) **Informalities:** The Owner reserves the right to waive any informality in the bids.
- (c) **Negotiation With Lowest Responsible Bidder:** If award of a contract to the lowest responsive and responsible bidder is precluded because of limitations on available funds, under the provisions of §2.2-4318 of the Code of Virginia (the Public Procurement Act), the Owner reserves the right to negotiate the Total Base Bid amount with the lowest responsive, responsible bidder to obtain a contract price within the available funds. This may involve changes in either the features or scope of the work included in the Base Bid. Such negotiations with the apparent

low bidder may include reducing the quantity, quality, or other cost saving mechanisms involving items in the Total Base Bid. The Owner shall notify the lowest responsive and responsible bidder that such a situation exists and the Owner and bidder shall then conduct their negotiations in person, by mail, by telephone or by any means they find convenient. If an acceptable contract can be negotiated, the changes to the Invitation for Bid documents agreed upon in the negotiations shall be summarized in a "Post Bid Modification" and included in the contract. If an acceptable contract cannot be negotiated, the Owner shall terminate negotiations and reject all bids.

13. **CONTRACT SECURITY:** For contracts of more than \$100,000, the Standard Performance Bond (Form AC-10) and the Standard Labor and Material Payment Bond (Form AC-10.1) shall be required, as specified in the Invitation for Bids documents. See the General Conditions and §2.2-4337 and §2.2-4338 of the Code of Virginia. The Owner reserves the right to require such bonds for contracts less than \$100,000. If the Owner so elects, the requirement shall be set forth in the Invitation for Bids. **The bonds shall identify the name and address of an attorney-in-fact who is appointed to act on behalf of the surety within the Commonwealth of Virginia. The address of the attorney-in-fact shall be within the Commonwealth of Virginia. The attorney-in-fact shall affix to the bond a certified and current copy of the power of attorney.**
14. **CERTIFICATION:** The bidder, by his signature on the Bid Form, certifies that neither his organization nor any of its officers, directors, partners or owners is currently barred from bidding on contracts by the Commonwealth of Virginia, or any public body or agency of another state, or any agency of the federal government. See the statement "Disqualification of Contractors" in the Bid Form.
15. **ETHICS IN PUBLIC CONTRACTING:** The provisions, requirements and prohibitions as contained in Chapter 43, Article 6, §2.2-4367 et seq, Code of Virginia, pertaining to bidders, offerers, contractors, and subcontractors are applicable to this project.
16. **BUILDING PERMITS:** The Virginia Uniform Statewide Building Code shall apply to the Work and shall be administered by the local Building Official. The Building Permit will be paid and obtained for by the Owner. All other permits, local license fees, business fees, taxes, or similar assessments shall be obtained and paid for by the Contractor. See Section 25 of the General Conditions for utility connection fees and services.
17. **MINORITY UTILIZATION:** The County of Albemarle, Virginia, encourages the participation of minority businesses in public procurement activities. Towards that end, the Owner encourages firms to provide for the participation of minority owned businesses through partnerships, joint ventures, subcontracts, and other contractual opportunities.
18. **BID DOCUMENTS:** Bid Documents are the property of the Owner and are available electronically through the Purchasing Department's file transfer protocol ([FTP](#)) site. Bidders are responsible to check the Purchasing FTP site and download any Addenda issued for the bid. A deposit is not required for downloading of electronic documents through the FTP site. The bidder is responsible for the cost of printing any contract documents necessary for bidding. If awarded a contract, the Owner will provide the contractor with two sets of contract documents (i.e. full sized drawings and specifications) for use in the field and the contractor will be responsible for the cost of printing any additional contract documents that may be needed.
19. **GENERAL CONDITIONS:** The County of Albemarle Construction Contract General Conditions are incorporated in the bid documents. The bidder may obtain a copy of the current edition of the

Construction Contract General Conditions at no cost by request to the County of Albemarle, Office of Facilities Development, 401 McIntire Road, Room 228, Charlottesville, Virginia 22902 (434-872-4501).

20. **PREBID CONFERENCE:** See the Invitation for Bids for requirements for a prebid conference and whether such conference is mandatory or optional.
21. **INSPECTION OF BID DOCUMENTS:** Copies of the Invitation for Bids documents including Plans and Specifications and the Construction Contract General Conditions will be available for inspection at the Albemarle County Purchasing Department, the A/E's office, and at the locations listed in the Notice of the Invitation for Bids.
22. **DRUG-FREE WORKPLACE REQUIRED:** Bidders are reminded that §2.2-4312 of the Code of Virginia requires that during the performance of the contract resulting from this solicitation, the contractor agrees to (i) provide a drug-free workplace for the contractor's employees; (ii) post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is prohibited in the contractor's workplace and specifying the actions that will be taken against employees for violations of such prohibition; (iii) state in all solicitations or advertisements for employees placed by or on behalf of the contractor that the contractor maintains a drug-free workplace; and (iv) include the provisions of the foregoing clauses in every subcontract or purchase order of over \$10,000, so that the provisions will be binding upon each subcontractor or vendor.

For the purposes of this section, "drug-free workplace" means a site for the performance of work done in connection with a specific contract awarded to a contractor in accordance with this solicitation, the employees of whom are prohibited from engaging in the unlawful manufacture, sale, distribution, dispensation, possession or use of any controlled substance or marijuana during the performance of the contract.

23. **CERTIFICATION OF CRIMES AGAINST CHILDREN:** Pursuant to Virginia Code §22.1-296.1(C), as a condition of awarding a contract for the provision of services that require the contractor or his employees to have direct contact with students on school property during regular school hours or during school-sponsored activities, the School Board requires the contractor to provide certification that all persons who will provide such services have not been convicted of a felony or any offense involving the sexual molestation or physical or sexual abuse or rape of a child. Any person making a materially false statement regarding any such offense shall be guilty of a Class 1 misdemeanor and, upon conviction, the fact of such conviction shall be grounds for the revocation of the contract to provide such services and, when relevant, the revocation of any license required to provide such services. This requirement does not apply to a contractor or his employees providing services to the School Board in an emergency or exceptional situation, such as when student health or safety is endangered or when repairs are needed on an urgent basis to ensure that school facilities are safe and habitable, when it is reasonably anticipated that the contractor or his employees will have no direct contact with students.

PREBID QUESTION FORM

(Use separate form for each question submitted.)

DATE: _____

PROJECT: Four Seasons Pond Dredging Plan

The following question concerns Drawing Sheet (number) _____:

The following question concerns Specifications Section (number) _____, page _____, paragraph _____:

All responses to questions will be made by Addendum.

Questions submitted by: _____
Name Organization

Mail / Fax To: TIMMONS GROUP
919 2ND Street S.E.
Charlottesville, va 22902
Facsimile: (434).295.8317
E-Mail: Gergor.Patsch@timmons.com

CC: County's Purchasing Department fax number: (434) 972-4006

BID FORM

DATE: _____

PROJECT TITLE: Four Seasons Pond Dredging Plan
IFB No. 2014-08153-09

TO: County of Albemarle, Virginia
Purchasing Office – Room 248
Albemarle County Office Building
401 McIntire Road
Charlottesville, VA 22902

In compliance with and subject to your Invitation for Bids and the documents therein specified, all of which are incorporated herein by reference, the undersigned bidder proposes to furnish all labor, equipment, and materials and perform all work necessary for construction of this project, in accordance with the Plans and Specifications dated July 16, 2013, and the Addenda noted below, as prepared by TIMMONS GROUP 919 2nd Street Charlottesville VA 22902. for the consideration of the following amount:

BASE BID:

PART A.

Lump sum price for the sitework improvements complete and in accordance with the Plans and Specifications:

PART A = _____ Dollars (\$ _____)

(Amount shall be shown in both words and figures. In case of discrepancy, the amount shown in words shall govern.)

Contract award will be based on the **TOTAL BASE BID AMOUNT shown above** (including any properly submitted bid modifications).

The undersigned understands that time is of the essence and agrees that the date for Substantial Completion of the entire project shall be on or before February 13, 2014 based on a Notice authorizing Work to proceed on or before September 5, 2013, and Final Completion shall be achieved within 30 consecutive calendar days after the date of Substantial Completion as determined by the A/E.

Acknowledgment is made of receipt of the following Addenda:

Addendum # _____ date: _____

Addendum # _____ date: _____

Addendum # _____ date: _____

Addendum # _____ date: _____

Addendum # _____ date: _____

If notice of acceptance of this bid is given to the undersigned within 60 days after the date of opening of bids, or any time thereafter before this bid is withdrawn, the undersigned will execute and deliver a contract in the prescribed form (County of Albemarle Contract Between Owner and Contractor, Form AC-9) within 10 days after the contract has been presented to him for signature. The required payment and performance bonds, on the forms prescribed, shall be delivered to the owner along with the signed Contract.

Immigration Reform and Control Act of 1986: The undersigned certifies that it does not and will not during the performance of the Contract for this project violate the provisions of the Federal Immigration Reform and Control Act of 1986, which prohibits employment of illegal aliens.

DISQUALIFICATION OF CONTRACTORS: By signing this bid or proposal, the undersigned certifies that this Bidder or any officer, director, partner or owner is not currently barred from bidding on contracts by any Agency of the Commonwealth of Virginia, or any public body or agency of another state, or any agency of the federal government, nor is this Bidder a subsidiary or affiliate of any firm/corporation that is currently barred from bidding on contracts by any of the same. We have attached an explanation of any previous disbarment(s) and copies of notice(s) of reinstatement(s).

CERTIFICATION OF NO COLLUSION: The undersigned does hereby certify in connection with the procurement and bid to which this Certification of No Collusion is incorporated that:

This bid is not the result of, or affected by, any act of collusion with another person engaged in the same line of business or commerce; nor is this bid the result of, or affected by, any act of fraud punishable under Article 1.1 of Chapter 12 of Title 18.2 of the Code of Virginia, 1950, as amended (18.2-498.1 et seq.).

The undersigned declares that they are fully authorized to sign the proposal on behalf of the firm listed and to all conditions and provisions thereof. The firm name given below is the true and complete name of the bidder and the bidder is legally qualified and licensed by the

Commonwealth of Virginia, Department of Commerce, State Board for Contractors, to perform all Work included in the scope of the Contract.

Virginia License No. _____ Bidder _____
(Name of Firm)

Contractor Class _____ By _____
(Signature)

Valid Until _____ _____
(Typed Name)

FEIN/SSN: _____ Title _____

If Partnership (List Partner's Names)

If Corporation, affix Corporate Seal & list
State of Incorporation
State: _____

(Affix Seal)

Business Address:

Telephone No. _____

Fax No. _____

Email Address _____

COUNTY OF ALBEMARLE



CONSTRUCTION CONTRACT GENERAL CONDITIONS

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
1.	DEFINITIONS	1
2.	CONTRACT DOCUMENTS	5
3.	LAWS AND REGULATIONS	6
4.	NONDISCRIMINATION	7
5.	PROHIBITION OF ALCOHOL AND OTHER DRUGS	8
6.	TIME FOR COMPLETION	8
7.	CONDITIONS AT SITE	10
8.	CONTRACT SECURITY	10
9.	SUBCONTRACTS	11
10.	SEPARATE CONTRACTS	12
11.	CONTRACTOR'S AND SUBCONTRACTOR'S INSURANCE	12
12.	"ALL-RISK" BUILDER'S RISK INSURANCE	13
13.	TAXES, FEES AND ASSESSMENTS	14
14.	PATENTS	14
15.	ARCHITECT/ENGINEER'S STATUS	15
16.	INSPECTION	16
17.	SUPERINTENDENCE BY CONTRACTOR	18
18.	CONSTRUCTION SUPERVISION, METHODS AND PROCEDURES	18
19.	SCHEDULE OF THE WORK	19
20.	SCHEDULE OF VALUES AND CERTIFICATE FOR PAYMENT	23

21.	ACCESS TO WORK	24
22.	SURVEYS AND LAYOUT	24
23.	PLANS AND SPECIFICATIONS	24
24.	SUBMITTALS	26
25.	FEES, SERVICES AND FACILITIES	28
26.	EQUALS	28
27.	AVAILABILITY OF MATERIALS	29
28.	CONTRACTOR'S TITLE TO MATERIALS	29
29.	STANDARDS FOR MATERIALS INSTALLATION & WORKMANSHIP	29
30.	WARRANTY OF MATERIALS AND WORKMANSHIP	30
31.	USE OF SITE AND REMOVAL OF DEBRIS	31
32.	TEMPORARY ROADS	32
33.	SIGNS	32
34.	PROTECTION OF PERSONS AND PROPERTY	32
35.	CLIMATIC CONDITIONS	33
36.	PAYMENTS TO CONTRACTOR	33
37.	PAYMENTS BY CONTRACTOR	37
38.	CHANGES IN THE WORK	38
39.	CONTRACTOR'S RIGHT TO STOP WORK OR TERMINATE THE CONTRACT	43
40.	OWNER'S RIGHT TO STOP WORK OR TERMINATE THE CONTRACT FOR CAUSE	43
41.	TERMINATION BY OWNER FOR CONVENIENCE	44
42.	DAMAGES FOR DELAYS; EXTENSION OF TIME	45
43.	INSPECTION FOR SUBSTANTIAL COMPLETION & FINAL COMPLETION	47
44.	GUARANTEE OF WORK	49
45.	ASSIGNMENTS OF CONTRACTUAL OBLIGATIONS	50
46.	CONTRACTUAL DISPUTES	50
47.	ASBESTOS	51
48.	TRAINING, OPERATION AND MAINTENANCE OF EQUIPMENT	52
49.	PROJECT MEETINGS	52

1. DEFINITIONS

Whenever used in these Construction Contract General Conditions (“General Conditions”) or in the Contract Documents, the following terms have the meanings indicated, which are applicable to both the singular and plural and the male and female gender thereof:

Architect, Engineer, Architect/Engineer or A/E: The term used to designate the Architect and/or the Engineer that contracts with the Owner to provide the Architectural and Engineering services for the Project. The A/E is a separate contractor and not an agent of the Owner. The term includes any associates or consultants employed by the A/E to assist in providing the A/E services.

Beneficial Occupancy: The condition after Substantial Completion but prior to Final Completion of the Project at which time the Project, or portion thereof, is sufficiently complete and systems operational such that the Owner could, after obtaining necessary approvals and certificates, occupy and utilize the space for its intended use. Guarantees and warranties applicable to that portion of the Work begin on the date the Owner accepts the Project, or a portion thereof, for such Beneficial Occupancy, unless otherwise specified in the Supplemental General Conditions or by separate agreement.

Building Permit: The term building permit as used herein shall mean any and all permits required to comply with local and state building codes.

Change Order: A document (Form AC-11) issued on or after the effective date of the Contract Between Owner and Contractor (Form AC-9) which is agreed to by the Contractor and approved by the Owner, and which authorizes an addition, deletion or revision in the Work, including any adjustment in the Contract Price and/or the Contract Completion Date. A Change Order once signed by all parties, with the exception of a Unilateral Change Order that is only signed by the Owner, is incorporated into and becomes a part of the Contract.

Claim: A demand or assertion by one of the parties seeking, as a matter of right, adjustment or interpretation of Contract terms, payment of money, extension of time or other relief with respect to the terms of the Contract. The term “claim” also includes other disputes and matters in question between the Owner and Contractor arising out of or relating to the Contract. Claims must be made by written notice. The responsibility to substantiate claims shall rest with the party making the claim.

Code of Virginia: 1950 Code of Virginia as amended. Sections of the Code referred to herein are noted by (§xx-xx).

Construction: The term used to include new construction, reconstruction, renovation, restoration, major repair, demolition and all similar work upon buildings and ancillary facilities, including any draining, dredging, excavation, grading or similar work upon real property.

Contract: The Contract Between Owner and Contractor, Form AC-9, hereinafter referred to as the Contract.

Contract Completion Date: The date by which the Work must be substantially complete. The Contract Completion Date is customarily established in the Notice To Proceed, based on the Time for Completion. In

some instances, however, the Contract contains a mandatory Contract Completion Date, which shall be stated in the Invitation for Bid.

Contract Documents: The Contract Between Owner and Contractor (Form AC-9) signed by the Owner and the Contractor and any documents expressly incorporated therein. Such incorporated documents customarily include the bid submitted by the Contractor, these General Conditions, any Supplemental General Conditions, any Special Conditions, the plans and the specifications, and all modifications, including addenda and subsequent Change Orders.

Contract Price: The total compensation payable to the Contractor for performing the Work, subject to modification by Change Order.

Contractor: The person with whom the Owner has entered into a contractual agreement to do the Work.

Day(s): Calendar day(s) unless otherwise noted.

Defective: An adjective which, when modifying the word Work, refers to Work that is unsatisfactory, faulty, deficient, does not conform to the Contract Documents or does not meet the requirements of inspections, standards, tests or approvals required by the Contract Documents, or Work that has been damaged prior to the A/E's recommendation of final payment (unless responsibility for the protection thereof has been assumed by Owner at Substantial Completion or Beneficial Occupancy).

Drawing: A page or sheet of the Plans which presents a graphic representation, usually drawn to scale, showing the technical information, design, location, and dimensions of various elements of the Work. The graphic representations include, but are not limited to, plan views, elevations, transverse and longitudinal sections, large and small scale sections and details, isometrics, diagrams, schedules, tables and/or pictures.

Emergency: Any unforeseen situation, combination of circumstances, or a resulting state that poses imminent danger to health, life or property.

Final Completion Date: The date of the Owner's acceptance of the Work from the Contractor upon confirmation from the Architect/Engineer and the Contractor that the Work is totally complete in accordance with Section 43(b).

Field Order: A written order issued by the A/E which clarifies or explains the plans or specifications, or any portion or detail thereof, without changing the design, the Contract Price, the Time for Completion or the Contract Completion Date.

Float: The excess time included in a construction schedule to accommodate such items as inclement weather and associated delays, equipment failures, and other such unscheduled events. It is the contingency time associated with a path or chain of activities and represents the amount of time by which the early finish date of an activity may be delayed without impacting the critical path and delaying the overall completion of the Project. Any difference in time between the Contractor's approved early completion date and the Contract Completion Date shall be considered a part of the Project float.

Float, Free: The time (in days) by which an activity may be delayed or lengthened without impacting upon the start day of any activity following in the chain.

Float, Total: The difference (in days) between the maximum time available within which to perform an activity and the duration of an activity. It represents the time by which an activity may be delayed or lengthened without impacting the Time for Completion or the Contract Completion Date.

Notice: All written notices, including demands, instructions, claims, approvals and disapprovals, required or authorized under the Contract Documents. Any written notice by either party to the Contract shall be sufficiently given by any one or combination of the following, whichever shall first occur: (1) delivered by hand to the last known business address of the person to whom the notice is due; (2) delivered by hand to the person's authorized agent, representative or officer wherever they may be found; or (3) enclosed in a postage prepaid envelope addressed to such last known business address and delivered to a United States Postal Service official or mailbox. Notice is effective upon such delivery. All notices to the Owner should be directed to the Project Manager.

Notices transmitted by Facsimile (Fax) are acceptable for the Project. Notices shall be transmitted to the Fax number listed in the Contract and shall have a designated space for the Fax Notice recipient to acknowledge his receipt by authorized signature and date. The Fax Notice with authorized signature acknowledging receipt shall be Faxed back to the sender. The Faxed Notice shall be effective on the date it is acknowledged by authorized signature. All Faxed Notices shall also be sent by hard copy, which shall be effective upon delivery, as provided herein. Notice shall be effective upon the date of acknowledgment of the Faxed Notice or the date of delivery, whichever occurs first.

Notice to Proceed: A written notice given by the Owner to the Contractor (with a copy to A/E) fixing the date on which the Contract time will commence for the Contractor to begin the prosecution of the Work in accordance with the requirements of the Contract Documents. The Notice to Proceed will customarily identify a Contract Completion Date.

Owner: County of Albemarle, Virginia and/or The County School Board of Albemarle County, Virginia.

Person: This term includes any individual, corporation, partnership, association, company, business, trust, joint venture, or other legal entity.

Plans: The term used to describe the group or set of project-specific drawings which are included in the Contract Documents.

Project: The term used instead of the specific or proper assigned title of the entire undertaking which includes, but is not limited to, the "Work" described by the Contract Documents.

Project Inspector: One or more persons and/or firms employed by the Owner to inspect the Work for the Owner and/or to document and maintain records of activities at the Site to the extent required by the Owner. The scope of the Project Inspector's authority with respect to the Contractor is limited to that indicated in Section 16(e) and (f).

Project Manager: The Project Manager as used herein shall be the Owner's designated representative on the Project. The Project Manager shall be the person through whom the Owner generally conveys written decisions and notices. All notices due the Owner and all information required to be conveyed to the Owner shall be conveyed to the Project Manager. The Owner may change the Project Manager from time to time and may, in the event that the Project Manager is absent, disabled or otherwise temporarily unable to fulfill his duties, appoint an interim Project Manager.

Provide: Shall mean furnish and install ready for its intended use.

Site: Shall mean the location at which the Work is performed or is to be performed.

Specifications: That part of the Contract Documents containing the written administrative requirements and the technical descriptions of materials, equipment, construction systems, standards, and workmanship which describe the proposed Work in sufficient detail and provide sufficient information for the Building Official to determine code compliance and for the Contractor to perform the Work. (The General Conditions, any Supplemental General Conditions, various bidding information and instructions, and blank copies of various forms to be used during the execution of the Work are usually bound with the Specifications.)

Subcontractor: A person having a direct contract with Contractor or with any other Subcontractor for the performance of the Work. Subcontractor includes any person who provides on-site labor but does not include any person who only furnishes or supplies materials for the Project.

Submittals: All shop, fabrication, setting and installation drawings, diagrams, illustrations, schedules, samples, and other data required by the Contract Documents which are specifically prepared by or for the Contractor to illustrate some portion of the Work and all illustrations, brochures, standard schedules, performance charts, instructions, diagrams and other information prepared by a Supplier and submitted by the Contractor to illustrate material or equipment conformance of some portion of the Work with the requirements of the Contract Documents.

Substantial Completion: The condition when the Owner agrees that the Work, or a specific portion thereof, is sufficiently complete, in accordance with the Contract Documents, so that it can be utilized by the Owner for the purposes for which it was intended. The Owner at its sole discretion may, after obtaining the necessary approvals and certificates, take Beneficial Occupancy at this time or choose to wait to occupy until after Final Completion is achieved.

Supplemental General Conditions: That part of the Contract Documents which amends or supplements the General Conditions.

Supplier: A manufacturer, fabricator, distributor, materialman or vendor who provides material for the Project but does not provide on-site labor.

Time for Completion: The number of consecutive calendar days following the issuance of the Notice to Proceed which the Contractor has to substantially complete all Work required by the Contract. When the Notice to Proceed is issued, it states a Contract Completion Date, which has been set by the Owner based on the Time for Completion.

Underground Facilities: All pipelines, conduits, ducts, cables, wires, manholes, vaults, tanks, tunnels or other such facilities or attachments, and any encasements containing such facilities which are or have been installed underground to furnish any of the following services or materials: electricity, gases, steam, liquid petroleum products, telephone or other communications, cable television, sewage and drainage removal, traffic or other control systems or water.

Unilateral Change Order: A Change Order from the Owner directing the Contractor to proceed with work within the scope of the contract which may be undefined or for which there is no agreement on the cost or time associated with the work.

Work: The services performed under this Contract including, but not limited to, furnishing labor, and furnishing and incorporating materials and equipment into the construction. The Work also includes the entire completed construction, or the various separately identifiable parts thereof, required to be furnished under the Contract Documents.

2. CONTRACT DOCUMENTS

- (a) The Contract Between Owner and Contractor (AC-9), the Standard Performance Bond (AC-10), the Standard Labor and Material Payment Bond (AC-10.1), the Schedule of Values and Certificate for Payment (AC-12), the Affidavit of Payments of Claims (AC-13), the Contractor's Certificate of Substantial Completion (AC-13.2a), and the Contractor's Certificate of Completion (AC-13.2) issued by the County of Albemarle are forms incorporated in these General Conditions by reference and are made a part hereof to the same extent as though fully set forth herein. They must be used by the Contractor for their respective purposes.
- (b) All time limits stated in the Contract Documents, including but not limited to the Time for Completion of the Work, are of the essence of the Contract.
- (c) The Contract Between Owner and Contractor shall be signed by the Owner and the Contractor in as many original counterparts as may be mutually agreed upon, each of which shall be considered an original.
- (d) Anything called for by one of the Contract Documents and not called for by the others shall be of like effect as if required or called for by all, except that a provision clearly designed to negate or alter a provision contained in one or more of the other Contract Documents shall have the intended effect. In the event of conflicts among the Contract Documents, the Contract Documents shall take precedence in the following order: the Contract Between Owner and Contractor; the Supplemental General Conditions; the General Conditions; the specifications with attachments; and the plans.
- (e) If any provision of this Contract shall be held invalid by any court of competent jurisdiction, such holding shall not invalidate any other provision.
- (f) All correspondence, invoices, memoranda, submittals and other documents related to this Project whether generated by the Owner, the A/E, the Contractor or others should be identified at the

beginning of the document with the Project Title shown in the Contract. Additional identification such as a job number, purchase order number or such may also be shown at the generator's option.

3. LAWS AND REGULATIONS

- (a) The Contractor shall comply with all laws, ordinances, rules, regulations and lawful orders of any public authority bearing on the performance of the Work and shall give all notices required thereby. The Contractor shall assure that all Subcontractors and tradesmen who perform Work on the project are properly licensed by the Department of Professional and Occupational Regulation as required by Title 54.1, Chapter 11, Articles 1 and 3, Code of Virginia, and by applicable regulations.
- (b) This Contract and all other contracts and subcontracts are subject to the provisions of Articles 3 and 5, Chapter 4, Title 40.1, Code of Virginia, relating to labor unions and the "right to work." The Contractor and its Subcontractors, whether residents or nonresidents of the Commonwealth, who perform any Work related to the Project shall comply with all of the said provisions.
- (c) IMMIGRATION REFORM AND CONTROL ACT OF 1986: By signing this Contract, the Contractor certifies that it does not and will not during the performance of this Contract violate the provisions of the Federal Immigration Reform and Control Act of 1986, which prohibits employment of illegal aliens.
- (d) The provisions of all rules and regulations governing safety as adopted by the Safety Codes Commission of the Commonwealth of Virginia and as issued by the Department of Labor and Industry under Title 40.1 of the Code of Virginia shall apply to all Work under this Contract. Inspectors from the Department of Labor and Industry shall be granted access to the Work for inspection without first obtaining a search or administrative warrant.
- (e) Building Permit: The Virginia Uniform Statewide Building Code applies to the Work and is administered by the local Building Official. The Building Permit will be obtained by the Contractor and paid for by the Owner. All other permits, local license fees, business fees, taxes, or similar assessments shall be obtained and paid for by the Contractor. See Section 25 for utility connection fees and services.
- (f) The Contractor shall include in each of its subcontracts a provision requiring each Subcontractor to include or otherwise be subject to the same payment and interest requirements in Subsections (a), (b), and (c) of Section 37 of these General Conditions with respect to each lower-tier Subcontractor and Supplier.
- (g) The Contractor, if not licensed as an asbestos abatement contractor in accordance with §54.1-514, Code of Virginia, shall have all asbestos-related Work performed by subcontractors who are duly licensed as asbestos contractors for the Work required.
- (h) Lead-Based Paint Activities: If the Contract Documents indicate that lead-based paint is present on existing materials, components, or surfaces, the Contractor shall conform to the following:

- (1) The requirements set forth in 59 Federal Register 45,872 (September 2, 1994) Proposed Rule -- *Lead; Requirements for Lead-based Paint Activities (Proposed Rules)* in selecting and performing the means, methods and procedures for performing the Work. This includes, but is not limited to, training of personnel, lead abatement, encapsulation of lead containing materials, removal and handling of lead containing materials, and methods of disposal. When the Final Rule, to be codified at 40 CFR 745, supersedes the Proposed Rule, the Contractor shall be responsible for conforming to the Final Rule, as of the effective date set forth therein.
 - (2) The requirements for employee protection contained in 29 CFR Part 1926, Subpart D, and the requirements for record-keeping contained in 29 CFR Part 1910.
 - (3) The Virginia Department of Labor and Industry's (DLI) Emergency Regulation published in the May 27, 1996 Virginia Register, requiring, among other things, that a permit be issued to the lead abatement contractor, or any subsequent regulation issued by DLI.
- (i) If the Contractor violates laws or regulations that govern the Project, the Contractor shall indemnify and hold the Owner harmless against any fines and/or penalties that result from such violation. To the extent that such violation is the result of negligence or other actionable conduct of the Contractor, the Contractor shall indemnify and hold the Owner harmless against any third party claims, suits, awards, actions, causes of action or judgments, including but not limited to attorney's fees and costs incurred thereunder, that result from such violation.

4. NONDISCRIMINATION

- (a) §2.2-4311 of the Code of Virginia shall be applicable. It provides as follows:

"1. During the performance of this Contract the Contractor agrees as follows:

- (a) The Contractor will not discriminate against any employee or applicant for employment because of race, religion, color, sex, national origin, age, disability, or other basis prohibited by state law relating to discrimination in employment, except where there is a bona fide occupational qualification reasonably necessary to the normal operation of the Contractor. The Contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.
- (b) The Contractor, in all solicitations or advertisements for employees placed by or on behalf of the Contractor, will state that such Contractor is an equal opportunity employer.
- (c) Notices, advertisements and solicitations placed in accordance with federal law, rule or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section.

2. The Contractor will include the provisions of the foregoing paragraphs (a), (b) and c) in every subcontract or purchase order of over ten thousand dollars (\$10,000), so that the provisions will be binding upon each Subcontractor or vendor.”

(b) Where applicable, the Virginians with Disabilities Act and the federal Americans with Disabilities Act shall apply to the Contractor and all Subcontractors.

5. PROHIBITION OF ALCOHOL AND OTHER DRUGS

(a) §2.2-4312 of the Code of Virginia shall be applicable. It provides as follows:
“During the performance of this contract, the contractor agrees to (i) provide a drug-free workplace for the contractor’s employees; (ii) post in conspicuous places, available to employees and applicants for employment, a statement notifying employees that the unlawful manufacture, sale, distribution, dispensation, possession, or use of a controlled substance or marijuana is prohibited in the contractor’s workplace and specifying the actions that will be taken against employees for violations of such prohibition; (iii) state in all solicitations or advertisements for employees placed by or on behalf of the contractor that the contractor maintains a drug-free workplace; and (iv) include the provisions of the foregoing clauses in every subcontract or purchase order of over \$10,000, so that the provisions will be binding upon each subcontractor or vendor. For the purposes of this section, “drug-free workplace” means a site for the performance of work done in connection with a specific contract awarded to a contractor in accordance with this chapter, the employees of whom are prohibited from engaging in the unlawful manufacture, sale, distribution, dispensation, possession or use of any controlled substance or marijuana during the performance of the contract.”

(b) The Contractor shall also establish, maintain and enforce policies which prohibit the following acts by all Contractor, Subcontractor and Supplier personnel at the Site:

- (1) the manufacture, distribution, dispensation, possession, or use of alcohol or other drugs, except possession and medically prescribed use of prescription drugs; and
- (2) the impairment of judgment or physical abilities due to the use of alcohol or other drugs, including impairment from prescription drugs.

6. TIME FOR COMPLETION

(a) The Time for Completion shall be designated by the Owner on the Invitation for Bids or other prebid documents. In some instances, the Time for Completion may be stated on the Invitation for Bids or other prebid document in the form of a Contract Completion Date. The Work must be substantially completed by the Time for Completion or the Contract Completion Date. Unless otherwise specified, the Contractor shall achieve Final Completion within thirty (30) days after the date of Substantial Completion.

(b) The Time for Completion shall be stated in the Contract Between Owner and Contractor and shall become a binding part of the Contract upon which the Owner may rely in planning the use of the

facilities to be constructed and for all other purposes. If the Contractor fails to substantially complete the Work within the Time for Completion or Contract Completion Date, as set forth in the Contract, he shall be subject to payment of actual damages incurred by the Owner or liquidated damages, if provided for in the Contract.

- (c) The Contractor, in submitting his bid, acknowledges that he has taken into consideration normal weather conditions. The listing below defines the monthly anticipated days of adverse weather for each month and is based upon NOAA climatological data for Charlottesville, Virginia, last revised January 1995. Adverse weather days shall be days of actual precipitation of 0.10 inch or greater.

Jan	Feb	Mar	Apr	May	June	July	Aug	Sep	Oct	Nov	Dec
6	6	7	6	8	6	8	8	6	5	5	6

The anticipated days provided above will constitute the base line for adverse weather time evaluations. Throughout the portion of the contract from the date of Notice to Proceed until the building is “dried in”, actual adverse weather days are to be recorded by the Contractor and verified by the Architect each month. In addition to the anticipated days of adverse weather noted above, the Contractor must anticipate one day of adverse weather impact (snow, ice, mud) for each day of actual adverse weather during the months of January, February, March, and December.

The building shall be considered “dried in” when the exterior block walls or stud and sheathing walls are in place, and a temporary (or permanent) roof is in place.

The total anticipated adverse weather days for the project shall be the sum of all the monthly days for each month from the date of Notice to Proceed until the date the building is to be “dried in”, according to the Contractor’s schedule.

If the total number of actual adverse weather days plus adverse weather impact days exceeds the anticipated adverse weather days determined above, the excess days may be used as a basis to determine whether a Contractor is entitled to a time extension. The adverse weather must have prevented work for 50 percent (50%) or more of the Contractor’s work day and delayed work critical to the timely completion of the project.

The Contractor’s schedule must indicate the critical (path) work and must reflect the above anticipated adverse weather days for all weather dependent activities.

- (1) The extension requested must be supported by a delay in completion of the entire Project shown on the critical path of the accepted CPM Schedule or the approved bar graph schedule required for the Project. Extensions will be granted only for delays in completion of the Project, not for that portion of any delay which consumes only “float” time.
- (2) A request for extension of time based on abnormal weather must be made in writing within five (5) calendar days of the completion of the calendar month during which abnormal weather is claimed at the Site.

- (3) All of the evidence and data supporting the request (including both historical data and the recordings at the Site during the time of delay) must be furnished to the Owner before any consideration will be given to the request. That supporting data shall be submitted by the end of the calendar month following the month for which the request is made.
- (d) The Contractor represents and agrees that he has taken into account in his bid the requirements of the bid documents, local conditions, availability of materials, equipment, and labor, and any other factors which may affect the performance of the Work. The Contractor agrees and warrants that he will achieve Substantial Completion of the Work to allow the Owner to have Beneficial Occupancy not later than the Time for Completion or Contract Completion Date. The Contractor agrees and warrants that he will achieve Final Completion of the Work (the entire completion of all Work, including "punch list" items), not later than thirty (30) days after achieving Substantial Completion.

7. CONDITIONS AT SITE

- (a) The Contractor is totally responsible for having ascertained pertinent local conditions such as location, accessibility and general character of the Site, and the character and extent of existing improvements and work within or adjacent to the Site.
- (b) If, in the performance of the Contract, hidden physical conditions of a building being modified are exposed revealing unusual or materially different conditions from those ordinarily encountered or inherent in work of this nature, or if subsurface or latent conditions at the Site are found which are materially different from those frequently present in the locality or from those indicated in the Contract Documents, the Contractor must report such conditions to the Owner and to the Architect/Engineer before the conditions are disturbed. Upon such notice, or upon his own observation of such conditions, the Architect/Engineer shall promptly propose such changes in the Contract Documents as he finds necessary to conform to the different conditions. Any change in the cost of the Work or additional time needed for completion must be requested pursuant to Sections 38 and/or 42 of these General Conditions.
- (c) If the Contractor, during the course of the Work, observes the existence of any material which he knows, should know, or has reason to believe is hazardous to human health, the Contractor shall promptly notify the Owner. The Owner will provide the Contractor with instructions regarding the disposition of the material. The Contractor shall not perform any Work involving the material or any Work causing the material to be less accessible prior to receipt of special instructions from the Owner.

8. CONTRACT SECURITY

- (a) For Contracts with a value exceeding one hundred thousand dollars (\$100,000), the Contractor shall deliver to the Owner or its designated representative, a Standard Performance Bond and a Standard Labor and Material Payment Bond, each fully executed by the Contractor and one or more surety companies legally licensed to do business in Virginia and each in an amount equal to one hundred percent (100%) of the accepted bid. If more than one Surety executes a bond, each shall be jointly and severally liable to the Owner for the entire amount of the bond. Sureties shall be selected by the

Contractor, subject to approval by the Owner. No payment on the Contract shall be due and payable to the Contractor until the bonds have been approved by the Owner.

- (b) For the purposes of all Standard Labor and Material Payment Bonds entered into, the term “subcontractors” as used in §2.2-4337(A.2) of the Code of Virginia is interpreted to mean any contractors who participated in the prosecution of the Work undertaken by the Contractor (referred to in §2.2-4337(A.2) of the Code of Virginia as the “prime contractor”), whether such contractor had a direct contract with the Contractor (prime contractor) or whether there were one or more other intervening Subcontractors contractually positioned between it and the Contractor (prime contractor).
- (c) See §2.2-4338 of the Code of Virginia, for alternative forms of security for payment and/or performance bonds.
- (d) For contracts with a value of less than one hundred thousand dollars (\$100,000), the Contractor will not be required to provide a Standard Performance Bond and a Standard Labor and Material Payment Bond as described above unless the Invitation for Bid states that such bonds will be required.

9. SUBCONTRACTS

- (a) The Contractor shall, as soon as practicable after the signing of the Contract, notify the Owner and Architect/Engineer in writing of the names of all Subcontractors proposed for the principal parts of the Work and of such others as the Architect/Engineer may direct. Where the specifications establish qualifications or criteria for Subcontractors, manufacturers, or individuals performing Work on the Project, the Contractor shall be responsible for ascertaining that those proposed meet the criteria or qualifications. The Contractor shall not employ any Subcontractor that the Owner may, within a reasonable time, object to as unsuitable. Neither the Owner nor the Architect/Engineer shall direct the Contractor to contract with any particular Subcontractor unless provided in the specifications or Invitation for Bids.
- (b) The Owner may select a particular Subcontractor for a certain part of the Work and designate on the Invitation for Bids that the Subcontractor shall be used for the part of the Work indicated and that the Subcontractor has agreed to perform the Work for the subcontract amount stipulated on the bid form. The Contractor shall include the stipulated amount plus his Contractor markups in the bid. In such case, the Contractor shall be responsible for that Subcontractor and its work and the Subcontractor shall be responsible to the Contractor for its work just as if the Contractor had selected the Subcontractor.
- (c) The Owner shall, on request, furnish to any Subcontractor, if practicable, the amounts of payments made to the Contractor, the Schedule of Values and Requests for Payment submitted by the Contractor and any other documentation submitted by the Contractor which would tend to show what amounts are due and payable by the Contractor to the Subcontractor.
- (d) The Contractor shall be fully responsible to the Owner for all acts and omissions of his agents and employees and all succeeding tiers of Subcontractors and Suppliers performing or furnishing any of the Work. Nothing in the Contract Documents shall create any contractual relationship between

Owner or Architect/Engineer and any such Subcontractor, Supplier or other person or organization, nor shall it create any obligation on the part of Owner or Architect/Engineer to pay for or to see to the payment of any moneys due any such Subcontractor, Supplier or other person or organization, except as may otherwise be required by law.

- (e) The Contractor shall be fully responsible for his invitees at the Site and for those of his Subcontractors, Suppliers, and their employees, including any acts or omissions of such invitee.
- (f) The Contractor agrees that he alone is responsible for all dealings with his Subcontractors and Suppliers, and their subcontractors, employees and invitee, including, but not limited to, the Subcontractors' or Suppliers' claims, demands, actions, disputes and similar matters unless specifically provided otherwise by the Contract or by statute.

10. SEPARATE CONTRACTS

- (a) The Owner reserves the right to let other contracts in connection with the Project, the Work under which may proceed simultaneously with the execution of this Contract. The Contractor shall afford other separate contractors reasonable opportunity for the introduction and storage of their materials and the execution of their work. The Contractor shall cooperate with them and shall take all reasonable action to coordinate his Work with theirs. If the Owner has listed other separate contracts in the Invitation for Bids which it expects to proceed simultaneously with the Work of the Contractor, and has included the estimated timing of such other Contracts in the Invitation for Bids, the Contractor shall integrate the schedule of those separate contracts into his scheduling. The Contractor shall make every reasonable effort to assist the Owner in maintaining the schedule for all separate contracts. If the work performed by the separate contractor is defective or performed so as to prevent or threaten to prevent the Contractor from carrying out his Work according to the Contract, the Contractor shall immediately notify the Owner and the Architect/Engineer upon discovering such conditions.
- (b) If a dispute arises between the Contractor and any separate contractor(s) as to their responsibility for cleaning up as required by Sections 31(c) and 31(d) of these General Conditions, the Owner may clean up and charge the cost thereof to the respective contractors in proportion to their responsibility. If a Contractor disputes the Owner's apportionment of clean-up costs, it shall be that contractor's burden to demonstrate and prove the correct apportionment.

11. CONTRACTOR'S AND SUBCONTRACTOR'S INSURANCE

- (a) Prior to execution of the Contract by the Owner, the Contractor shall provide written evidence (certificates of insurance) that he has obtained all the insurance required hereunder from an insurer authorized to do business in Virginia and such insurance has been approved by the Owner. Insurance providers must have an agent located in Virginia. The Contractor shall not allow any Subcontractor to commence Work on his subcontract until the same types of insurance in an appropriate amount have been obtained by the Subcontractor and approved by the Contractor. Approval of insurance by the Owner shall not relieve or decrease the liability of the Contractor hereunder. In the event of cancellation of this insurance, not less than thirty (30) days prior written notice must be sent to the Owner.

- (b) The Contractor shall take out and shall maintain at all times during the performance of the Work Workers' Compensation and Employers' Liability Insurance for all of his employees engaged in the Work in an amount not less than the minimum required by §2.2-4332 and §65.2-100 et seq. of the Code of Virginia, and, in case any of the Work is sublet, the Contractor shall require each Subcontractor similarly to provide Workers' Compensation and Employers' Liability Insurance for all of the latter's employees to be engaged in the Work.
- (c) During the performance of the Work under this Contract, the Contractor shall maintain commercial general liability insurance to include Premises / Operations Liability, Products and Completed Operations Coverage, Independent Contractor's Liability, Owner's and Contractor's Protective Liability, and Personal Injury Liability, which shall insure him against claims of personal injury, including death, as well as against claims for property damage, which may arise from operations under this Contract whether such operations be by himself or by any Subcontractor, or by anyone directly or indirectly employed by either of them. The amounts of general liability insurance shall be not less than \$1,000,000 per occurrence and \$2,000,000 aggregate combined limit for projects with a construction cost of \$200,000 or greater. The amounts of general liability insurance shall be not less than \$250,000 per occurrence and \$1,000,000 aggregate combined limit for projects with a construction cost of less than \$200,000. The Owner, its officers, employees and agents, shall be named as an additional insured with respect to the Work being procured. The Supplemental General Conditions may require the Contractor to provide an Umbrella insurance policy in a specified amount for the Project.
- (d) During the performance of the Work under this Contract, the Contractor shall maintain automobile liability insurance which shall insure him against claims of personal injury, including death, as well as against claims for property damage, which may arise from operations under this Contract, whether such operations be by himself or by any Subcontractor, or by anyone directly or indirectly employed by either of them. The amounts of automobile insurance shall be not less than \$1,000,000 combined limit for bodily injury and property damage per occurrence.
- (e) The Asbestos Contractor or Subcontractor, as the case may be, shall provide occurrence-based liability insurance with asbestos coverages in an amount not less than \$1,000,000 and shall name the following as additional insured: The Owner, its officers, its employees and its agents; the Architect/Engineer (if not the Asbestos Project Designer); and the Contractor (where the asbestos work is being performed by the Asbestos Subcontractor).

12. "ALL RISK" BUILDER'S RISK INSURANCE

- (a) The Contractor, at his cost, shall obtain and maintain in the names of the Owner and the Contractor "all-risk" builder's risk insurance (or fire, extended coverage, vandalism and malicious mischief insurance, if approved by the Owner) upon the entire structure or structures on which the Work of this Contract is to be done, and upon all material in or adjacent thereto which is intended for use thereon, to one hundred percent (100%) of the insurable value thereof. Such insurance may include a deductible provision if the Owner so provides in the Supplemental General Conditions, in which case the Contractor will be liable for such deductions, whenever a claim arises. The loss, if any, is to be made adjustable with and payable to the Owner, in accordance with its interests, as they may appear. The Owner, its officers, employees and its agents, shall be named as an additional insured in any

policy of insurance issued. Written evidence of the insurance shall be filed with the Owner prior to execution of the Contract by the Owner. Insurance providers must be authorized to do business in Virginia and have an agent located in Virginia. In the event of cancellation of this insurance, not less than thirty (30) days prior written notice must be sent to the Owner. A copy of the policy of insurance shall be given to the Owner upon demand.

- (b) The value of the builder's risk insurance shall exclude the costs of excavations, backfills, foundations, underground utilities and Site work.
- (c) Certain projects, such as renovations and interior modifications of existing buildings, may be covered by the Owner's insurance and may not require the "all risk" insurance required by this section. In those instances, the Supplemental General Conditions for the project shall expressly exclude the project from the requirements of Subsection 12(a).
- (d) Any insurance provided through the County of Albemarle, Virginia, for construction, additions or renovations will not extend to Contractor's nor Subcontractors' buildings, equipment, materials, tools or supplies unless these items are to become property of the Owner upon completion of the Project and the Owner has assumed responsibility for such items at the time of the loss.

13. TAXES, FEES AND ASSESSMENTS

The Contractor shall, without additional expense to the Owner, pay all applicable federal, state, and local taxes, fees, and assessments except the taxes, fees and assessments on the real property comprising the Site of the project. The Owner shall pay inspection fees to the local building official except for reinspection fees resulting from incomplete or defective work.

14. PATENTS

The Contractor shall obtain all licenses necessary to use any invention, article, appliance, process or technique of whatever kind and shall pay all royalties and license fees. The Contractor shall hold the Owner, its officers, agents and employees, harmless against any loss or liability for or on account of the infringement of any patent rights in connection with any invention, process, technique, article or appliance manufactured or used in the performance of the Contract, including its use by the Owner, unless such invention, process, technique, article or appliance is specifically named in the specifications or plans as acceptable for use in carrying out the Work. If, before using any invention, process, technique, article or appliance specifically named in the specifications or plans as acceptable for use in carrying out the Work, the Contractor has or acquires information that the same is covered by letters of patent making it necessary to secure the permission of the patentee, or other, for the use of the same, he shall promptly advise the Owner and the Architect/Engineer. The Owner may direct that some other invention, process, technique, article or appliance be used. Should the Contractor have reason to believe that the invention, process, technique, article or appliance so specified is an infringement of a patent, and fail to inform the Owner and the Architect/Engineer, he shall be responsible for any loss or liability due to the infringement.

15. ARCHITECT/ENGINEER'S STATUS

- (a) The Architect/Engineer shall have authority to endeavor to secure the faithful performance by Owner and Contractor of the Work under the Contract. He shall review the Contractor's Submittals for conformance to the requirements of the Contract Documents and return copies to the Contractor with appropriate notations. He shall interpret the requirements of the plans and specifications and issue Field Orders to the Contractor as may be required. He shall recommend to the Owner suspension of the Work (in whole or in part) whenever such suspension may be necessary to ensure the proper execution of the Contract. He shall have authority to reject, in writing, Work, including material, installation or workmanship, which does not conform to the requirements of the plans and specifications. He shall determine the progress and quality of the Work, subject to the right of the Owner to make an overriding decision to the contrary. Upon request by the Contractor, the Architect/Engineer shall confirm, in writing within ten (10) days, any oral order or determination made by him.
- (b) The Architect/Engineer shall have no authority to approve or order changes in the Work which alter the design concept or which call for an extension of time or a change in the Contract Price.
- (c) The Owner shall have the right, but not the duty, to countermand any decision of the Architect/Engineer and to follow or reject the advice of the Architect/Engineer, including but not limited to acceptance of the Work.
- (d) All orders from the Owner to the Contractor shall either be transmitted through the Architect/Engineer or communicated directly to the Contractor and the Architect/Engineer by the Owner.
- (e) Should the Owner choose to employ another or different Architect/Engineer, the status of the Architect/Engineer so employed shall be the same as that of the former Architect/Engineer.
- (f) The Architect/Engineer will provide to the Owner and the Contractor after each visit to the Site, a written report indicating the date, time of day, weather conditions and the names of the persons representing the Architect/Engineer who participated in the visit. The report will advise the Owner of any problems that were noted and shall compare the Architect/Engineer's observations of the actual progress of the Work with that reported by the Contractor. On the basis of his on-Site observations as Architect/Engineer, he will make every reasonable effort to guard the Owner against defects and deficiencies in the Work of the Contractor. He shall have the authority to inspect the Work, to note and report Defective Work and deviations from the Contract Documents to the Owner, to reject same, and to recommend to the Owner the suspension of the Work when necessary to prevent Defective Work from proceeding or being covered.
- (g) The Architect/Engineer shall not be responsible for construction means, methods, techniques, sequences or procedures (other than those expressly specified in Contract Documents), or for safety precautions and programs in connection with the Work, and he shall not be responsible for the Contractor's failure to carry out the Contractor's own responsibilities.

- (h) The provisions of this section are included as information only to describe the relationship between the Owner, A/E, and Contractor. No failure of the A/E to act in accordance with this section shall relieve the Contractor from his obligations under the Contract or create any rights in favor of the Contractor.

16. INSPECTION

- (a) All material and workmanship shall be subject to inspection, examination and testing by the Owner, the Architect/Engineer, the Project Inspector, authorized inspectors and authorized independent testing entities at any and all times during manufacture and/or construction. The Architect/Engineer and the Owner shall have authority to reject defective material and workmanship and require its correction. Rejected workmanship shall be satisfactorily corrected and rejected material shall be satisfactorily replaced with proper material without charge therefor, and the Contractor shall promptly segregate and remove the rejected material from the Site. If the Contractor fails to proceed at once with replacement of rejected material and/or the correction of defective workmanship, the Owner may, by contract or otherwise, replace such material and/or correct such workmanship and charge the cost to the Contractor, or may terminate the right of the Contractor to proceed as provided in Section 40 of these General Conditions, the Contractor and surety being liable for any damage to the same extent as provided in Section 40 for termination thereunder.
- (b) Site inspections, tests conducted on Site or tests of materials gathered on Site, which the Contract requires to be performed by independent testing entities, shall be contracted and paid for by the Owner. Examples of such tests are the testing of cast-in-place concrete, foundation materials, soil compaction, pile installations, caisson bearings and steel framing connections. The Contractor shall promptly furnish, without additional charge, all reasonable facilities, labor and materials necessary and convenient for making such tests. Except as provided in (d) below, whenever such examination and testing finds defective materials, equipment or workmanship, the Contractor shall reimburse the Owner for the cost of reexamination and retesting. Although conducted by independent testing entities, the Owner will not contract and pay for tests or certifications of materials, manufactured products or assemblies which the Contract, codes, standards, etc., require to be tested and/or certified for compliance with industry standards such as Underwriters Laboratories, Factory Mutual or ASTM. If fees are charged for such tests and certifications, they shall be paid by the Contractor. The Contractor shall also pay for all inspections, tests, and certifications which the Contract specifically requires him to perform or to pay, together with any inspections and tests which he chooses to perform for his own purposes, but are not required by the Contract
- (c) Where Work is related to or dependent on the Defective Work, the Contractor shall stop such related or dependent Work until the Defective Work or deficiency is corrected or an alternative solution is presented that is satisfactory to the Owner. Where Work is rejected because of defective material or workmanship, the Contractor shall stop like Work in other areas or locations on the Project until the matter is resolved and the Owner has approved corrective measures.

- (d) Should it be considered necessary or advisable by Owner or the Architect/Engineer at any time before final acceptance of the entire Work to make an examination of any part of the Work already completed, by removing or tearing out portions of the Work, the Contractor shall on request promptly

furnish all necessary facilities, labor and material to expose the Work to be tested to the extent required. If such Work is found to be defective in any respect, due to the fault of the Contractor or his Subcontractors, the Contractor shall defray all the expenses of uncovering the Work, of examination and testing, and of satisfactory reconstruction. If, however, such Work is found to meet the requirements of the Contract, the actual cost of the Contractor's labor and material necessarily involved in uncovering the Work, the cost of examination and testing, and Contractor's cost of material and labor necessary for replacement including a markup of fifteen percent (15%) for overhead and profit shall be paid to the Contractor and he shall, in addition, if completion of the Work has been delayed thereby, be granted a suitable extension of time. Notwithstanding the foregoing, the Contractor shall be responsible for all costs and expenses in removing and replacing the Work if the Contractor had covered the Work prior to any inspection or test contrary to the instructions of the A/E, Owner or Project Inspector.

- (e) The Project Inspector has the right and the authority to:
- (1) Inspect all construction materials, equipment, and supplies for quality and for compliance with the Contract Documents and/or approved shop drawings and Submittals;
 - (2) Inspect workmanship for compliance with the standards described in the Contract Documents;
 - (3) Observe and report on all tests and inspections performed by the Contractor;
 - (4) Recommend rejection of Work which does not conform to requirements of the Contract Documents;
 - (5) Keep a record of construction activities, tests, inspections, and reports;
 - (6) Attend all joint Site construction meetings and inspections held by the Owner and/or the A/E with the Contractor;
 - (7) Check materials and equipment, together with documentation related thereto, delivered for conformance with approved Submittals and the Contract;
 - (8) Check installations for proper workmanship and conformance with shop drawing and installation instructions;
 - (9) Assist in the review and verification of the Schedule of Values & Certificate for Payment, submitted by the Contractor each month;
 - (10) Do all things for or on behalf of the Owner as the Owner may subsequently direct in writing.

- (f) The Project Inspector has no authority to:
 - (1) Authorize deviations from the Contract Documents;
 - (2) Enter into the area of responsibility of the Contractor's superintendent;
 - (3) Issue directions relative to any aspect of construction means, methods, techniques, sequences or procedures, or in regard to safety precautions and programs in connection with the Work;
 - (4) Authorize or suggest that the Owner occupy the Project, in whole or in part; or
 - (5) Issue a certificate for payment.
- (g) The duties of the Project Inspector are for the benefit of the Owner only and not for the Contractor. The Contractor may not rely upon any act, statement, or failure to act on the part of the Project Inspector, nor shall the failure of the Project Inspector to properly perform his duties in any way excuse Defective Work or otherwise improper performance of the Contract by the Contractor.

17. SUPERINTENDENCE BY CONTRACTOR

- (a) The Contractor shall have a competent foreman or superintendent, satisfactory to the Architect/Engineer and the Owner, on the Site at all times during the progress of the Work. The superintendent or foreman shall be familiar with and be able to read and understand the plans and specifications, and be capable of communicating orally and in writing with the Owner's inspectors and the Contractor's workers. The Contractor shall be responsible for all construction means, methods, techniques, sequences and procedures, for coordinating all portions of the Work under the Contract except where otherwise specified in the Contract Documents, and for all safety and worker health programs and practices. The Contractor shall notify the Owner, in writing, of any proposed change in superintendent, including the reason therefor, prior to making such change.
- (b) The Contractor shall, at all times, enforce strict discipline and good order among the workers on the Project, and shall not employ on the Work, or contract with, any unfit person, anyone not skilled in the Work assigned to him, or anyone who will not work in harmony with those employed by the Contractor, the Subcontractors, the Owner or the Owner's separate contractors and their subcontractors.
- (c) The Owner may, in writing, require the Contractor to remove from the Site any employee or Subcontractor's employee the Owner deems to be incompetent, careless, not working in harmony with others on the Site, or otherwise objectionable, but the Owner shall have no obligation to do so.

18. CONSTRUCTION SUPERVISION, METHODS AND PROCEDURES

- (a) The Contractor shall be solely responsible for supervising and directing the Work competently and efficiently, devoting such attention thereto and applying such skills and expertise as may be necessary

to perform the Work in accordance with the Contract. The Contractor shall be solely responsible for the means, methods, techniques, sequences and procedures of construction and for coordinating all portions of the Work under the Contract, except where otherwise specified in the Contract Documents. However, the Contractor shall not be responsible for the negligence of others in the design or selection of a specific means, method, technique, sequence or procedure of construction which is

indicated in and required by the Contract. The Contractor is solely responsible to the Owner that the finished Work complies with the Contract Documents.

The Contractor shall be solely responsible for health and safety precautions and programs for workers and others in connection with the Work. No inspection by, knowledge on the part of, or acquiescence by the Architect or Engineer, the Project Inspector, the Owner, the Owner's employees and agents, or any other entity whatever shall relieve the Contractor from its sole responsibility for compliance with the requirements of the Contract or its sole responsibility for health and safety programs and precautions.

- (b) If a specific means, method, technique, sequence or procedure of construction is indicated in or required by the Contract Documents, the Contractor may furnish or utilize a substitute means, method, sequence, technique or procedure of construction acceptable to Architect/Engineer, subject to the Owner's right to disapprove. The Contractor must submit its written request for the substitution to the Architect/Engineer with sufficient information to allow the Architect/Engineer to determine that the substitute proposed is equivalent to that indicated or required by the Contract.
- (c) The divisions and sections of the Specifications and the identification of any drawings shall not control the Contractor in dividing the Work among Subcontractors or Suppliers or delineating the Work to be performed by any specific trade.

19. SCHEDULE OF THE WORK

- (a) **General:** The Contractor is responsible for the scheduling and sequencing of the Work, for coordinating the Work, for monitoring the progress of the Work, and for taking appropriate action to keep the Work on schedule. The Contractor may attempt to achieve Substantial Completion on or before the Time for Completion or the Contract Completion Date established by the Contract and receive payment in accordance with Section 36 for the Work completed each period. However, the date established by the Contract Documents as the deadline for achieving Substantial Completion must be used in all schedules as the date on which Substantial Completion will be achieved. The time (in days) between the Contractor's planned early completion and the contracted Time for Completion is part of the Project "Total Float" time and will be used as such. Extensions of time pursuant to Sections 38 and 42, damages for delay, and all other matters between the Owner and the Contractor will be determined using the contractually required Substantial Completion date, not an early Substantial Completion date planned by the Contractor.

Within two (2) weeks after the Contractor signs the Contract Between Owner and Contractor, unless otherwise extended by the Owner at the time of the signing, the Contractor shall prepare and submit to the Owner, with a copy to the Architect/Engineer, a preliminary bar graph schedule for accomplishing the Work based upon the Time for Completion stated in the Contract. The preliminary bar graph

schedule shall be in sufficient detail to show the sequencing of the various trades for each floor level, wing or work area. The Owner will notify the Contractor of its acceptance of or objections to the preliminary schedule within fifteen (15) days of receipt by the Owner. A fully complete Project schedule for accomplishing the Work must be submitted in like manner no later than sixty (60) days after the Contract is signed by the Owner.

The Owner's failure to reject or its acceptance of any schedule, graph, chart, recovery schedule, updated schedule, plan of action, etc. shall not constitute a representation or warranty by the Owner, including but not limited to a representation or warranty that the schedule is feasible or practical nor shall any such acceptance or failure to reject relieve the Contractor from sole responsibility for completing the Work within the time allowed.

No progress payments will be payable to the Contractor until after it has submitted a preliminary schedule which is acceptable to the Owner. Neither the second progress payment nor any subsequent payment shall be payable to the Contractor until it has submitted a fully complete Project schedule accepted by the Owner. Nor shall subsequent progress payments be payable to the Contractor unless and until he maintains the monthly bar graphs or status reports required by Section 19(d) herein or unless and until he provides any recovery schedule pursuant to Section 19(e) herein.

Failure to provide a satisfactory preliminary or fully complete Project schedule within the time limits stated above shall be a breach of contract for which the Owner may terminate the Contract in the manner provided in Section 40 of these General Conditions.

The fully complete Project schedule for accomplishing the Work shall be of the type set forth in subparagraph (1) or (2) below, as appropriate:

- (1) For Contracts with a price of \$10,000,000 or less, a bar graph schedule will satisfy the above requirement. The schedule shall indicate the estimated starting and completion dates for each major element of the work. See (b) below.
 - (2) For Contracts with a price over \$10,000,000, a Critical Path Method (CPM) schedule shall be utilized to control the planning and scheduling of the Work. The CPM schedule shall be the responsibility of the Contractor and shall be paid for by the Contractor. See (c) below.
- (b) **Bar Graph Schedule:** Where a bar graph schedule is required, it shall be time-scaled in weekly increments, shall indicate the estimated starting and completion dates for each major element of the Work by trade and by area, level, or zone, and shall schedule dates for all salient features, including but not limited to the placing of orders for materials, submission of shop drawings and other Submittals for approval, approval of shop drawings by Architect/Engineer, the manufacture and delivery of material, the testing and the installation of materials, supplies and equipment, and all Work activities to be performed by the Contractor.

The Contractor shall allow sufficient time in his schedule for adverse weather anticipated in Section 6 and for the A/E to conduct whatever associated reviews or inspections as may be required under the A/E's contract with the Owner. If the A/E and the Contractor are unable to agree as to what constitutes sufficient time, the Owner shall determine the appropriate duration for such Architect/Engineer

activities. Each Work activity will be assigned a time estimate by the Contractor. One day shall be the smallest time unit used.

It is the Contractor's responsibility to submit a schedule that shows Substantial Completion of the Work by the Contract Time for Completion or the Contract Completion Date and any interim deadlines established by the Contract.

- (c) **CPM Schedule:** Where a CPM schedule is required, it shall be in the time-scaled precedence format using the Contractor's logic and time estimates. The CPM schedule shall be drawn or plotted with activities grouped or zoned by Work area or subcontract as opposed to a random (or scattered) format.

The CPM schedule shall be time-scaled on a weekly basis and shall be drawn or plotted at a level of detail and logic which will schedule all salient features of the Work, including not only the actual construction Work for each trade, but also the submission of shop drawings and other Submittals for approval, approval of shop drawings by Architect/Engineer, placing of orders for materials, the manufacture and delivery of materials, the testing and installation of materials and equipment, and all Work activities to be performed by the Contractor. Failure to include any element of Work required for the performance of this Contract shall not excuse the Contractor from completing all Work required within the Time for Completion, Contract Completion Date and any interim deadlines established by the Contract.

The Contractor shall allow sufficient time in his schedule for adverse weather anticipated in Section 6 and for the A/E to conduct whatever associated reviews or inspections as may be required under the A/E's contract with the Owner. If the A/E and the Contractor are unable to agree as to what constitutes sufficient time, the Owner shall determine the appropriate duration for such Architect/Engineer activities. Each Work activity will be assigned a time estimate by the Contractor. One day shall be the smallest time unit used.

It is the Contractor's responsibility to submit a schedule that shows Substantial Completion of the Work by the Contract Time for Completion or the Contract Completion Date and any interim deadlines established by the Contract.

When completed, the CPM schedule shall be submitted to the Architect/Engineer and the Owner for review. The CPM schedule will identify and describe each activity, state the duration of each activity, the calendar dates for the early and late start and the early and late finish of each activity, and clearly highlight all activities on the critical path. "Total float" and "free float" shall be indicated for all activities. Float time, whether "free float" or "total float" as defined in Section 1, shall not be considered for the exclusive use or benefit of either the Owner or the Contractor, but must be allocated in the best interest of completing the Work within the Time for Completion or the Contract Completion Date. Extensions to the Time for Completion or the Contract Completion Date, when granted by Change Order, will be granted only when equitable time adjustment exceeds the Total Float in the activity or path of activities affected by the change. The CPM schedule shall also show what part of the Contract Price (expressed in U.S. dollars) is attributable to each activity on the schedule, the sum of which for all activities shall equal the total Contract Price. The CPM schedule shall also show

the planned workforce (crew size and number of crews) and the major pieces of equipment required for each activity on the schedule. When acceptable to the Owner and Architect/Engineer as to compliance with the requirements of this Section, but not as to logic, the schedule shall become the CPM schedule for the Project. Acceptance of the schedule by the Owner does not indicate agreement with nor responsibility for the proposed or actual duration of any activity shown on the accepted schedule.

- (d) **Monthly Project Reports:** The Contractor shall review progress not less than each month, but as often as necessary to properly manage the Project and stay on schedule. The Contractor shall collect and preserve information on Change Orders, including extensions of time. The Contractor shall evaluate this information and update the latest accepted schedule as often as necessary to finish within the Contract Time for Completion or before the Contract Completion Date. The Contractor shall submit to the A/E along with his monthly request for payment a copy of the bar graph schedule annotated to show the current progress. For projects requiring a CPM schedule, the Contractor shall submit a monthly report of the status of all activities. The bar graph schedule or monthly status report submitted with each periodic request for payment shall show the Work completed to date in comparison with the Work scheduled for completion, including but not limited to the dates for the beginning and completion of the placing of orders; the manufacture, testing and installation of materials, supplies and equipment. The form shall be approved by the A/E and the Owner; however, a bar graph or a CPM schedule marked, colored or annotated to reflect the above will usually satisfy this requirement. If any elements of the Work are behind schedule, regardless of whether they may prevent the Work from being completed on time, the Contractor must indicate in writing in the report what measures he is taking and plans to take to bring each such element back on schedule and to ensure that the Time for Completion or Contract Completion Date is not exceeded.
- (e) **Progress Delay:** Should any of the following conditions exist, the Owner may require the Contractor to prepare, at no extra cost to the Owner, a plan of action and a recovery schedule for completing the Work by the Contract Time for Completion or the Contract Completion Date:
- (1) The Contractor' monthly progress report indicates delays that are, in the opinion of the A/E or the Owner, of sufficient magnitude that the Contractor's ability to complete the Work by the scheduled Time for Completion or the Contract Completion Date is brought into question;
 - (2) The CPM schedule sorted by early finish shows the Contractor to be thirty (30) or more days behind the critical path schedule at any time during construction up to thirty (30) days prior to scheduled Substantial Completion date;
 - (3) The Contractor desires to make changes in the logic (sequencing of Work) or the planned duration of future activities of the CPM schedule which, in the opinion of the Architect/Engineer or the Owner, are of a major nature.

The plan of action and recovery schedule, when required, shall explain and display how the Contractor intends to regain compliance with the current accepted, fully completed, Project CPM schedule, as updated by approved change orders. The plan of action, when required, shall be submitted to the Owner for review within two (2) business days of the Contractor receiving the Owner's written

demand. The recovery schedule, when required, shall be submitted to the Owner within five (5) calendar days of the Contractor's receiving the Owner's written demand.

- (f) **Early Completion of Project:** The Contractor may attempt to achieve Substantial Completion on or before the Time for Completion or the Contract Completion Date. However, such planned early completion shall be for the Contractor's convenience only and shall not create any additional rights of the Contractor or obligations of the Owner under this Contract, nor shall it change the Time for Completion or the Contract Completion Date. The Contractor shall not be required to pay damages to the Owner because of its failure to achieve Substantial Completion by its planned earlier date. Likewise, the Owner shall not pay the Contractor any additional compensation for achieving Substantial Completion early nor will the Owner owe the Contractor any compensation should the Owner, its officers, employees, or agents cause the Contractor not to achieve Substantial Completion earlier than the date required by the Contract Documents. If the Contractor seeks to change the Time for Completion or the Contract Completion Date to reflect an earlier completion date, he may request or propose such a change. The Owner may, but is not required to, accept such proposal. However, a change in the Time for Completion or the Contract Completion Date shall be accomplished only by Change Order. If the Contractor's proposal to change the Time for Completion or the Contract Completion Date is accepted, a Change Order will be issued stating that all references in the Contract, including these General Conditions, to the Time for Completion or the Contract Completion Date shall thereafter refer to the date as modified, and all rights and obligations, including the Contractor's liability for actual damages, delay damages and/or liquidated damages, shall be determined in relation to the date, as modified.

20. SCHEDULE OF VALUES AND CERTIFICATE FOR PAYMENT

- (a) Before submittal of the first partial payment request under the Contract, the Contractor shall prepare for review and approval of the Architect/Engineer and the Owner, a schedule of the estimated values listed by trades or by specification sections of the Work, totaling the Contract Price. Where the total project has multiple parts or phases, the Contractor shall prepare appropriate schedules of values to facilitate reviews and justifications for payments. All requests for payment shall be made on the Schedule of Values and Certificate for Payment (Form AC-12) pages 1 and 2. Succeeding pages may be on the Form AC-12 continuation sheets or a computerized spreadsheet which is in the same format and which contains the same information. Where a computerized spreadsheet is used, one copy of the entire Schedule of Values shall be provided to the Owner on diskette in a spreadsheet format (e.g. LOTUS, EXCEL, or QUATTRO PRO) with the initial request for payment if requested.
- (b) If the Contractor requests, or intends to request, payment for materials stored in an approved and secure manner, the Schedule of Values must indicate the amount for labor and the amount for materials, and in a supplement thereto must include an itemized list of materials for that trade or Work section. The material breakdown shall be in sufficient detail to allow verification of the quantities required for the Project, the quantities delivered, the Work completed, and the quantities stored on or off Site.
- (c) The "Value of Work Completed" portion of the Form AC-12 shall be completed, the Contractor's certification completed and signed, and the appropriate substantiating material attached to each Certificate for Payment (AC-12). Such substantiating material includes, but is not limited to, invoices

for materials, delivery tickets, time sheets, payroll records, daily job logs/records, and similar materials which, in the opinion of the Owner and the A/E, are necessary or sufficient to justify payment of the amount requested.

- (d) The labor progress for any task or activity shall be calculated based upon the percentage of Work complete up to fifty percent (50%) of the completion of the task or activity. Thereafter, the evaluation of labor progress will be based upon the effort required to complete that task or activity. The material progress shall be calculated as the invoiced dollar cost of materials used in relationship to the amount estimated as necessary to complete a particular element of Work. When calculating material progress, credit shall be given for installed material as well as that stored on the Site and any material stored off Site which has been certified by the Architect/Engineer in accordance with Section 36 of these General Conditions.
- (e) Should Work included in previous Form AC-12 submittals, and for which payment has been made, subsequently be identified, by tests, inspection, or other means, as not acceptable or not conforming to Contract requirements, the "Value of Work Completed" portion of the first Form AC-12 submitted after such identification shall be modified to reduce the "completed" value of that Work by deleting the value of that which has been identified as not acceptable or nonconforming.

21. ACCESS TO WORK

The Architect/Engineer, the Owner, the Project Manager, the Owner's inspectors and other testing personnel, inspectors from the Department of Labor and Industry, and others authorized by the Owner, shall have access to the Work at all times. The Contractor shall provide proper facilities for access and inspection.

22. SURVEYS AND LAYOUT

- (a) The Owner shall furnish the Contractor all necessary documents showing property lines and the location of existing buildings and improvements. The Contractor shall provide competent surveying and engineering services to execute the Work in accordance with the Contract and shall be responsible for the accuracy of these surveying and engineering services.
- (b) Such general reference points and benchmarks on the Site as will enable the Contractor to proceed with the Work will be established in the plans and specifications. If the Contractor finds that any previously established reference points have been lost or destroyed, he shall promptly notify the Architect/Engineer.
- (c) The Contractor shall protect and preserve the established benchmarks and monuments and shall make no changes in locations without written notice to the Architect/Engineer and the written approval from the Owner. Any of these which may be lost or destroyed or which require shifting because of necessary changes in grades or locations shall, subject to prior written approval of the Owner, be replaced and accurately located by the Contractor.

23. PLANS AND SPECIFICATIONS

- (a) The general character and scope of the Work are illustrated by the plans and the specifications. If the Contractor deems additional detail or information to be needed, he may request the same in writing from the Architect/Engineer. His request shall precisely state the detail or information needed and shall explain why it is needed. The Contractor shall also indicate a date when the requested information is required. The Architect/Engineer shall provide by Field Order such further detail and information as is necessary by the date required so long as the date indicated is reasonable. Any additional drawings and instructions supplied to the Contractor shall be consistent with the Contract Documents, shall be true developments thereof, and shall be so prepared that they can be reasonably interpreted as a part thereof. The Contractor shall carry out the Work in accordance with the additional detail drawings and instructions.
- (b) If the Contractor finds a contract error, or other discrepancy in the plans or specifications, he shall notify the Architect/Engineer in writing as soon as possible, but before proceeding with the affected Work. The Architect/Engineer shall issue a clarification by Field Order to the Contractor stating the correct requirements. If the Contractor deems the Field Order requires additional Work, he shall notify the A/E of such prior to proceeding with that Work and he shall submit a request for Change Order along with a detailed substantiating cost proposal thru the A/E to the Owner within ten (10) calendar days.
- (c) In case of differences between small and large scale drawings, the large scale drawings shall govern. Where on any of the drawings a portion of the Work is drawn out and the remainder is indicated in outline, the parts drawn out shall apply also to all other like portions of the Work.
- (d) Where the word “similar” appears on the drawings, it shall be interpreted in its general sense and not as meaning identical, and all details shall be worked out in relation to their location and their connection with other parts of the Work.
- (e) The specifications may be divided into several parts, or sections, for convenience only, since the entire specifications must be considered as a whole. The divisions of the specifications are not intended to control the Contractor in dividing the Work among Subcontractors or to limit the Work performed by any trade. The Contractor shall be solely responsible for the coordination of the trades, Subcontractors and vendors engaged in the Work.
- (f) Measurements or dimensions shown on the drawings for Site features, utilities and structures shall be verified at the Site by the Contractor. The Contractor shall not scale measurements or dimensions from the drawings. If there are discrepancies, the Architect/Engineer shall be consulted. If new Work is to connect to, match with or be provided in existing Work, the Contractor shall verify the actual existing conditions and necessary dimensions prior to ordering or fabrication.
- (g) As-Built Drawings: The Contractor shall maintain at the Site for the Owner one copy of all drawings, specifications, addenda, approved shop or setting drawings, Change Orders and other modifications (collectively referred to herein as “As-Built Drawings”) in good order and marked to record all changes as they occur during construction. These shall be available to the Architect/Engineer, the Owner, the Project Inspector, the Owner’s other inspectors and to the Owner’s testing personnel. The drawings shall be neatly and clearly marked in color during construction to record all variations made

during construction. The representation of such variations shall include such supplementary notes, symbols, legends, and details as may be necessary to clearly show the as-built construction.

- (h) Record Drawings: Upon completion of the Work and prior to the final inspection, the Contractor shall deliver to the Architect/Engineer, for preparation of the Record Drawings, one complete set of “As-Built Drawings” referred to in the preceding subsection.

24. SUBMITTALS

- (a) The Contractor shall submit a listing of all Submittals required by the Architect/Engineer or which the Contractor identifies as necessary, fixing the dates for the submission of shop or setting drawings, samples and product data. The listing shall be in a format acceptable to the Architect/Engineer. The Contractor shall identify all Submittals with the Owner’s Project Title as required by Section 2(f).
- (b) Submittals shall be forwarded to the Architect/Engineer for approval if required by the specifications or if requested by the Architect/Engineer or the Owner. No part of the Work dealt with by a Submittal shall be fabricated by the Contractor, save at his own risk, until such approval has been given.
- (c) The Contractor shall furnish to the Architect/Engineer for approval the name of the manufacturer, the model number, and other identifying data and information respecting the performance, capacity, nature and rating of the machinery and mechanical and other equipment which the Contractor contemplates incorporating in the Work. When Submittals are required by this Contract for materials, the Contractor shall furnish full information concerning the material or articles which he contemplates incorporating in the Work. When required, samples shall be submitted for approval at the Contractor’s expense, with all shipping charges prepaid. Machinery, equipment, material and articles installed or used without required approval shall be at the risk of subsequent rejection.
- (d) Unless otherwise indicated or required elsewhere in the specifications, shop drawings shall be submitted in the form of six (6) blue line or black line prints. Catalog cuts, product data and other non-reproducible literature, except certificates, shall be submitted in six (6) copies minimum, of which three (3) will be retained by the Architect/Engineer and the remainder will be returned to the Contractor.
- (e) Submittals shall be accompanied by a letter of transmittal which shall list the Project Title, the Submittals included, the specification section number applicable to each, and the date shown on each Submittal. Submittals shall be complete in every respect and bound in sets. Each Submittal shall be clearly marked to show each item, component and/or optional feature proposed to be incorporated into the Project. Cross reference to the plans or specifications as needed to identify the use for which the item or component is intended.
- (f) The Contractor shall check the Submittals for compliance with the requirements of the Contract Documents. The Contractor shall clearly note in writing any and all items which deviate from the requirements of the Contract Documents. Reasons for deviation shall be included with the Submittal. The Contractor shall be solely responsible for checking all dimensions and coordinating all materials and trades to ensure that the components or products proposed, individually or in combination, will fit in the space available and that they will be compatible with other components or products provided.

- (g) After checking each submittal, the Contractor shall stamp each sheet of the Submittal with the Contractor's review stamp. Data submitted in a bound volume or on one sheet printed on two sides, may be stamped on the front of the first sheet only. The Contractor's review stamp shall be worded as follows:

The equipment and material shown and marked in this submittal is that proposed to be incorporated into this Project, is in compliance with the Contract drawings and specifications unless otherwise shown in bold face type or lettering and listed on a page or pages headed "DEPARTURES FROM DRAWINGS AND SPECIFICATIONS", and can be installed in the allocated spaces.
Reviewed by _____ Date _____

The person signing the review stamp shall be the person designated in writing by the Contractor as having that authority. (A copy of such designation shall be forwarded to the A/E prior to or with the first Submittal.) The signature on the stamped review statement shall be handwritten in ink. Stamped signatures are not acceptable.

- (h) The Contractor shall forward all Submittals sufficiently in advance of construction requirements to allow reasonable time for checking, correcting, resubmitting and rechecking.
- (i) If a Submittal indicates a departure from the Contract requirements, the Architect/Engineer may reject the Submittal or, if he deems it to have merit, may recommend it to the Owner, who shall approve or reject it as the Owner, in its sole discretion, sees fit. The departure from the Contract requirements shall be further authorized by a Change Order, if a reduction or increase in the Contract Price is appropriate.
- (j) The Architect/Engineer is responsible to the Owner, but not to the Contractor, to verify that the Submittals conform to the design concept and functional requirements of the plans and specifications, that the detailed design portrayed in shop drawings and proposed equipment and materials shown in Submittals are of the quality specified and will function properly, and that the Submittals comply with the Contract Documents.
- (k) The Work shall be in accordance with approved Submittals. Approval of the Contractor's Submittals by the A/E does not relieve the Contractor from responsibility of complying with the Contract and all drawings and specifications, except as changed by Change Order.
- (l) The plans and/or specifications may indicate that the Architect/Engineer designed or detailed a portion of the plans around a particular product (most commonly a piece of equipment). Should a different product be proposed by the Contractor and accepted, all modifications, rerouting, relocations and variations required for proper installation and coordination to comply with the design concept and

requirements of the Contract Documents shall be the responsibility of the Contractor and shall be made at no extra cost to the Owner. If the plans were noted as designed or detailed around a particular product and/or if a product is named when a “brand name or equal” specification has been used, this is not intended to favor or preclude the use of other products pursuant to Section 26 of these General Conditions. Rather such design merely acknowledges the reality that in many instances the Architect/Engineer must have a basis to design and detail around for dimensions and characteristics of a product or system.

- (m) Additional Submittal requirements are shown in the specifications.

25. FEES, SERVICES AND FACILITIES

- (a) The Contractor shall obtain all permits and pay for all fees and charges necessary for temporary access and public right-of-way blockage or use, for temporary connections to utilities and for the use of property (other than the Site) for storage of materials and other purposes unless otherwise specifically stated in the Contract Documents.
- (b) Certain projects such as renovations and interior modifications of existing buildings will usually have water and electric service to the building. In those instances, water and electric power, if required for the Work under the Contract, will be furnished by the Owner subject to reasonable use by the Contractor, only to the extent and capacity of present services. The Contractor shall be responsible for providing required connections, temporary wiring, piping, etc. to these services in a safe manner and in accordance with applicable codes. All temporary wire, pipe, etc. shall be removed before the Substantial Completion inspection. Acceptance by the Contractor of the use of Owner’s water and electricity constitutes a release to the Owner of all claims and of all liability to the Contractor for whatever damages which may result from power and water outages or voltage variations.
- (c) The Owner shall pay any connection charges for permanent utility connections directly to the utility Supplier. The Contractor shall coordinate such connections with the utility Supplier.
- (d) It is understood that, except as otherwise specifically stated in the Contract Documents, the Contractor, either directly or through his Subcontractors, shall provide and pay for all material, labor, tools, equipment, water, light, power, telephone and other services or facilities of every nature whatsoever necessary to execute completely and deliver the Work within the Contract Time for Completion or before the Contract Completion Date.

26. EQUALS

- (a) **Brand names:** Unless otherwise stated in the specifications, the name of a certain brand, make or manufacturer denotes the characteristics, quality, workmanship, economy of operation and suitability for the intended purpose of the article desired, but does not restrict the Contractor to the specific brand, make, or manufacturer; it is set forth to convey to the Contractor the general style, type, character and quality of the article specified.
- (b) **Equal materials, equipment or assemblies:** Whenever in these Contract Documents, a particular brand, make of material, device or equipment is shown or specified, such brand, make of material,

device or equipment shall be regarded merely as a standard. Any other brand, make or manufacturer of a product, assembly or equipment which in the opinion of the Architect/Engineer is the equal of that specified, considering quality, capabilities, workmanship, configuration, economy of operation, useful life, compatibility with design of the Work, and suitability for the intended purpose, will be accepted unless rejected by the Owner as not being equal.

- (c) **Substitute materials, equipment or assemblies:** The Contractor may propose to substitute a material, product, equipment, or assembly which deviates from the requirements of the Contract Documents but which the Contractor deems will perform the same function and have equal capabilities, service life, economy of operations, and suitability for the intended purpose. The proposal must include any cost differentials proposed. The Owner will have the A/E provide an initial evaluation of such proposed substitutes and provide a recommendation on acceptability and indicate the A/E's redesign fee to incorporate the substitution in the design. If the proposed substitute is acceptable to the Owner, a Change Order will be proposed to the Contractor to accept the substitute and to deduct the cost of the A/E redesign fee and the proposed cost savings from the Contract Price. The Owner shall have the right to limit or reject substitutions at its sole discretion.
- (d) The Contractor shall be responsible for making all changes in the Work necessary to adapt and accommodate any equal or substitute product which it uses. The necessary changes shall be made at the Contractor's expense.

27. AVAILABILITY OF MATERIALS

If a brand name, product, or model number included in the Contract Documents is not available on the present market, alternate equal products or model numbers may be proposed by the Contractor through the Architect/Engineer for approval by the Owner.

28. CONTRACTOR'S TITLE TO MATERIALS

No materials or supplies for the Work shall be purchased by the Contractor, or by any Subcontractor or Supplier, subject to any security interest, installment or sales contract or any other agreement or lien by which an interest is retained by the seller or is given to a secured party. The Contractor warrants that he has clear and good title to all materials and supplies which he uses in the Work or for which he accepts payment in whole or in part.

29. STANDARDS FOR MATERIALS INSTALLATION & WORKMANSHIP

- (a) Unless otherwise specifically provided in the Contract, all equipment, material, and accessories incorporated in the Work are to be new and in first class condition.
- (b) Unless specifically approved by the Owner or required by the Contract, the Contractor shall not incorporate into the Work any materials known by the industry to be hazardous to the health of building construction workers, maintenance workers, or occupants (for example asbestos or lead paint). If the Contractor becomes aware that a material required by the Contract contains asbestos or other hazardous materials, he shall notify the Owner and the Architect/Engineer immediately and shall take no further steps to acquire or install any such material without first obtaining Owner approval.

- (c) All workmanship shall be of the highest quality found in the building industry in every respect. All items of Work shall be done by craftsmen or tradesmen skilled in the particular task or activity to which they are assigned. In the acceptance or rejection of Work, no allowance will be made for lack of skill on the part of workmen. Poor or inferior workmanship (as determined by the Architect/Engineer, the Owner or other inspecting authorities) shall be removed and replaced at Contractor's expense such that the Work conforms to the highest quality standards of the trades concerned, or otherwise corrected to the satisfaction of the Architect/Engineer, the Owner, or other inspecting authority, as applicable.
- (d) Under the various sections of the plans or specifications, where specified items are supplied with the manufacturer's printed instructions, recommendations, or directions for installation, or where such instructions, recommendations, or directions are available, installation of the specified items shall be in strict accordance with the manufacturer's printed instructions unless those instructions contradict the plans or specifications, in which case the Architect/Engineer will be notified for an interpretation and decision.
- (e) Under the various sections of the plans or specifications, where reference is made to specific codes or standards governing the installation of specified items, installation shall in all cases be in strict accordance with the referenced codes and standards. Where no reference is made to specific codes or standards, installation shall conform to the generally recognized applicable standards for first-class installation of the specific item to be installed. Contractors are expected to be proficient and skilled in their respective trades and knowledgeable of the Codes and Standards of the National Fire Protection Association (NFPA), National Electric Code (NEC), Occupational Safety and Health Act (OSHA) and other codes and standards applicable to installations and associated work by his trade.
- (f) Where the manufacturer's printed instructions are not available for installation of specific items, where specific codes or standards are not referenced to govern the installation or specific items, or where there is uncertainty on the part of the Contractor concerning the installation procedures to be followed or the quality of workmanship to be maintained in the installation of specific items, the Contractor shall consult the Architect/Engineer for approval of the installation procedures or the specific standards governing the quality of workmanship the Contractor proposes to follow or maintain during the installation of the items in question.
- (g) During and/or at the completion of installation of any items, the tests designated in the plans or specifications necessary to assure proper and satisfactory functioning for its intended purpose shall be performed by the Contractor or by its Subcontractor responsible for the completed installation. All costs for such testing are to be included in the Contract Price. If required by the Contract Documents, the Contractor shall furnish prior to final inspection the manufacturers' certificates evidencing that products meet or exceed applicable performance, warranty and other requirements, and certificates that products have been properly installed and tested.

30. WARRANTY OF MATERIALS AND WORKMANSHIP

- (a) The Contractor warrants that, unless otherwise specified, all materials and equipment incorporated in the Work under the Contract shall be new, in first class condition, and in accordance with the Contract Documents. The Contractor further warrants that all workmanship shall be of the highest quality and

in accordance with the Contract Documents and shall be performed by persons qualified at their respective trades.

- (b) Work not conforming to these warranties shall be considered defective.
- (c) This warranty of materials and workmanship is separate and independent from and in addition to any of the Contractor's other guarantees or obligations in the Contract or under Virginia law.

31. USE OF SITE AND REMOVAL OF DEBRIS

- (a) The Contractor shall:
 - (1) Perform the Work in such a manner as not to interrupt or interfere with the operation of any existing activity on, or in proximity to, the Site or with the Work of any other separate contractor;
 - (2) Store his apparatus, materials, supplies and equipment in such orderly fashion at the Site of the Work as will not unduly interfere with the progress of his Work or the work of any other separate contractor; and
 - (3) Place upon the Work or any part thereof only such loads as are consistent with the safety of that portion of the Work.
- (b) The Contractor expressly undertakes, either directly or through his Subcontractor(s), to effect all cutting, filling or patching of the Work required to make the same conform to the plans and specifications, and, except with the consent of the Architect/Engineer, not to cut or otherwise alter the Work of any other separate contractor. The Contractor shall not damage or endanger any portion of the Work or Site, including existing improvements, unless called for by the Contract.
- (c) The Contractor expressly undertakes, either directly or through his Subcontractor(s), to clean up frequently all refuse, rubbish, scrap materials and debris caused by his operations, to the end that at all times the Site shall present a neat, orderly and workmanlike appearance. No such refuse, rubbish, scrap material and debris shall be left within the completed Work nor buried on the building Site, but shall be removed from the Site and properly disposed of in a licensed landfill or otherwise as required by law.
- (d) The Contractor expressly undertakes, either directly or through his Subcontractor(s), before final payment or such prior time as the Owner may require, to remove all surplus material, false Work, temporary structures, including foundations thereof, plants of any description and debris of every nature resulting from his operations and to put the Site in a neat, orderly condition; to thoroughly clean and leave reasonably dust free all finished surfaces including all equipment, piping, etc., on the interior of all buildings included in the Contract; and to clean thoroughly all glass installed under the Contract, including the removal of all paint and mortar splatters and other defacements. If the Contractor fails to clean up at the time required herein, the Owner may do so and charge the costs incurred thereby to the Contractor in accordance with Section 10(b) of these General Conditions.

- (e) The Contractor shall prevent Site soil erosion, the runoff of silt and/or debris carrying water from the Site, and the blowing of debris off the Site in accordance with the applicable requirements and standards of the Contract and the County of Albemarle's Water Protection Ordinance.

32. TEMPORARY ROADS

Temporary roads, if required, shall be established and maintained until permanent roads are accepted, then removed and the area restored to the conditions required by the Contract Documents. Crushed rock, paving and other road materials from temporary roads shall not be left on the Site unless permission is received from the Owner to bury the same at a location and depth approved by the Owner.

33. SIGNS

The Contractor may, at his option and without cost to the Owner, erect signs acceptable to the Owner on the Site for the purpose of identifying and giving directions to the job. No signs shall be erected without prior approval of the Owner as to design and location. The Contractor shall pay all fees required by Albemarle County.

34. PROTECTION OF PERSONS AND PROPERTY

- (a) The Contractor expressly undertakes, both directly and through his Subcontractors, to take every reasonable precaution at all times for the protection of all persons and property which may come on the Site or be affected by the Contractor's Work.
- (b) The Contractor shall be solely responsible for initiating, maintaining and supervising all safety precautions and programs in connection with the Work.
- (c) The provisions of all rules and regulations governing health and safety as adopted by the Safety Codes Commission of the Commonwealth of Virginia, issued by the Department of Labor and Industry under Title 40.1 of the Code of Virginia, shall apply to all Work under this Contract.
- (d) The Contractor shall continuously maintain adequate protection of all his Work from damage and shall protect the Owner's property from injury or loss arising in connection with this Contract. He shall make good any such damage, injury or loss, except as may be directly and solely due to errors in the Contract Documents or caused by agents or employees of the Owner. The Contractor shall adequately protect adjacent property to prevent any damage to it or loss of use and enjoyment by its owners. The Contractor shall provide and maintain all passageways, guard fences, lights and other facilities for protection as required by public authority, local conditions, or the Contract.
- (e) In an emergency affecting the health, safety or life of persons or of the Work, or of the adjoining property, the Contractor, without special instruction or authorization from the Architect/Engineer or the Owner, shall act, at his discretion, to prevent such threatened loss or injury. Also, should he, to prevent threatened loss or injury, be instructed or authorized to act by the Architect/Engineer or the

Owner, he shall so act immediately, without appeal. Any additional compensation or extension of time claimed by the Contractor on account of any emergency work shall be determined as provided by Section 38 of these General Conditions.

- (f) When necessary for the proper protection of the Work, temporary heating of a type approved by the Architect/Engineer must be provided by the Contractor, at the Contractor's expense, unless otherwise specified.

35. CLIMATIC CONDITIONS

The Contractor shall suspend activity on and protect any portion of the Work that may be subject to damage by climatic conditions.

36. PAYMENTS TO CONTRACTOR

- (a) Unless otherwise provided in the Contract, the Owner will make partial payments to the Contractor on the basis of a duly certified and approved Schedule of Values and Certificate for Payment, Form AC-12, showing the estimate of the Work performed during the preceding calendar month or work period, as recommended by the Architect/Engineer. When evaluating the Contractor's Form AC-12, the Architect/Engineer will consider the value of the Work in place, the value of approved and properly stored materials, the status of the Work on the critical path with regard to the Time for Completion, and the estimated value of the Work necessary to achieve Final Completion. The Architect/Engineer will schedule a monthly pay meeting. The Contractor will submit his monthly estimate of Work completed on Form AC-12 so that it is received by the Architect/Engineer and the Owner's Project Manager at least one work day prior to the date scheduled by the Architect/Engineer for the monthly pay meeting. The Owner will review the estimate with the Architect/Engineer and the Contractor at the monthly pay meeting, which shall be considered the receipt date, and may approve any or all of the estimate of Work for payment. In preparing estimates, the material delivered to the Site and preparatory Work done shall be taken into consideration, if properly documented as required by Section 20 of these General Conditions, or as may be required by the Architect/Engineer so that quantities may be verified. In addition to material delivered to the Site, material such as large pieces of equipment and items purchased specifically for the Project, but stored off the Site within the Commonwealth of Virginia, may be considered for payment, provided all of the following are accomplished prior to the submission of the monthly payment request in which payment for such materials is requested:
 - (1) The Contractor must notify the Owner in writing, at least ten (10) days prior to the submission of the payment request, through the Architect/Engineer, that specific items will be stored off Site in a designated, secured place within the Commonwealth of Virginia. The Schedule of Values must be detailed to indicate separately both the value of the material and the labor/installation for trades requesting payment for stored materials. By giving such notification and by requesting payment for material stored off Site, the Contractor warrants that the storage location is safe and suitable for the type of material stored and that the materials are identified as being the property of the Contractor, and agrees that loss of materials stored off the Site shall not relieve the Contractor of the obligation to timely furnish these types and quantities of materials

for the Project and meet the Time for Completion or Contract Completion Date, subject to Section 42(b) of these General Conditions. If the storage location is more than 20 miles from the Site, the Contractor may be required to reimburse the Owner for the cost incurred for travel to the storage location to verify the Contractor's request for payment for materials stored off Site.

- (2) Such notification, as well as the payment request, shall:
 - (a) itemize the quantity of such materials and document with invoices showing the cost of said materials;
 - (b) indicate the identification markings used on the materials, which shall clearly reference the materials to the particular project;
 - (c) identify the specific location of the materials, which must be within reasonable proximity to the Site and within the Commonwealth of Virginia;
 - (d) include a letter from the Contractor's Surety which confirms that the Surety on the Performance Bond and the Labor and Material Payment Bond has been notified of the request for payment of materials stored off the Site and agrees that the materials are covered by the bond; and
 - (e) include a certificate of all-risk builder's risk insurance in an amount not less than the fair market value of the materials, which shall name the Owner and the Contractor as co-insured.
 - (3) The Architect/Engineer shall indicate, in writing, to the Owner that Submittals for such materials have been reviewed and meet the requirements of the Contract Documents, that the stored materials meet the requirement of the plans and specifications, and that such materials conform to the approved Submittals. Should the A/E deem it necessary to visit the storage site to make such review, the Contractor shall bear the costs incurred therewith.
 - (4) The Owner, through the Architect/Engineer, shall notify the Contractor in writing of its agreement to prepayment for materials.
 - (5) The Contractor shall notify the Owner in writing, through the Architect/Engineer, when the materials are to be transferred to the Site and when the materials are received at the Site.
- (b) Payment will not be made for materials or equipment stored on or off the Site which are not scheduled for incorporation into the Work within the six months following submission of the request for payment, unless the Contractor has the prior consent of the Owner, which consent may be granted or withheld by the Owner in its discretion if, in the opinion of the Owner, it is not necessary to procure the materials more than six months in advance of use to assure their availability when needed.
 - (c) In making such partial payments, five percent (5%) of each payment to the Contractor shall be retained until Final Completion and acceptance of all Work covered by the Contract, unless otherwise provided

by any law, regulation or program of the federal government. Such retainage shall be held to assure faithful performance of the Contract and may also be used as a fund to deduct amounts due to or claimed by the Owner, including, but not limited to, payment to the Owner of all monies due for deductive change orders, credits, uncorrected Defective Work, interest, damages, and the like. (§2.2-4333 of the Code of Virginia)

- (d) All material and Work for which partial payments are made shall thereupon become the sole property of the Owner, but this provision shall not relieve the Contractor from the sole responsibility for all materials and Work, including those for which payment has been made, or for the restoration of any damaged materials or Work. Nor shall this provision serve as a waiver of the right of the Owner to require the fulfillment of all of the terms and conditions of the Contract.
- (e) The final payment, which shall include the retainage, less any amounts due to or claimed by the Owner, shall not become due until the Architect/Engineer and the Owner agree that Final Completion has been achieved and until the Contractor shall deliver to the Owner through the Architect/Engineer a Certificate of Completion by the Contractor (Form AC-13.2) and an Affidavit of Payment of Claims (Form AC-13), stating that all Subcontractors and Suppliers of either labor or materials have been paid all sums claimed by them for Work performed or materials furnished in connection with this Project less retainage. Amounts due the Owner which may be withheld from the final payment may include, but are not limited to, amounts due pursuant to Section 3(i), Section 16(a)-(d), Section 31(d), costs incurred to repair or replace Defective Work, costs incurred as a result of the Contractor's negligent acts or omissions or omissions of those for whom the Contractor is responsible, delay damages under Section 42(h), and any liquidated or actual damages. If all Subcontractors and Suppliers of labor and materials have not been paid the full amount claimed by them, the Contractor shall list each to which an agreed amount of money is due or which has a claim in dispute. With respect to all such Subcontractors and Suppliers, the Contractor shall provide to the Owner, along with the Affidavit of Payment of Claims (Form AC-13), an affidavit from each such Subcontractor and Supplier stating the amount of their subcontract or supply contract, the percentage of completion, the amounts paid to them by the Contractor and the dates of payment, the amount of money still due if any, any interest due the Subcontractor or Supplier pursuant to Section 37(b) below, and whether satisfactory arrangements have been made for the payment of said amounts. If no agreement can be reached between the Contractor and one or more Subcontractors or Suppliers as to the amounts owed to the Subcontractors or Suppliers, the Owner may, in its discretion, pay such portion of the monies due to the Contractor which is claimed by the Subcontractor or Supplier into a Virginia Court or Federal Court sitting in Virginia, in the manner provided by law. Said payment into court shall be deemed a payment to the Contractor. Nothing in this Section shall be construed as creating any obligation or contractor relationship between the Owner and any Subcontractor or Supplier, and the Owner shall not be liable to any Subcontractor or Supplier on account of any failure or delay of the Owner in complying with the terms hereof.
- (f) Upon successful completion of the final inspection and all Work required by the Contract, including but not limited to the delivery of As-Built drawings, equipment manuals, written warranties, acceptance of the Work by the Owner and the delivery of the affidavits required in Section 36(e) of these General Conditions, the Architect/Engineer shall deliver the written Certificate of Completion by the Architect/Engineer (Form AC-13.1) to the Owner, with a copy to the Contractor, stating the entire amount of Work performed and compensation earned by the Contractor, including extra work and

compensation therefor. The Owner may accept the Work for occupancy or use while asserting claims against the Contractor; disputing the amount of compensation due to the Contractor; disputing the quality of the Work, its completion, or its compliance with the Contract Documents; or any other reason.

- (g) Unless there is a dispute about the compensation due to the Contractor, Defective Work, quality of the Work, compliance with the Contract Documents, completion itself, claims by the Owner, other matters in contention between the parties, or unless monies are withheld pursuant to Albemarle County's Debt Setoff Program, within thirty (30) days after receipt and acceptance of the Schedule of Values and Certificate for Payment (Form AC-12) in proper form by the Architect/Engineer at the monthly pay meeting, which shall be considered the receipt date, the Owner shall pay to the Contractor the amount approved by the Architect/Engineer, less all prior payments and advances whatsoever to or for the account of the Contractor. In the case of final payment, the completed Affidavit of Payment of Claims (Form AC-13), the Certificate of Completion by the Contractor (Form AC-13.2) and the Certificate of Completion by the Architect/Engineer (Form AC-13.1) shall accompany the final Schedule of Values and Certificate for Payment (Form AC-12) which is forwarded to the Owner for payment. The date on which payment is due shall be referred to as the Payment Date. In the event of disputes, payment shall be mailed on or before the Payment Date for amounts and Work not in dispute, subject to any set offs claimed by the Owner, provided however, in instances where further appropriations are required by the County of Albemarle or where the issuance of further bonds is required, in which case, payment shall be made within thirty (30) days after the effective date of such appropriation or within thirty (30) days after the receipt of bond proceeds by the Owner. All prior estimates and payments including those relating to extra Work may be connected and adjusted in any payment and shall be corrected and adjusted in the final payment. In the event that any request for payment by the Contractor contains a defect or impropriety, the Owner shall notify the Contractor of any defect or impropriety which would prevent payment by the Payment Date, within five (5) days after receipt of the Schedule of Values and Certificate for Payment (Form AC-12) by the Owner from the Architect/Engineer.

- (h) Interest shall accrue on all amounts owed by the Owner to the Contractor which remain unpaid seven (7) days following the Payment Date. Said interest shall accrue at the discounted ninety-day U.S. Treasury bill rate as established by the Weekly Auction and as reported in the publication entitled The Wall Street Journal on the weekday following each such Weekly Auction. During the period of time when the amounts due to the Contractor remain unpaid following the seventh (7th) day after the Payment Date, the interest accruing shall fluctuate on a weekly basis and shall be that established by the immediately prior Weekly Auction. It shall be the responsibility of the Contractor to gather and substantiate the applicable weekly interest rates to the satisfaction of the Owner and to calculate to the satisfaction of the Owner the interest due. In no event shall the rate of interest charge exceed the rate of interest charged pursuant to §58.1-1812 of the Code of Virginia. No interest shall accrue on retainage or when payment is delayed because of disagreement between the Owner and the Contractor regarding the quantity, quality or timeliness of the Work, including, but not limited to, compliance with Contract Documents or the accuracy of any Request for Payment received. This exception to the accrual of interest stated in the preceding sentence shall apply only to that portion of a delayed payment which is actually the subject of such a disagreement and shall apply only for the duration of such disagreement. Nothing contained herein shall be interpreted, however, to prevent the withholding of retainage to assure faithful performance of the Contract. These same provisions relating to payment of interest to the Contractor shall apply also to the computation and accrual of interest on any amounts

due from the Contractor to the Owner for deductive change orders and to amounts due on any claims by the Owner. The date of mailing of any payment by the U.S. Mail is deemed to be the date of payment to the addressee.

- (i) The acceptance by the Contractor of the final payment shall be and operate as a release to the Owner of all claims by the Contractor, its Subcontractors and Suppliers, and of all liability to the Contractor whatever, including liability for all things done or furnished in connection with this Work, except for things done or furnished which are the subject of unresolved claims for which the Contractor has filed a timely written notice of intent, provided a claim is submitted no later than sixty (60) days after final payment. Acceptance of any interest payment by the Contractor shall be a release of the Owner from claims by the Contractor for late payment.
- (j) No certificate for payment issued by the Architect/Engineer, and no payment, final or otherwise, no certificate of completion, nor partial or entire use or occupancy of the Work by the Owner, shall be an acceptance of any Work or materials not in accordance with the Contract, nor shall the same relieve the Contractor of responsibility for faulty materials or Defective Work or operate to release the Contractor or his Surety from any obligation under the Contract, the Standard Performance Bond and the Standard Labor and Material Payment Bond.

37. PAYMENTS BY CONTRACTOR (§2.2-4354, Code of Virginia)

Under §2.2-4354, Code of Virginia, the Contractor is obligated to:

- (a) Within seven (7) days after receipt of amounts paid to the Contractor by the Owner for Work performed by the Subcontractor or Supplier under this Contract,
 - (1) Pay the Subcontractor or Supplier for the proportionate share of the total payment received from the Owner attributable to the Work performed by the Subcontractor or the materials furnished by the Supplier under this Contract; or
 - (2) Notify the Subcontractor or Supplier, in writing, of his intention to withhold all or a part of the Subcontractor or Supplier's payment with the reason for nonpayment;
- (b) Pay interest to the Subcontractor or Supplier on all amounts owed by the Contractor that remain unpaid after seven (7) days following receipt by the Contractor of payment from the Owner for Work performed by the Subcontractor or materials furnished by the Supplier under this contract, except for amounts withheld as allowed under subsection (a)(2) of this Section.
- (c) Include in each of his subcontracts a provision requiring each Subcontractor to include in each of its subcontracts a provision requiring each subcontractor to include or otherwise be subject to the same payment and interest requirements with respect to each lower tier subcontractor. Each Subcontractor shall include with its invoice to, or request for payment from, the Contractor, a certification that Subcontractor has paid each of its suppliers and lower tier subcontractors their proportionate share of previous payments received from the Contractor attributable to the Work performed or the materials furnished by it under this Contract. The Contractor's obligation to pay interest to the Subcontractor or Supplier pursuant to subsection (b) of this Section is not an obligation of the Owner. A modification

to this Contract shall not be made for the purpose of providing reimbursement for such interest charge. A Contractor's cost reimbursement claim shall not include any amount for reimbursement of such interest charge.

38. CHANGES IN THE WORK

- (a) The Owner may at any time, by written order utilizing the County of Albemarle Change Order Form AC-11 and without notice to the sureties, make changes in the Work which are within the general scope of the contract except that no change will be made which will increase the total Contract Price to an amount more than twenty-five percent (25%) in excess of the original Contract Price without notice to sureties. At the time of the Preconstruction Meeting described in Section 49(b), the Contractor and the Owner shall advise each other of their designees authorized to accept and/or approve changes to the Contract Price and of any limits to each designee's authority. Should any designee or limits of authority change during the time this Contract is in effect, the Contractor or Owner shall give written notice to the other within seven (7) calendar days, utilizing the procedures set forth in these General Conditions. The Contractor agrees and understands that the authority of the Owner's designee is limited by Virginia Code §2.2-4309 and any other applicable statute.

If the Contractor claims that any instructions given to him by the Architect/Engineer or by the Owner, by drawings or otherwise, involve extra Work which increases the scope of the Contract, then, except in emergencies endangering life or property, he shall give the Architect/Engineer and the Owner written notice thereof before proceeding to execute the Work. Said notice shall be given promptly enough to avoid delaying the Work and in no instance later than fourteen (14) days after the receipt of such instructions. Should it not be immediately clear to the Contractor that the change involves extra Work outside the scope of the Contract, written notice shall be sufficient if given as soon as possible after such realization, but in no event later than fourteen (14) days after the start of such Work. If the Owner agrees, a Change Order shall be issued as provided herein, and any additional compensation shall be determined by one of the four (4) methods provided herein, as selected by the Owner. Except as otherwise specifically provided, no claims for extra Work shall be allowed unless timely notice, as required by this Section, is given by the Contractor and unless such Work is performed pursuant to written Change Order. The Change Order shall designate which of the four methods for computing charges and credits set forth herein shall be used. In making any change, the charge or credit for the change shall be determined by one of the following methods as selected by the Owner:

- (1) By a mutually agreed fixed amount change to the Contract Price and/or time allowed for completion of the Work. The Change Order shall be substantiated by documentation itemizing the estimated quantities and costs of all labor, materials and equipment required as well as any markup used. The price change shall include the Contractor's overhead and profit. See Subsections (d) and (e) below.
- (2) By using unit prices and calculating the number of net units of Work in each part of the Work which is changed, either as the Work progresses or before Work on the change commences, and by then multiplying the calculated number of units by the applicable unit price set forth in the Contract or multiplying by a mutually agreed unit price if none was provided in the Contract. No additional percentage markup for overhead or profit shall be added to the unit prices.

- (3) By ordering the Contractor, by Unilateral Change Order citing this subsection, to proceed with the change to the Work for the cost and completion schedule set forth by the Unilateral Change Order. The Contractor shall proceed with the work as directed, and shall notify the Owner when eighty-five percent (85%) of the amount obligated by this Unilateral Change Order has been expended.
- (4) By keeping in a form acceptable to the Owner, an accurate, itemized account of the cost of the change in the Work, including, but not limited to, the costs of labor, materials, equipment, and supplies; and to annotate a copy of the Project schedule to accurately show the status of the Work at the time this initial change order is issued, to show the start and finish of the changed Work, and the status of the Work when the changed Work is completed. A Change Order citing this subsection shall describe the parameters of the change in the Work, describe the cost items to be itemized and verified for payment, address the impact on the schedule for Substantial Completion, and state that a subsequent Change Order will be issued to incorporate the cost of the changed Work into the Contract Price and any change in the Contract Time for Completion or Contract Completion Date. The Contractor shall sign the Change Order acknowledging he has been directed to proceed with the changed Work.

Except as otherwise may be agreed to in writing by the Owner, such costs shall not exceed those prevailing for the trades or crafts, materials, and equipment in the locality of the Project, may include only those items listed as allowable in Subsection 38(e), and shall not include any of the costs listed as not allowable in Subsection 38(f). The Owner shall be permitted, on a daily basis, to verify such records and may require such additional records as are necessary to determine the cost of the change to the Work. Within fourteen (14) days of the conclusion of such ordered Work, the Contractor and the Owner shall arrive at a cost for the Change Order, based on the records kept and the Contractor's allowance for overhead and profit as set forth in Subsections (d), (e) and (f) below, and such costs shall be incorporated into a Change Order which references the Change Order ordering the Work. If agreement on the cost of the changed Work cannot be reached within the fourteen (14) days allotted, the Contractor may file a claim for the disputed amount as provided for in Section 46.

- (b) The Contractor shall review any Owner requested or directed change and shall respond in writing within fourteen (14) calendar days after receipt of the proposed change (or such other reasonable time as the Owner may direct), stating the effect of the proposed change upon his Work, including any increase or decrease in the Contract time and Price. The Contractor shall furnish to the Owner an itemized breakdown of the quantities and prices used in computing the proposed change in Contract Price. The Owner shall review the Contractor's proposal and respond to the Contractor within thirty (30) days of receipt. If a change to the Contract Price and time for performance are agreed upon, both parties shall sign the Change Order. If the price and time are not agreed upon, the Owner may direct the Contractor to proceed under Subsection 38(a)(3) or 38(a)(4). Changes to the Contract time and/or Price shall be effective when signed by both parties, with the exception of a Unilateral Change Order that is only signed by the Owner.
- (c) In figuring changes, any instructions for measurement of quantities set forth in the Contract shall be followed.

(d) The percentage for overhead and profit to be used in calculating both additive and deductive changes in the Work (other than changes covered by unit prices) shall not exceed the percentages for each category listed below. Said percentages for overhead and profit shall be applied only on the cost of the changed Work (i.e. difference in cost between original and revised Work):

- (1) If a Subcontractor does all or part of the changed Work, the Subcontractor's markup for overhead and profit on the Work it performs shall be a maximum of fifteen percent (15%). The Contractor's markup on the subcontractor's price shall be a maximum of ten percent (10%).
- (2) If the Contractor does all or part of the changed Work, its markup for overhead and profit on the changed Work it performs shall be a maximum of fifteen percent (15%).
- (3) If a Sub-subcontractor at any tier does all or part of the changed Work, the Sub-subcontractor's markup on that Work shall be a maximum of fifteen percent (15%). The markup of a sub-subcontractor's Work by the Contractor and all intervening tiers of Subcontractors shall not exceed a total of ten percent (10%).
- (4) Where Work is deleted from the Contract prior to commencement of that Work without substitution of other similar Work, one hundred percent (100%) of the Contract Price attributable to that Work shall be deducted from the Contract Price including applicable

overhead costs and profit. However, in the event that material Submittals have been approved and orders placed for said materials, a lesser amount, but in no case less than eighty percent (80%) of the Contract Price attributable to that Work, shall be deducted from the Contract Price. The credit to the Owner for reduced premiums on labor and material bonds and performance bonds shall in all cases be one hundred percent (100%).

(e) Allowable costs for changes in the Work may include the following:

- (1) Labor costs for employees directly employed in the change in the Work, including salaries and wages plus the cost of payroll charges and fringe benefits and overtime premiums, if such premiums are explicitly authorized by the Owner.
- (2) Materials incorporated into the change to the Work, including costs of transportation and storage, if applicable. If applicable, all cash discounts shall accrue to the Contractor, unless the Owner deposits funds with the Contractor to make such payments, and all trade discounts, rebates, refunds, and returns from the sale of surplus materials shall accrue to the Owner.
- (3) Equipment incorporated in the changed Work or equipment used directly in accomplishing the Work. If rented expressly for accomplishing the change in the Work, the cost shall be the rental rate according to the terms of the rental agreement, which the Owner shall have the right to approve. If owned by the Contractor, the costs shall be a reasonable price based upon the life expectancy of the equipment and the purchase price of the equipment. If applicable, transportation costs may be included.

- (4) Costs of increases in premiums for the Standard Labor and Material Payment Bond and the Standard Performance Bond, provided coverage for the cost of the change in the Work results in such increased costs. At the Owner's request, the Contractor shall provide proof of his notification to the Surety of the change in the Work and of the Surety's agreement to include such change in its coverage. The cost of the increase in premium shall be an allowable cost but shall not be marked up.
 - (5) Contractor and Subcontractor overhead costs as set forth in Subsection (d) markups above.
 - (6) If the change in the Work also changes the Time for Completion or Contract Completion Date by adding days to perform the Work, an itemized accounting of the following Site direct overhead expenses for the change to the time may be considered as allowable costs for compensation in addition to those shown above: The Site superintendent's prorata salary, temporary Site office trailer expense, and temporary Site utilities including basic telephone service, electricity, heat, water, and sanitary/toilet facilities. All other direct and indirect overhead expenses are considered covered by and included in the Subsection (d) markups above.
 - (7) Any other costs directly attributable to the change in the Work with the exception of those set forth below.
- (f) Allowable costs for changes in the Work shall not include the following:
- (1) Costs due to the negligence of the Contractor, any Subcontractor, Supplier, their employees or other persons for whom the Contractor is responsible, including, but not limited to, costs for the correction of Defective Work, for improper disposal of material, for equipment wrongly supplied, for delay in performing the Work, or for delay in obtaining materials or equipment.
 - (2) Home office expenses including payroll costs for the Contractor's officers, executives, administrators, project managers, accountants, counsel, engineers, timekeepers, estimators, clerks, and other similar administrative personnel employed by the Contractor, whether at the Site or in the Contractor's principal or branch office for general administration of the Work. These costs are deemed overhead included in the percentage markups allowable in Subsection (d) above.
 - (3) Home and field office expenses not itemized in Subsection 38(e)(6) above. Such items include, but are not limited to, expenses of Contractor's home and branch offices, Contractor's capital expenses, interest on Contractor's capital used for the Work, charges for delinquent payments, small tools, incidental job costs, rent, utilities, telephone and office equipment, and other general overhead expenses.
- (g) All Change Orders, except the "initial" Change Orders authorizing work citing Subsection 38(a)(4) procedures, must state that the Contract Time for Completion or Contract Completion Date is not changed or is either increased or decreased by a specific number of days. The old Time for Completion and, if changed, the new Time for Completion must be stated.

If the Contractor requests an extension to the Time for Completion or a later Contract Completion Date, he must provide written justification for the extension to the Architect/Engineer and to the Owner. The written justification must demonstrate an anticipated actual increase in the time required to complete the Work beyond that allowed by the Contract as adjusted by prior change orders or amendments to the Contract, not just an increase or decrease in the time needed to complete some portion of the total Work. When a CPM schedule is required by the Contract, no extension to the Time for Completion or Contract Completion Date shall be allowed unless, and then only to the extent that, the additional or changed Work increases the length of the critical path beyond the Time for Completion or Contract Completion Date. If approved, the increase in time required to complete the Work shall be added to the Time for Completion or Contract Completion Date. The Owner may decrease, by Change Order, the Time for Completion or Contract Completion Date when an Owner-requested deletion from the Work results in a decrease in the actual time required to complete the Work as demonstrable on the Bar Graph Schedule or on the CPM Schedule, whichever is appropriate. The Contractor may submit a request to decrease, by Change Order, the Time for Completion or Contract Completion Date under the procedures and subject to the considerations set forth in Section 19(f). No request for such decrease shall be considered for approval unless the proposed shorter schedule is otherwise acceptable under Sections 19(b) or (c), whichever is applicable.

The Change Order decreasing the Time for Completion or changing the Contract Completion Date must be signed by both the Owner and the Contractor. With the exception of Change Orders under Subsection 38(a)(4), which shall arrive at a change to the Contract Price and any change to time using the procedures set forth therein, each Change Order shall include all time and monetary impacts of the change, whether the Change Order is considered alone or with all other changes during the course of the Project. Failure to include a change to time and Contract Price in Section 38(a)(1) or (2) Change Orders shall waive any change to the time and Contract Price unless the parties mutually agree in writing to postpone a determination of the change to time and price resulting from the Change Order. Such a determination may be postponed not more than forty-five (45) days to give the Contractor an opportunity to demonstrate a change in the time and price needed to complete the Work. During any such postponement, the Work shall proceed, unless the Owner agrees otherwise. If at any time there is a delay in the critical path of the Work due to postponement, due to the Contractor's efforts to justify an extension of the time or an increase in the Contract Price, or due to the Contractor's refusal to proceed with any of the Work, pending agreement on a change in time or price, such delay and any Contractor costs resulting from it shall not serve as the basis for the extension of the Time for Completion or Contract Completion Date or for an increase in the Contract Price.

- (h) The acceptance by the Contractor of any payment made by the Owner under a Change Order shall be and operate as a release to the Owner of all claims by the Contractor and of all liability owing to the Contractor for all things done or furnished in connection with the Work described in the Change Order. The execution of any Change Order by the Owner shall not be an acceptance of any Work or materials not in accordance with the Contract Documents, nor shall it relieve the Contractor of responsibility for faulty materials or workmanship or operate to release the Contractor or his surety from any obligation arising under the Contract or the Standard Performance Bond or Standard Labor and Material Payment Bond.

- (i) Payments will not be made for any Work, labor or materials on a fixed price, unit price or Subsection 38(a)(4) basis until the Contractor has furnished the Owner documents, certified as true and correct by an authorized officer or agent of the Contractor, evidencing the cost of such Work, labor and materials. The Owner may require any or all of the following documentation to be provided by the Contractor:
 - (1) certified payroll records showing the name, classification, date, daily hours, total hours, rate, and extension for each laborer, foreman, supervisor or other worker;
 - (2) equipment type & model, dates, daily hours, total hours, rental rate or other specified rate, and extension for each unit of equipment;
 - (3) invoices for materials showing quantities, prices, and extensions;
 - (4) daily records of waste materials removed from the Site and/or fill materials imported to the Site;
 - (5) certified measurements of over excavations, piling installed and similar work; and/or
 - (6) transportation records for materials, including prices, loads, and extensions.

Requests for payment shall be accompanied and supported by invoices for all materials used and for all transportation charges claimed. If materials come from the Contractor's own stock, then an affidavit may be furnished, in lieu of invoices, certifying quantities, prices, etc. to support the actual cost.

39. CONTRACTOR'S RIGHT TO STOP WORK OR TERMINATE THE CONTRACT

If the Work should be stopped under an order of any court or other public authority for a period of ninety (90) days through no fault of the Contractor or anyone employed by him, or if the Owner should fail to pay to the Contractor within sixty (60) days any sum certified by the Architect/Engineer when no dispute exists as to the sum due or any provision of the Contract, then the Contractor may, upon ten (10) calendar days written notice to the Owner and the Architect/Engineer, stop Work or terminate the contract and recover from the Owner payment for the cost of the Work actually performed, together with overhead and profit thereon, but profit on the Work performed shall be recovered only to the extent that the Contractor can demonstrate that he would have had profit on the entire Contract if he had completed the Work. The Contractor may not receive profit or any other type of compensation for parts of the Work not performed. The Contractor may recover the reasonable cost of physically closing down the Site, but no other costs of termination. The Owner may offset any claims it may have against the Contractor against the amounts due to the Contractor. In no event shall termination of the Contract by the Contractor terminate the obligations of the Contractor's surety on its payment and performance bonds.

40. OWNER'S RIGHT TO STOP WORK OR TERMINATE THE CONTRACT FOR CAUSE

- (a) If the Contractor should be adjudged as bankrupt, or if he should make a general assignment for the benefit of his creditors, or if a receiver should be appointed on account of his insolvency, the Owner may stop work or terminate the Contract. If the Contractor should refuse or should repeatedly fail, except in cases for which extension of time is provided, to supply enough properly skilled workmen or proper materials and equipment, or if he should fail to make prompt payment to Subcontractors or

Suppliers of material or labor, or if he should disregard laws, ordinances or the written instructions of the Architect/Engineer or the Owner, or otherwise be in substantial violation of any provision of the Contract, then the Owner may stop work or terminate the Contract.

- (b) Prior to termination of the Contract, the Owner shall give the Contractor and his surety ten (10) calendar days written notice pursuant to Section 1 (“Notice”) of these General Conditions, during which the Contractor and/or his surety may rectify the basis for the notice. If rectified to the satisfaction of the Owner within said ten (10) days, the Owner may rescind its notice of termination. If not, the termination for cause shall become effective at the end of the ten (10) day notice period. In the alternative, the Owner may, in writing, postpone the effective date of the termination for cause, at its sole discretion, if it should receive reassurances from the Contractor and/or its surety that the basis for the termination will be remedied in a time and manner which the Owner finds acceptable. If at any time after such postponement, the Owner determines that Contractor and/or its surety has not or is not likely to rectify the causes of termination in an acceptable manner or within the time allowed, then the Owner may immediately terminate the Contract for cause, without the necessity of further ten (10) day notice, by notifying the Contractor and his surety in writing of the termination. In no event shall termination for cause terminate the obligations of the Contractor’s surety on its payment and performance bonds.
- (c) Upon termination of the Contract, the Owner shall take possession of the Site and of all materials, tools and equipment thereon and finish the Work by whatever method he may deem expedient. In such case the Contractor shall not be entitled to receive any further payment. If the expense of finishing the Work, including compensation for additional managerial and administrative services, shall exceed the unpaid balance of the Contract Price, the Contractor shall pay the difference to the Owner, together with any other expenses of terminating the Contract and having it completed by others.
- (d) If it should be judicially determined that the Owner improperly terminated this Contract for cause, then the termination shall be deemed to be a termination for the convenience of the Owner.
- (e) Termination of the Contract under this Section is without prejudice to any other right or remedy of the Owner.

41. TERMINATION BY OWNER FOR CONVENIENCE

- (a) Owner may terminate this Contract, in whole or in part, at any time without cause upon giving the Contractor written notice of such termination pursuant to Section 1 (“Notice”) of these General Conditions. Upon such termination, the Contractor shall immediately cease Work and remove from the Site all of its labor forces and such of its materials as Owner elects not to purchase or to assume in the manner hereinafter provided. Upon such termination, the Contractor shall take such steps as Owner may require to assign to the Owner the Contractor’s interest in all Subcontracts and purchase orders designated by Owner. After all such steps have been taken to Owner’s satisfaction, the Contractor shall receive as full compensation for termination and assignment the following:
 - (1) All amounts then otherwise due under the terms of this Contract;

- (2) Amounts due for Work performed in accordance with the Contract subsequent to the latest approved Schedule of Values and Certificate for Payment (Form AC-12) through the date of termination;
 - (3) Reasonable compensation for the actual cost of demobilization incurred by the Contractor as a direct result of such termination. The Contractor shall not be entitled to any compensation or damages for lost profits or for any other type of contractual compensation or damages other than those provided by the preceding sentence. Upon payment of the foregoing, Owner shall have no further obligations to Contractor of any nature.
- (b) In no event shall termination for the convenience of the Owner terminate the obligations of the Contractor's surety on its payment and performance bonds.

42. DAMAGES FOR DELAYS; EXTENSION OF TIME

- (a) If the Contractor is delayed at any time in the progress of the Work by any act or omission of the Owner, its agents or employees or any separate independent contractor of the Owner, and the act or omission is the result of or is necessitated by causes outside the Owner's control; or if the Contractor is delayed by strikes, fires, unusual delays in transportation or unavoidable casualties, or other causes outside the Owner's or Contractor's control, the Contractor shall give the Owner and Architect/Engineer written notice within ten (10) days of the inception of the delay. The Owner shall extend the time for Substantial Completion or Final Completion, as the case may be, for the length of time that the Substantial Completion or Final Completion of the Work was actually delayed thereby, and the Contractor shall not be charged with liquidated or actual damages for delay during the period of such extension nor shall the Contractor be due compensation or damages of any kind, under any theory of law, as a result of such delay, the impact of such delay, or acceleration of Work as a result of such delay. In the event a CPM schedule is required by the Contract, no extension of the time allowed for Substantial Completion shall be granted unless the Contractor demonstrates a delay in the critical path of the approved CPM schedule or approved bar graph schedule.
- (b) If the Contractor is delayed at any time in the progress of the Work by any act or omission of the Owner, its agents or employees, due to causes within their control, or delayed by the Owner's separate, independent contractors, when such delay results from causes within the Owner's control, and the Contractor intends to seek additional compensation for damages, if any, caused by the delay, the Contractor shall inform the Owner and the Architect/Engineer immediately at the time of the occurrence giving rise to the delay by the fastest means available and shall give written notice no later than two (2) working days after inception of the delay. The Contractor's notice to the Owner shall specify the nature of the delay claimed by the Contractor, the cause of the delay and the impact of the delay on the Contractor's Work schedule. The Owner shall then have three (3) working days to respond to the Contractor's notice with a resolution, remedy or direction to alleviate the delay or with a notice rejecting the claim for delay alleged to be caused by the Owner or parties for whom the Owner is responsible. If the issue is not then resolved, the Contractor may submit a request for Change Order in accordance with Section 38 or submit a claim as provided for in Section 46. The Contractor shall only be entitled to additional compensation if the delay was unreasonable and was caused solely by acts or omissions of the Owner, its agents or employees, due to causes within their control, or was

caused by the Owner's separate, independent contractor, when such delay resulted solely from causes within the Owner's control.

- (c) The Contractor shall not be entitled to an extension of the Time for Completion or Contract Completion Date or to any additional compensation for delays caused by acts or omissions of the Contractor due to causes within his control, including, but not limited to, delays resulting from Defective Work including workmanship and/or materials, from rejected work which must be corrected before dependent work can proceed, from Defective Work or rejected work for which corrective action must be determined before like work can proceed, or from incomplete, incorrect or unacceptable submittals or samples.
- (d) No extension of time or additional compensation, if applicable, will be granted for any delay unless the claimed delay directly affects the critical path of the approved CPM schedule or the schedule shown on the approved bar graph schedule, whichever is applicable, and any float has been consumed. No extension of time or additional compensation shall be given for a delay if the Contractor failed to give notice in the manner and within the time prescribed in Subsections (a) or (b) above, whichever applies. Furthermore, no extension of time or additional compensation shall be given for any delay unless a claim therefor is made in writing to the Owner, with a copy to the Architect/Engineer, within twenty (20) days of the end of the delay. The claim shall state the cause of the delay, the number of days of extension requested and any compensation requested by the Contractor. The Contractor shall report the termination of the delay to the Owner and Architect/Engineer not less than ten (10) days after such termination. Failure to give notice of either the inception or the termination of the cause of delay or failure to present a claim for extension of time and/or monetary compensation within the times prescribed shall constitute a waiver of any claim for extension or additional compensation based upon that cause.
- (e) Requests for compensation for delays pursuant to Subsection (b) above must be substantiated by itemized data and records clearly showing that the Work delayed was on the critical path of the approved CPM schedule or on the sequence of Work on the approved bar graph schedule, as modified, and that the additional costs incurred by the Contractor are directly attributable to the delay in the Work claimed. Furthermore, compensation for delay shall be calculated from the contractual Time for Completion or Contract Completion Date, as adjusted by Change Order, and shall not be calculated based on any early completion planned or scheduled by the Contractor, unless a Change Order has been executed pursuant to Section 19(f) changing the Time for Completion or the Contract Completion Date to reflect such early completion. See Section 19 for procedures for the Contractor to follow if he plans early completion of the Work and wishes to request a Change Order reflecting the early completion date.

If there is an extension in the Time for Completion or the Contract Completion Date and if the Contractor is entitled to compensation under Subsection 42(b), and where there is no change in the Work, an itemized accounting of the following direct Site overhead expenses will be considered as allowable costs to be used in determining the compensation due the Contractor: Site superintendent prorata salary, temporary Site office expense, temporary Site facilities, and temporary Site utilities including basic telephone service, electricity, heat, water, and sanitary/toilets. A fifteen percent (15%) markup of these expenses will be allowed to compensate the Contractor for home office and other direct or indirect overhead expenses.

- (f) If the Contractor submits a claim for delay damages pursuant to Subsection 42(b) above, the Contractor shall be liable to the Owner for a percentage of all costs incurred by the Owner in investigating, analyzing, negotiating and litigating the claim, which percentage shall be equal to the percentage of the Contractor's total delay claim that is determined through litigation to be false or to have no basis in law or in fact. (§2.2-4335(C), Code of Virginia.)
- (g) Any change in the Contract Time for Completion or Contract Completion Date shall be accomplished only by issuance of a Change Order.
- (h) If the Contractor fails to complete the Work within the Time for Completion or the Contract Completion Date, the Contractor shall be liable to the Owner in the amounts set forth in the Supplemental General Conditions, if any, not as a penalty, but as fixed, agreed and liquidated damages for delay until the Work is substantially or finally completed as the case may be. If liquidated damages are not so fixed in the Supplemental General Conditions, the Contractor shall be liable for any and all actual damages sustained as a result of delay. In addition to damages for delay, whether liquidated or actual, the Contractor shall also be liable for any and all actual damages sustained by the Owner as a result of any other breach of the Contract, including, but not limited to, Defective Work and abandonment of the Contract.

If liquidated damages are provided by the Supplemental General Conditions, the following provisions apply:

- (1) If the Work is not substantially complete by the Time for Completion or Contract Completion Date, the Contractor shall owe to the Owner, not as a penalty but as Step One liquidated damages, the sum stated in the Supplemental General Conditions for Step One liquidated damages for each and every partial or total calendar day of delay in Substantial Completion.
- (2) Once the Work is substantially complete, the accrual of Step One liquidated damages shall cease and the Contractor shall have thirty (30) calendar days in which to achieve Final Completion of the Work.
- (3) If Final Completion of the Work is not achieved on or before the thirtieth (30th) calendar day after Substantial Completion, and if the Owner has not granted any extension of time, the Contractor shall owe to the Owner, not as a penalty but as Step Two liquidated damages, the sum stated in the Supplemental General Conditions as Step Two liquidated damages for each and every partial or total calendar day of delay in Final Completion.

43. INSPECTION FOR SUBSTANTIAL COMPLETION & FINAL COMPLETION

- (a) The Contractor shall notify the Owner, in writing on the Certificate of Partial or Substantial Completion by the Contractor (Form AC-13.2a), of the date when the Work or designated portion thereof, will be, in his opinion, substantially complete and ready for inspection and testing to

determine if it has reached Substantial Completion. The notice shall be given at least ten (10) days in advance of said date and shall be forwarded through the Architect/Engineer, who will attach his written endorsement as to whether or not he concurs with the Contractor's statement that the Work will be ready for inspection and testing on the date given. The Architect/Engineer's endorsement is a convenience to the Owner only and shall not relieve the Contractor of his responsibility in the matter nor shall the Architect/Engineer's endorsement be deemed to be evidence that the Work was substantially complete and ready for inspection and testing. Inspection and testing shall take place at a time(s) mutually agreeable to the Contractor, Owner and Architect/Engineer.

The inspection shall include a demonstration by the Contractor that all equipment, systems and operable components of the project function properly and in accordance with the Contract Documents. The Contractor shall furnish access for the inspection and testing as provided in Section 21 of these General Conditions. The inspection and testing shall determine whether Substantial Completion has been accomplished and shall result in a written list of unfinished Work and Defective Work, commonly referred to as a "punch list", which must be finished and corrected to obtain Final Completion.

After successful completion of the testing and the Architect/Engineer determines that, in its opinion, the Work, either in whole or in part, is substantially complete, the Architect/Engineer shall notify the Owner, in writing on the Certificate of Partial or Substantial Completion by the Architect/Engineer (Form AC-13.1a), that the Work, or a specified portion thereof, is recommended to be declared substantially complete. The Owner shall notify the Contractor, in writing, of the date the Owner accepts the Work, or the specified portion thereof, as substantially complete or the Owner shall notify the Contractor of the deficiencies to be corrected or completed before such Work will be accepted as substantially complete.

- (b) The Contractor shall notify the Owner, in writing on the Certificate of Completion by the Contractor (Form AC-13.2), of the date when the Work has reached or will reach Final Completion and will be ready for final inspection and testing. The notice shall be given at least five (5) days in advance of said date and shall be forwarded through the Architect/Engineer, who will attach his endorsement as to whether or not he concurs in the Contractor's statement that the Work will be ready for inspection and testing on the date given. That inspection and any necessary testing shall be conducted in the same manner as the inspection for Substantial Completion. When the Work is finally and totally complete, including the elimination of all defects, the Work shall be finally accepted by the Owner and final payment shall be made in accordance with Section 36 of these General Conditions.
- (c) The Architect/Engineer shall conduct the inspections. The Owner may elect to have other persons of its choosing also participate in the inspections. If one or more Substantial or Final Completion reinspections are required, the Contractor shall reimburse the Owner for all costs of reinspection or, at the Owner's option, the costs may be deducted from payments due to the Contractor.
- (d) A representative of the local Building Official will either be present at the Substantial and Final Completion inspections or otherwise inspect the completed Work and advise the Owner whether the Work meets the requirements of the applicable building code(s).

- (e) Approval of Work at or as a result of any inspection required herein shall not release the Contractor or his surety from responsibility for complying with the Contract.

44. GUARANTEE OF WORK

- (a) Except as otherwise specified, all Work shall be, and is hereby, guaranteed by the Contractor against defects resulting from the use of materials, equipment or workmanship, which are defective, inferior, or not in accordance with the terms of the Contract, for one (1) year from the date of Final Completion of the entire Project by the Owner. Equipment and facilities which have seasonal limitations on their operation (e.g. heating or air conditioning units) shall be guaranteed for one (1) full year from the date of seasonally appropriate tests and acceptance, in writing, by the Owner. Where the Owner agrees to take Beneficial Occupancy of a portion or phase of the Work which has been determined to be substantially complete before the entire Work is finally completed, the guarantees for the materials, equipment and workmanship in that portion or phase shall begin on the date that the Owner takes Beneficial Occupancy, unless otherwise specified in the Supplemental General Conditions, Special Conditions, or by separate agreement.
- (b) If, within any guarantee period, Work which is not in accordance with the Contract, Defective Work, or inferior material, equipment or workmanship is noted by the Owner or Architect/Engineer which requires or renders necessary repairs or changes in connection with the guaranteed Work, the Contractor shall, promptly upon receipt of notice from the Owner, such notice being given not later than two weeks after the guarantee period expires, and without expense to the Owner:
 - (1) Place in satisfactory condition in every particular all of such guaranteed Work and correct all defects, inferior materials, equipment or workmanship therein;
 - (2) Make good all damage to the structure or Site or equipment or contents thereof, which, in the opinion of the Owner or the Architect/Engineer, is the result of the use of materials, equipment or workmanship which are inferior, defective or not in accordance with the terms of the Contract; and
 - (3) Make good any Work or materials or the equipment and contents of structures and/or Site disturbance that results from fulfilling the provisions of this Section.
- (c) In any case, when in fulfilling the requirements of the Contract and this guarantee or any other guaranty or warranty, the Contractor disturbs any work performed by a separate contractor, he shall restore such work to a condition satisfactory to the Architect/Engineer and Owner and guarantee such restored work to the same extent as if it was guaranteed under this Contract.
- (d) If the Contractor, after notice, fails to proceed promptly to comply with the terms of the guarantee as set forth in this Section, the Owner may have the defects or inferior materials, equipment or workmanship corrected and the Contractor and his surety shall be liable for all expense incurred.
- (e) All special warranties and guarantees applicable to definite parts of the Work that may be stipulated in or required by the Contract Documents shall be subject to the terms of this Section during the first year of the life of such special warranty or guarantee.

- (f) The guarantee of this Section shall be in addition to and not in lieu of all other warranties, express or implied, applicable to or arising from this Contract or by law.
- (g) Nothing contained in this Section shall be construed to establish a period of limitation with respect to any other obligation which the Contractor might have under the Contract Documents, including liability for Detective Work under Section 30. This Section relates only to the specific obligation of the Contractor as set forth in this Section to correct the Work and does not limit the time within which his obligation to comply with the Contract Documents may be sought to be enforced, nor the time within which proceedings may be commenced to establish the Contractor's liability with respect to his other obligations under the Contract Documents.
- (h) In the event the Work of the Contractor is to be modified by another contractor, either before or after the Final Inspection provided by Section 43 of the General Conditions, the first Contractor shall remain responsible in all respects under this Section's Guarantee of Work and under any other warranties or guarantees, express or implied, applicable to or arising from this Contract or by law. However, the Contractor shall not be responsible for any defects in material or workmanship introduced by the contractor modifying his Work. The first Contractor and the contractor making the modifications shall each be solely responsible for his respective work. The contractor modifying the earlier Work shall be responsible for any damage to or defect introduced into the Work by his modification. If the first contractor claims that a subsequent contractor has introduced defects of materials and/or workmanship into his Work, it shall be the burden of the contractor making the claim to demonstrate clearly the nature and extent of such introduced defects and the other contractor's responsibility for those defects. Any contractor modifying the work of another shall have the same burden if he asserts that defects in his work were caused by the contractor whose work he is modifying.

45. ASSIGNMENTS OF CONTRACTUAL OBLIGATIONS

Neither party to the Contract shall assign the Contract in whole or any part without the written consent of the other, nor shall the Contractor assign any monies due or to become due to him hereunder, without the prior written consent of the Owner. No assignment shall relieve any party from its obligations under the Contract.

46. CONTRACTUAL DISPUTES (§2.2-4363, Code of Virginia)

Contractual claims, whether for money or for other relief, shall be submitted, in writing, no later than sixty (60) days after final payment; however, written notice of the Contractor's intention to file such claim must be given at the time of the occurrence or beginning of the Work upon which the claim is based. The filing of a timely notice is a prerequisite to recovery under this Section. Although the Contractor may be required to submit certain classes of claims prior to final payment, and the Contractor is not prevented from filing claims during the pendency of the Work, the Owner shall not be obligated to render a final written decision on any claim until after final payment. All claims shall be submitted along with all practically available supporting evidence and documentation.

No written decision denying a claim or addressing issues related to the claim, if rendered prior to final payment, shall be considered a denial pursuant to this Section unless the written decision makes express

reference to this Section and is signed by the Owner or his designee. The Contractor may not institute legal action prior to receipt of the Owner's final written decision on the claim unless the Owner fails to render such a decision within ninety (90) days of submission of the claim or within ninety (90) days of final payment, whichever is later. The decision of the Owner shall be final and conclusive unless the Contractor within six (6) months of the date of the final decision on a claim, initiates legal action as provided in §2.2-4364 of the Code of Virginia. Failure of the Owner to render a decision within 90 days shall not result in the Contractor being awarded the relief claimed nor shall it result in any other relief or penalty. The sole result of the Owner's failure to render a decision within 90 days shall be the Contractor's right to immediately institute legal action. No administrative appeals procedure pursuant to §2.2-4365 of the Code of Virginia has been established for contractual claims under this Contract. Venue for any litigation arising hereunder shall be in the Circuit Court for the County of Albemarle, Virginia.

47. ASBESTOS

- (a) This subsection applies to projects involving existing buildings where asbestos abatement is not a part of the Work, when the scope of the project has been reviewed and a comprehensive survey conducted by an individual licensed by the Virginia Department of Professional and Occupational Regulation to conduct building inspections for asbestos containing materials in buildings, and where the Owner has attempted to remove or encapsulate all asbestos containing material that may become friable or damaged during this Project.

Prior to commencement of Work, the results of the comprehensive survey or any other asbestos survey shall be made available to the Contractor, who shall be responsible for performing his Work so as not to disturb any remaining asbestos, encapsulated or otherwise, identified in such survey or surveys.

If the Contractor discovers or inadvertently disturbs any material that he knows, should have known or has reason to believe, may contain asbestos that has not been previously identified, was overlooked during the removal, was deemed not to be friable or was encapsulated, the Contractor shall stop Work in the area containing or suspected to contain the asbestos, secure the area, and notify the Owner and the Architect/Engineer immediately by telephone or in person with written notice as soon as possible. The Owner will have the suspect material sampled.

If the sample is positive and must be disturbed in the course of the Work, the Owner shall have the material repaired or removed and shall pay for the bulk sample analysis.

Except as provided in §11-4.1 of the Code of Virginia, if the material disturbed is not within the Contractor's authorized Work and/or Work area or under this Contract, the Contractor shall pay for all associated sampling and abatement Costs.

- (b) If asbestos abatement is included as a part of the Work, the Contractor shall assure that the asbestos abatement work is accomplished by those duly licensed as described in Section 3 of these General Conditions and in accordance with the specific requirements of the Contract and all applicable laws and regulations.
- (c) If asbestos abatement is included as part of the Work, the licensed asbestos Subcontractor shall obtain the insurance required under Section 11(e) of these General Conditions.

48. TRAINING, OPERATION AND MAINTENANCE OF EQUIPMENT

- (a) As a part of the Work, the Contractor in conjunction with his Subcontractors and Suppliers shall provide the Owner's operations and maintenance personnel with adequate instruction and training in the proper operation and maintenance of any equipment, systems, and related controls provided or altered in the Work. The training requirements may be further defined in the specifications.
- (b) The Contractor shall provide the Owner with a minimum of two (2) copies of operating, maintenance and parts manuals for all equipment and systems provided in the Work. Further specific requirements may be indicated in the specifications.

49. PROJECT MEETINGS

- (a) The intention of this Section is that the Contractor, the Owner and the A/E have timely exchange of information and cooperate to accomplish the Work as required by the Contract Documents. The Contractor is responsible for managing the Work, obtaining approvals and requesting clarifications on a timely, reasonable basis. The Owner and its A/E are responsible for making a reasonable effort to provide timely responses to the Contractor.
- (b) **Preconstruction Meeting:**
Prior to the start of construction and no later than 15 calendar days after the Notice to Proceed, a "Preconstruction" meeting shall be held with attendees to include the Owner's Project Manager and Project Inspector, the Architect/Engineer's project manager and representatives of each design discipline involved in the Project, the Contractor's project manager and superintendent (and scheduler, if Contractor desires), and representatives of the Contractor's major Subcontractors. The purpose of the meeting is to clarify and discuss the specifics related to, but not limited to, the following:
 - (1) Persons involved from each entity and their chain of authority including the names of persons authorized to sign Change Orders and any limits to their authority.
 - (2) Names, addresses, telephone numbers and FAX numbers to be used for Requests for Information (RFI), Requests for Clarification (RFC), Requests for Proposals (RFP), shop drawings, submittals, and notices.
 - (3) Contractor's proposed construction schedule and Owner's sequencing requirements, if any.
 - (4) Schedule of Values and Certificate for Payment (Form AC-12) requirements and procedures.
 - (5) Procedures for shop drawings, product data and Submittals.
 - (6) Procedures for handling Field Orders and Change Order Form AC-11.
 - (7) Procedures for Contractor's request for time extension, if any.
 - (8) Construction Site requirements, procedures and clarifications to include:

- Manner of conducting the Work
 - Site specialities such as dust and erosion control, stormwater management, project signs, clean up and housekeeping, temporary facilities, utilities, security, and traffic
 - Safety
 - Layout of the Work
 - Quality control, testing, inspections and notices required
 - Site visits by the A/E and others
 - Owner's Project Inspector duties
 - Running Punch List
 - As-Built Drawings
- (9) Procedures and documentation of differing or unforeseen Site conditions
- (10) Monthly Pay Meeting.
- (11) Project Close-Out requirements and procedures.
- (12) Project records.

(c) **Monthly Pay Meeting:**

Section 36 establishes the requirement for a monthly pay meeting which will usually be held at or near the Site. In addition to Owner, A/E and Contractor representatives, the following representatives, at a minimum, should be available to attend portions of the meeting, as applicable or necessary:

- Owner's Project Inspector.
- Contractor's project superintendent.
- A/E representative of each discipline where Work was performed for the current pay request or where Work is projected to be performed in the coming month.
- A representative of each subcontractor who performed work included in the current pay request.
- A representative of each subcontractor who is projected to perform work in the coming month.

The following topics should be included, as a minimum, in the monthly pay meeting:

- (1) Observations of status, quality and workmanship of Work in progress.
- (2) Validation of the Schedule of Values and Certificate for payment.
- (3) Conformance with proposed construction schedule.
- (4) Outstanding Requests for Information, Requests for Clarification and Requests for Proposal.
- (5) Submittals with action pending.
- (6) Status of pending Change Orders.

- (7) Status of Running Punch List items.
 - (8) Work proposed for coming pay period.
 - (9) Discussions of any problems or potential problems which need attention.
- (d) **Other Meetings:**
Requirements for other meetings, such as progress meetings, coordination meetings, preinstallation meetings and/or partnering meetings, may be included in the Contract Documents.

***** END OF GENERAL CONDITIONS *****

SUPPLEMENTAL GENERAL CONDITIONS

THE COUNTY OF ALBEMARLE and/or THE COUNTY SCHOOL BOARD OF ALBEMARLE COUNTY, VIRGINIA CONSTRUCTION CONTRACT GENERAL CONDITIONS (February 1998, Revised October 2001) are modified and supplemented as hereinafter described.

1. Section 1 – DEFINITIONS, shall be supplemented by adding the following:
Replace Notice with the following:

Notice: All written notices, including demands, instructions, claims, approvals and disapprovals, required or authorized under the Contract Documents. Any written notice by either party to the Contract shall be sufficiently given by any one or combination of the following, whichever shall first occur: (1) delivered by hand to the last known business address of the person to whom the notice is due; (2) delivered by hand to the person's authorized agent, representative or officer wherever they may be found; or (3) enclosed in a postage prepaid envelope addressed to such last known business address and delivered to a United States Postal Service official or mailbox. Notice is effective upon such delivery. All notices to the Owner should be directed to the Project Manager.

Notices transmitted by Facsimile (Fax) or Email are acceptable for the Project. Notices may be transmitted to the Fax number listed in the Contract and shall have a designated space for the Fax Notice recipient to acknowledge his receipt by authorized signature and date. The Fax Notice with authorized signature acknowledging receipt shall be Faxed back to the sender. Notices may be sent to the Email address(es) as provided by the A/E and the Project Manager. The Email acknowledging receipt shall be emailed back to the sender. The Faxed Notice and/or Email shall be effective on the date it is acknowledged by authorized signature or Email acknowledgement. All Faxed and Emailed Notices shall also be delivered by hard copy, which shall be effective upon delivery, as provided herein. Notice shall be effective upon the date of acknowledgment of the Faxed or Emailed Notice or the date of delivery, whichever occurs first.

2. Section 2 – CONTRACT DOCUMENTS, shall be supplemented by adding the following:
Replace Paragraph (f) with the following:
 - (f) All correspondence, invoices, memoranda, submittals and other documents related to this Project whether generated by the Owner, the A/E, the Contractor or others should be identified at the beginning of the document with the Project Title shown in the Contract. Additional identification such as a job number, purchase order number or such may also be shown at the Owner's option.
3. Section 6 – TIME FOR COMPLETION, shall be supplemented by adding the following:

SC-1

Replace Paragraph (3) with the following:

- (3) All of the evidence and data supporting the request (including both historical data and the recordings at the Site during the time of delay) must be furnished to the Owner before any consideration will be given to the request. That supporting data shall be submitted by the end of the calendar month following the month for which the request is made. The submission must be made on the Cover Sheet of the Certificate of Payment Form AC-12. A Change Order prepared in accordance with Change Order procedures specified in the Contract Documents must be submitted with a Weather Delay Rectification Form and supporting documentation as outlined in Section 6 – TIME FOR COMPLETION. Time extensions for adverse weather-related days granted by the Owner will extend the Contract Completion Date but will not include additional compensation to the Contractor. In no manner of interpretation will an adverse weather-related time extension be construed to be a compensable delay.
4. Section 12 – “ALL RISK” BUILDER’S RISK INSURANCE
Delete Paragraphs (a) and (b).
5. Section 16 - INSPECTION, shall be supplemented by adding the following:
Replace Paragraph (b) with the following:
 - (b) Site inspections, tests conducted on Site or tests of materials gathered on Site, which the Contract requires to be performed by independent testing entities, shall be contracted and paid for by the Owner. The Contractor shall schedule all required tests, approvals and inspections of the Work or other work related to the Project. The Contractor shall give proper notice to all required parties of such tests, approvals and inspections, if feasible, the Owner and Others may timely observe the tests at the normal place of testing. Unless otherwise required by the Contract Documents, required certificates of testing, approval or inspection shall be secured by the Contractor and promptly delivered to the Owner. Examples of such tests are the testing of cast-in-place concrete, foundation materials, soil compaction, pile installations, caisson bearings and steel framing connections. The Contractor shall promptly furnish, without additional charge, all reasonable facilities, labor and materials necessary and convenient for making such tests. Except as provided in (d) below, whenever such examination and testing finds defective materials, equipment or workmanship, the Contractor shall reimburse the Owner for the cost of reexamination and retesting. Although conducted by independent testing entities, the Owner will not contract and pay for tests or certifications of materials, manufactured products or assemblies which the Contract, codes, standards, etc., require to be tested and/or certified for compliance with industry standards such as Underwriters Laboratories, Factory Mutual or ASTM. If fees are charged for such tests and certifications, they shall be paid by the Contractor. The Contractor shall also pay for all inspections, tests,

and certifications which the Contract specifically requires him to perform or to pay, together with any inspections and tests which he chooses to perform for his own purposes, but are not required by the Contract

6. Section 17 – SUPERINTENDENCE BY CONTRACTOR, shall be supplemented by adding the following:

Replace Paragraph (a) with the following:

- (a) The Contractor shall have a competent foreman or superintendent, satisfactory to the Architect/Engineer and the Owner, on the Site at all times during the Time for Completion of the Work. The superintendent or foreman shall be familiar with and be able to read and understand the plans and specifications, and be capable of communicating orally and in writing with the Owner's Project Manager and the Contractor's workers. The Contractor shall be responsible for all construction means, methods, techniques, sequences and procedures, for coordinating all portions of the Work under the Contract except where otherwise specified in the Contract Documents, and for all safety and worker health programs and practices. The Contractor shall notify the Owner, in writing, of any proposed change in superintendent, including the reason therefore, prior to making such change.

7. Section 19 – SCHEDULE OF THE WORK, shall be supplemented by adding the following: Replace Paragraph (a) (1) & (2) with the following:

- (1) For Contracts with a price of \$250,000 or less, a bar graph schedule will satisfy the above requirement. The schedule shall indicate the estimated starting and completion dates for each major element of the work. See (b) below.
- (2) For Contracts with a price over \$250,000, a Critical Path Method (CPM) schedule shall be utilized to control the planning and scheduling of the Work. The CPM schedule shall be the responsibility of the Contractor and shall be paid for by the Contractor. See (c) below.

8. Section 20 – SCHEDULE OF VALUES AND CERTIFICATE FOR PAYMENT, shall be supplemented by adding the following:

Replace Paragraph (a) with the following:

- (a) Before submittal of the first partial payment request under the Contract, the Contractor shall prepare for review and approval of the Architect/Engineer and the Owner, a schedule of the estimated values using the Divisions of Construction as listed in the Project Manual Specifications. The Divisions will be further broken down into the following headings, which may result in divisions being used multiple times, as required in each heading:

(1) SITEWORK

(2) FOUNDATION

- (3) SHELL
- (4) INTERIORS
- (5) PLUMBING
- (6) HVAC
- (7) FIRE PROTECTION
- (8) ELECTRICAL
- (9) ELEVATORS
- (10) GENERAL CONDITIONS
- (11) ALLOWANCES

In addition to the divisions and headings in the abovementioned paragraph, the estimated values will be further broken down into Labor and Materials, so that the total of all the values equals the Contract Price. Where the total project has multiple parts or phases, the Contractor shall prepare appropriate schedules of values to facilitate reviews and justifications for payments. All requests for payment shall be made on the Schedule of Values and Certificate for Payment (Form AC-12). Succeeding pages may be on the Form AC-12 continuation sheets or a computerized spreadsheet which is in the same format and which contains the same information.

9. Section 23 – PLANS AND SPECIFICATIONS, shall be supplemented by adding the following paragraph:

- (i) Close-out and Operations and Maintenance Documents: Upon completion of the Work and prior to final payment, the Contractor shall deliver to the Architect/Engineer, two complete hard copy sets of the Close-out and Operations and Maintenance Documents as specified in the Project Manual Specifications. Additionally, the Contractor will provide two CDs or other acceptably formatted electronic copy of the abovementioned documents to accompany the hard copy versions. The electronic version will be organized with folders and appropriate hierarchy as to represent the hard copy versions. The documentation found on the electronic version will be in PDF format, or other acceptable format as directed by the Owner.

10. Section 38 – CHANGES IN THE WORK, shall be supplemented by adding the following paragraph:

- (4) By using Estimate for Change Order Forms GC-1, SC-1 and SS-1, respectively, the Contractor will present to the Owner, an accurate, itemized account of the cost of the change in the Work, including, but not limited to, the costs of labor, materials,

equipment, and supplies; and to annotate a copy of the Project schedule to accurately show the status of the Work at the time this initial change order is issued, to show the start and finish of the changed Work, and the status of the Work when the changed Work is completed. A Change Order citing this subsection shall describe the parameters of the change in the Work, describe the cost items to be itemized and verified for payment, address the impact on the schedule for Substantial Completion, and state that a subsequent Change Order will be issued to incorporate the cost of the changed Work into the Contract Price and any change in the Contract Time for Completion or Contract Completion Date. The Contractor shall sign the Change Order acknowledging he has been directed to proceed with the changed Work.

Except as otherwise may be agreed to in writing by the Owner, such costs shall not exceed those prevailing for the trades or crafts, materials, and equipment in the locality of the Project, may include only those items listed as allowable in Subsection 38(e), and shall not include any of the costs listed as not allowable in Subsection 38(f). The Owner shall be permitted, on a daily basis, to verify such records and may require such additional records as are necessary to determine the cost of the change to the Work. Within fourteen (14) days of the conclusion of such ordered Work, the Contractor and the Owner shall arrive at a cost for the Change Order, based on the records kept and the Contractor's allowance for overhead and profit as set forth in Subsections (d), (e) and (f) below, and such costs shall be incorporated into a Change Order which references the Change Order ordering the Work. If agreement on the cost of the changed Work cannot be reached within the fourteen (14) days allotted, the Contractor may file a claim for the disputed amount as provided for in Section 46.

**CONTRACT
BETWEEN OWNER AND CONTRACTOR**

This Contract dated this ____ day of _____, 20__, is between _____ (“Owner”), and _____ (“Contractor”), and is binding among and between these parties as of the date of the Owner’s signature.

RECITALS

1. The legal address for the Owner and for the Contractor and the addresses for delivery of Notices and other project documents are as follows:

Owner:

Attention:

Address: Albemarle County Office Building
Office of Facilities Development
401 McIntire Road, Room 228
City, State, Zip: Charlottesville, Virginia 22902-4596
Telephone: (434) 872-4501 FAX (434) 972-4091

Contractor:

Attention:

Address:

City, State, Zip:

Telephone:

FAX:

Contractor’s Virginia License #: _____ FEIN/SSN: _____

2. The Project is identified as:

Project Title: _____
IFB #

General Project Description: The project is generally described as:

The Project Title and Number indicated above are required to be shown for identification purposes on all project-related material and documents including, but not limited to, Notices, Change Orders, Submittals, Requests for Information, Requests for Quotes, Field Orders, minutes of meetings, correspondence, Schedule of Values and Certificate for Payment, test reports and related material.

3. After competitive sealed bidding pursuant to the Virginia Public Procurement Act, Contractor is awarded this Contract to perform the Work described by the Contract Documents for the above-described project (“the Project”).

THEREFORE, in consideration of the Recitals set forth above, and good and valuable consideration as set forth below, the parties agree as follows:

1. **STATEMENT OF WORK:** The Contractor shall furnish all labor, equipment, and materials and perform all Work for the Project, including all work described in the Bid Form as Base Bid [and *reference accepted alternates if applicable*], in strict accordance with the Contract Documents.

2. **CONTRACT DOCUMENTS:** This Contract shall consist of the following:
- this Contract Between Owner and Contractor;
 - the Bid Form submitted by the Contractor;
 - the County of Albemarle Construction Contract General Conditions, latest revision;
 - the Supplemental General Conditions, if any;
 - the Special Conditions attached to the Owner’s Invitation for Bids;
 - the Owner’s Project Plans and Specifications dated _____; and modifications shown as Addenda _____.

All of these documents are incorporated herein by reference.

3. **TIME FOR COMPLETION:** The Work shall be commenced on a date to be specified in a written order of the Owner and shall be Substantially Completed within _____ calendar days or not later than the Contract Completion Date which is _____. The Work shall be finally completed within 30 days after the date of Substantial Completion of the Work.

4. **COMPENSATION TO BE PAID TO THE CONTRACTOR:** The Owner agrees to pay and the Contractor agrees to accept as just and adequate compensation for the performance of the Work in accordance with the Contract Documents the sum of _____ (\$ _____).

This Contract is subject to annual funding by the Board of Supervisors of the County of Albemarle, Virginia, for services and work specified hereunder. In the event the Board of Supervisors fails to appropriate funds necessary to perform the services and work specified in this Contract and other contract documents, this Contract shall be deemed cancelled, with no penalty to the County, and of no effect, provided notice of such cancellation is given to the Contractor within thirty (30) days of the Board of Supervisors final approval of the annual County budget. In the event that this Contract is cancelled for the reasons set forth in this paragraph, the Contractor will be reimbursed for the value of all work performed or services rendered as of the date of cancellation in accordance with the General Conditions.

5. **PAYMENTS:** The procedures for establishing a Schedule of Values for the Work, for requesting monthly progress payments for Work in place, and for requesting payments for properly stored materials are stated in the General Conditions. Unless otherwise provided under the Contract Documents, interest on payments due the Contractor shall accrue at the rate of one percent per month. §2.2-4354(4) of the Code of Virginia.

6. **CONTRACTUAL CLAIMS:** Any contractual claims shall be submitted in accordance with the contractual dispute procedures set forth in Section 46 of the General Conditions and the supplemental instructions or procedures, if any, attached to this Contract.

7. **NON-DISCRIMINATION:** §2.2-4311 of the Code of Virginia applies to this contract (see Section 4 of the General Conditions).

8. **IMMIGRATION REFORM AND CONTROL ACT OF 1986:** §2.2-4311.1 of the Code of Virginia applies to this contract: Contractor does not, and shall not during the performance of the Contract for this project knowingly employ an unauthorized alien as defined in the federal Immigration Reform and Control Act of 1986.

9. **PROHIBITION OF ALCOHOL AND OTHER DRUGS:** §2.2-4312 of the Code of Virginia applies to this contract (see Section 5 of the General Conditions).

IN WITNESS WHEREOF, the parties hereto on the day and year written below have executed this agreement in three (3) counterparts, each of which shall, without proof or accountancy for the other counterparts, be deemed an original thereof.

CONTRACTOR

By: _____
(Signature in ink) (Date)

Name: _____
Title: _____

ATTEST _____
(Signature) (Date)

OWNER

By: _____
(Signature in ink) (Date)

Name: _____
Title: _____

ATTEST _____
(Signature) (Date)

Attachments:
Bid Form submitted by Contractor

POST BID MODIFICATION

DATE:

PROJECT TITLE:

RFQ NO.:

OWNER:

CONTRACTOR:

As allowed by Section 12(c) of the Instructions to Bidders and by §2.2-4318, Code of Virginia, negotiations were conducted with the lowest responsive and responsible bidder, _____, hereinafter called the Contractor. The following clarifications, amendments, deletions, revisions, substitutions, and/or modifications to the Contract Documents were made along with corresponding adjustments in the Contractor's bid amount for furnishing all labor and materials and performing all work necessary for construction of this project in accordance with the modified contract documents:

Item

Amount

END OF POST BID MODIFICATION

STANDARD PERFORMANCE BOND FOR CONSTRUCTION CONTRACTS

KNOW ALL MEN BY THESE PRESENT: That _____, the Contractor (“Principal”) whose principal place of business is located at _____ and _____ (“Surety”) are held and firmly bound unto the County of Albemarle, Virginia, and/or The County School Board of Albemarle County, Virginia, the Owner (“Obligee”) in the amount of _____ Dollars (\$ _____), for the payment whereof Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS,

Principal has by written agreement dated _____, _____, entered into a contract with Obligee for _____ which contract (the “Contract”) is by reference expressly made a part hereof;

NOW THEREFORE, THE CONDITION OF THIS OBLIGATION is such that, if the Principal shall promptly and faithfully perform said Contract in strict conformity with the plans, specifications and conditions of the Contract, then this obligation shall be null and void; otherwise it shall remain in full force and effect.

Provided, that any alterations which may be made in the terms of the Contract, or in the Work to be done under it, or the giving by the Obligee of any extension of the time for the performance of the Contract, or any other alterations, extensions or forbearance on the part of either or both of the Obligee or the Principal to the other shall not in any way release the Principal and the Surety, or either of them, their heirs, executors, administrators, successors or assigns from their liability hereunder, notice to the Surety of any such alterations, extension, or forbearance being hereby waived.

No action shall be brought on this bond unless brought within one year after: (a) completion of the Contract and all Work thereunder, including expiration of all warranties and guarantees, or (b) discovery of the defect or breach of warranty or guarantee if the action be for such.

The Surety represents to the Principal and to the Obligee that it is legally authorized to do business in the Commonwealth of Virginia.

Signed and sealed this _____ day of _____, _____.

PRINCIPAL

BY: _____
(Please sign above and print name below)

TITLE: _____

ADDRESS: _____

PHONE: _____

SURETY (Must be signed by a Virginia Resident Agent of Surety)

BY: _____
(Please sign above and print name below)

ADDRESS: _____

PHONE: _____

BOND NO.: _____

ADDRESS OF SURETY'S HOME OFFICE:

Approved as to Form:

County Attorney Date

STANDARD LABOR AND MATERIAL PAYMENT BOND

KNOW ALL MEN BY THESE PRESENT: That _____, the Contractor (“Principal”) whose principal place of business is located at _____ and _____ (“Surety”) are held and firmly bound unto the County of Albemarle, Virginia, and/or The County School Board of Albemarle County, Virginia, the Owner (“Obligee”) in the amount of _____ Dollars (\$ _____), for the payment whereof Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS,

Principal has by written agreement dated _____, _____, entered into a contract with Obligee for _____ which contract (the “Contract”) is by reference expressly made a part hereof;

NOW THEREFORE, THE CONDITION OF THIS OBLIGATION is such that, if the Principal shall promptly make payment to all claimants as hereinafter defined, for labor performed and material furnished in the prosecution of the Work provided for in the Contract, then this obligation shall be void; otherwise it shall remain in full force and effect, subject, however, to the following conditions.

The Principal and Surety, jointly and severally, hereby agree with Obligee as follows:

1. A claimant is defined as one having a direct contract with the Principal or with a subcontractor of the Principal for labor, material, or both for use in the performance of the Contract. A “subcontractor” of the Principal, for the purposes of this bond only, includes not only those subcontractors having a direct contractual relationship with the Principal, but also any other contractor who undertakes to participate in the Work which the Principal is to perform under the aforesaid Contract, whether there are one or more intervening subcontractors contractually positioned between it and the Principal (for example, a subcontractor). “Labor” and “material” shall include, but not be limited to, public utility services and reasonable rentals of equipment, but only for periods when the equipment rented is actually used at the work site.
2. Subject to the provisions of paragraph 3, any claimant who has performed labor or furnished material in accordance with the Contract documents in the prosecution of the Work provided in the Contract, who has not been paid in full therefor before the expiration of ninety (90) days after the day on which such claimant performed the last of such labor or furnished the last of

such materials for which he claims payment, may bring an action on this bond to recover any amount due him for such labor or material, and may prosecute such action to final judgment and have execution on the judgment. The Obligee need not be a party to such action and shall not be liable for the payment of any costs, fees or expenses of any such suit.

3. Any claimant who has a direct contractual relationship with any subcontractor of the Principal from whom the Principal has not required a subcontractor payment bond, but who has no contractual relationship, express or implied, with the Principal, may bring an action on this bond only if he has given written notice to the Principal within one hundred eighty (180) days from the day on which the claimant performed the last of the labor or furnished the last of the materials for which he claims payment, stating with substantial accuracy the amount claimed and the name of the person for whom the Work was performed or to whom the material was furnished. Notice to the Principal shall be served by registered or certified mail, postage prepaid, in an envelope addressed to the Principal at any place where his office is regularly maintained for the transaction of business. Claims for sums withheld as retainages with respect to labor performed or materials furnished shall not be subject to the time limitations stated in this paragraph 3.
4. No suit or action shall be commenced hereunder by any claimant;
 - a. Unless brought within one year after the day on which the person bringing such action last performed labor or last furnished or supplied materials, it being understood, however, that if any limitation embodied in this bond is prohibited by any law controlling the construction hereof, the limitation embodied within this bond shall be deemed to be amended so as to be equal to the minimum period of limitation permitted by such law.
 - b. Other than in a Virginia court of competent jurisdiction, with venue as provided by statute, or in the United States District Court for the district in which the project, or any part thereof is situated.
5. The amount of this bond shall be reduced by and to the extent of any payment or payments made in good faith hereunder.

Signed and sealed this _____ day of _____, _____.

CONTRACT CHANGE ORDER

Change Order Number: _____

Date: _____

PROJECT DESCRIPTION

Project Title: 0 _____

RFQ/Contract No.: 0 _____

CHANGE DESCRIPTION

TO: _____

Gentlemen:

Under your contract dated January 0, 1900 for work on the project shown above, you are hereby authorized to make the following changes:

This Change Order will add to deduct from the Contract Price, in accordance with the Contract Documents, the sum of _____

_____/100 dollars _____

There will be an extension of _____ days for contract completion. The contract completion date will now be January 0, 1900. By signing this Change Order, the Contractor agrees to release and waive any and all claims related to this Change Order.

(Failure to include a change for time shall waive any change to the time allowed by the Contract for completion of the Work unless the parties mutually agree in writing to postpone a determination of the change to time resulting from the Change Order. Such determination may not be postponed more than 45 days from the approval of this Change Order by the Owner.)

CONTRACT COST SUMMARY

(Show information on Contract Summary sheet)

<u>AMOUNT OF ORIGINAL CONTRACT</u>		<u>TOTAL ADDITIONS</u>		<u>TOTAL DEDUCTIONS</u>		<u>AMOUNT OF CONTRACT TO DATE</u>
\$0.00	+	\$0.00	-	\$0.00	=	\$0.00

CHANGE AUTHORIZATION

Issued By: _____ Architect/Engineer Date	Approved By: _____ County of Albemarle, Virginia and/or The County School Board of Albemarle County, Virginia Date
Accepted By: _____ Contractor Date	

JUSTIFICATION for CONSTRUCTION CONTRACT CHANGE ORDER

Project Title: 0
Contract Number: 0 **Change Order Number:** 0 **Date:** January 0, 1900
Change Order Amount: \$0.00 **Change in Time for Completion:** 0 days

REASON FOR CHANGE ORDER

- Unforeseen site conditions during construction
- Existing building or utility conditions not as shown
- Change in Owner's requirements
- Substitution or alternate method
- Item not shown or specified
- Conflict or discrepancy in requirements
- Other (describe): _____

1) Description of work involved:

2) Explanation of why work and/or time extension is required:

3) Why was this work not required by the contract documents or addenda prior to bidding?

4) Cost justification:

5) Is this change order caused in whole, or in part, because of a design error or omission? (Yes / No)
If "Yes", outline the proposed cost sharing, if any, by the responsible design professional:

GENERAL CONTRACTOR ESTIMATE FOR CHANGE ORDER

DGS-30-200
(Rev. 09/04)

GC-1

Project Code:
 Agency:
 Project:

General Contractor:
 Change Description:

GENERAL CONTRACTOR DIRECT COSTS												
Scope Description				Direct Labor				Direct Material		Direct Equipment		
Item No.	Description	Quantity	Qty Units	Direct Labor Hours Per Unit	Total Direct Labor Hours	Hourly Wage Rate, Excl. Taxes & Ins.	Total Labor Cost	Material Cost Per Unit	Total Material Cost	Equipment Cost Per Unit	Total Equipment Cost	
A	B	C	D	E	F = C x E	G	H = F x G	I	J = C x I	K	L = C x K	
1.01					0.00		\$0.00		\$0.00		\$0.00	
1.02					0.00		\$0.00		\$0.00		\$0.00	
1.03					0.00		\$0.00		\$0.00		\$0.00	
1.04					0.00		\$0.00		\$0.00		\$0.00	
1.05					0.00		\$0.00		\$0.00		\$0.00	
1.06					0.00		\$0.00		\$0.00		\$0.00	
1.07					0.00		\$0.00		\$0.00		\$0.00	
1.08					0.00		\$0.00		\$0.00		\$0.00	
1.09	Subtotal from Estimate Continuation Sheets						\$0.00		\$0.00		\$0.00	
1.97	Subtotal (S/T) Direct Costs:						\$0.00	Subtotal Mat'l	\$0.00	Subtotal Equip.	\$0.00	
1.98	Taxes/Insurance:		FICA, FUI, SUI, & Workmens' Comp. at		17.00%	% of Item 1.97H	\$0.00	Sales Tax @ 5%	\$0.00	Sales Tax @ 5%	\$0.00	
1.99	Total Direct Costs						\$0.00	Total Mat'l	\$0.00	Total Equip.	\$0.00	

SUBCONTRACT COSTS		
Item No.	Subcontractor Name (List totals from attached SC-1 forms)	Total Cost
A	B	C
2.01		
2.02		
2.03		
2.04		
2.05		
2.06		
2.07		
2.08		
2.09		
2.99	Total Subcontract Costs	\$0.00

SUMMARY			
Item No.	Description		Total Cost
3.01	Total Direct Labor Cost	Item 1.99H	\$0.00
3.02	Total Direct Material Cost	Item 1.99J	\$0.00
3.03	Total Equipment Cost	Item 1.99L	\$0.00
3.04	Subtotal	3.01+3.02+3.03	\$0.00
3.05	Overhead and Profit	15% x Item 3.04	\$0.00
3.06	Subtotal	3.04+3.05	\$0.00
3.07	Subcontractor Cost	Item 2.99	\$0.00
3.08	GC Markup on Subcontractor	10% x Item 3.07	\$0.00
3.09	Subtotal	3.06+3.07+3.08	\$0.00
3.10	Additional Bond Cost		\$0.00
3.99	Total Change Order Cost	(3.09+3.10)	\$0.00

Submitted By

Name: _____
 Signature: _____
 Title: _____
 Date: _____
 I have reviewed the costs proposed and find them to be reasonable (as proposed) (as marked).
 A/E Signature: _____

SUBCONTRACTOR ESTIMATE FOR CHANGE ORDER

DGS-30-204
(Rev. 09/04)

SC-1

Project Code:
 Agency:
 Project:

General Contractor:
 Subcontractor:
 Subcontractor Trade:

Change Description:

SUBCONTRACTOR DIRECT COSTS											
Scope Description				Direct Labor				Direct Material		Direct Equipment	
Item No.	Description	Quantity	Qty Units	Direct Labor Hours Per Unit	Total Direct Labor Labor Hours	Hourly Wage Rate, Excl. Taxes & Ins.	Total Labor Cost	Material Cost Per Unit	Total Material Cost	Equipment Cost Per Unit	Total Equipment Cost
A	B	C	D	E	F = C x E	G	H = F x G	I	J = C x I	K	L = C x K
1.01					0.00		\$0.00		\$0.00		\$0.00
1.02					0.00		\$0.00		\$0.00		\$0.00
1.03					0.00		\$0.00		\$0.00		\$0.00
1.04					0.00		\$0.00		\$0.00		\$0.00
1.05					0.00		\$0.00		\$0.00		\$0.00
1.06					0.00		\$0.00		\$0.00		\$0.00
1.07					0.00		\$0.00		\$0.00		\$0.00
1.08					0.00		\$0.00		\$0.00		\$0.00
1.09	Subtotal from Estimate Continuation Sheets						\$0.00		\$0.00		\$0.00
1.97	Subtotal (S/T) Direct Costs:					Subtotal Labor	\$0.00	Subtotal Mat'l	\$0.00	Subtotal Equip.	\$0.00
1.98	Taxes/Insurance:		FICA, FUI, SUI, & Workmens' Comp. at		17.00%	% of Item 1.97H	\$0.00	Sales Tax @ 5%	\$0.00	Sales Tax @ 5%	\$0.00
1.99	Total Direct Costs					Total Labor	\$0.00	Total Mat'l	\$0.00	Total Equip.	\$0.00

SUB-SUBCONTRACT COSTS		
Item No.	Sub-Subcontractor Name (List totals from attached SS-1 forms)	Total Cost
A	B	C
2.01		
2.02		
2.03		
2.04		
2.05		
2.06		
2.99	Total Sub-Subcontract Costs	\$0.00

SUMMARY			
Item No.	Description		Total Cost
3.01	Total Direct Labor Cost	Item 1.99H	\$0.00
3.02	Total Direct Material Cost	Item 1.99J	\$0.00
3.03	Total Equipment Cost	Item 1.99L	\$0.00
3.04	Subtotal	3.01+3.02+3.03	\$0.00
3.05	Overhead and Profit	15% x Item 3.04	\$0.00
3.06	Total Subcontractor Cost	3.04+3.05	\$0.00
3.07	Sub-Subcontractor Cost	Item 2.99	\$0.00
3.99	S/C Cost Report'd to GC	3.06+3.07	\$0.00

Submitted By

Name: _____
 Signature: _____
 Title: _____
 Date: _____

SUB-SUBCONTRACTOR ESTIMATE FOR CHANGE ORDER

SS-1

DGS-30-208
(Rev. 09/04)

Project Code:
 Agency:
 Project:

General Contractor:
 Subcontractor:
 Sub-Subcontractor:
 Sub-Subcontractor Trade:

Change Description:

SUB-SUBCONTRACTOR DIRECT COSTS											
Scope Description				Direct Labor				Direct Material		Direct Equipment	
Item No.	Description	Quantity	Qty Units	Direct Labor Hours Per Unit	Total Direct Labor Labor Hours	Hourly Wage Rate, Excl. Taxes & Ins.	Total Labor Cost	Material Cost Per Unit	Total Material Cost	Equipment Cost Per Unit	Total Equipment Cost
A	B	C	D	E	F = C x E	G	H = F x G	I	J = C x I	K	L = C x K
1.01					0.00		\$0.00		\$0.00		\$0.00
1.02					0.00		\$0.00		\$0.00		\$0.00
1.03					0.00		\$0.00		\$0.00		\$0.00
1.04					0.00		\$0.00		\$0.00		\$0.00
1.05					0.00		\$0.00		\$0.00		\$0.00
1.06					0.00		\$0.00		\$0.00		\$0.00
1.07					0.00		\$0.00		\$0.00		\$0.00
1.08					0.00		\$0.00		\$0.00		\$0.00
1.09	Subtotal from Estimate Continuation Sheets						\$0.00		\$0.00		\$0.00
1.97	Subtotal (S/T) Direct Costs:						\$0.00	Subtotal Mat'I	\$0.00	Subtotal Equip.	\$0.00
1.98	Taxes/Insurance:	FICA, FUI, SUI, & Workmens' Comp. at			17.00%	% of Item 1.97H	\$0.00	Sales Tax @ 5%	\$0.00	Sales Tax @ 5%	\$0.00
1.99	Total Direct Costs						\$0.00	Total Mat'I	\$0.00	Total Equip.	\$0.00

SUMMARY			
Item No.	Description		Total Cost
3.01	Total Direct Labor Cost	Item 1.99H	\$0.00
3.02	Total Direct Material Cost	Item 1.99J	\$0.00
3.03	Total Equipment Cost	Item 1.99L	\$0.00
3.04	Subtotal	3.01+3.02+3.03	\$0.00
3.05	Overhead and Profit	15% x Item 3.04	\$0.00
3.99	Total Sub-Subcontractor		\$0.00

Submitted By

Name: _____

Signature: _____

Title: _____

Date: _____

ITEM NO.	ITEM DESCRIPTION	TOTAL VALUE	VALUE OF WORK COMPLETED			PERCENT COMPLETE	NOTES / COMMENTS
			PREVIOUS VALUE TO DATE	VALUE THIS REPORT	CURRENT VALUE TO DATE		
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
	Do not insert rows below this point !	\$ -	\$ -	\$ -	\$ -	0%	
TOTAL ORIGINAL CONTRACT		\$ -	\$ -	\$ -	\$ -	0%	

CHNG ORD. NO.	ITEM DESCRIPTION	TOTAL VALUE	VALUE OF WORK COMPLETED			PERCENT COMPLETE	NOTES / COMMENTS
			PREVIOUS VALUE TO DATE	VALUE THIS REPORT	CURRENT VALUE TO DATE		
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
		\$ -	\$ -	\$ -	\$ -	0%	
	Do not insert rows below this point !	\$ -	\$ -	\$ -	\$ -	0%	
TOTAL APPROVED CHANGE ORDERS		\$ -	\$ -	\$ -	\$ -	0%	

AFFIDAVIT OF PAYMENT OF CLAIMS

By:

This day _____ personally appeared before me, _____, a Notary Public in and for the City/County of _____, _____ and, being by me first duly sworn, states that all subcontractors and suppliers of labor and materials have been paid all sums due them for work performed or materials furnished in the performance of the Contract between the County of Albemarle, Virginia, and/or The County School Board of Albemarle County, Virginia, Owner, and _____, Contractor, dated _____, 20____, for the construction of _____,

_____ or arrangements have been made by the Contractor satisfactory to such subcontractors and suppliers with respect to payments of such sums as may be due them by the Contractor.

(Contractor Name)

By: _____

Print Name: _____

Title: _____

Subscribed and sworn to before me this _____ day of _____, 20____.

My commission expires on the _____ day of _____, 20____.

Notary Registration #: _____

Notary Public

CERTIFICATE OF COMPLETION BY ARCHITECT/ENGINEER

Date: _____

County of Albemarle, Virginia, and/or
The County School Board of Albemarle County, Virginia
c/o Office of Facilities Development
401 McIntire Road, Room 228
Charlottesville, Virginia 22902-4596

Project Title: _____

RFQ/Contract No.: _____

In accordance with the requirements of the Contract Between the Owner and the Architect/Engineer for Professional Services and based upon the knowledge gained in the performance of the services required in said Agreement, the undersigned hereby states that the above named project was fully completed in accordance with the requirements of the Contract Documents on _____ (Month) _____ (Day), _____ (Year).

All applicable tests, certificates and regulatory inspections required by the Contract Documents and any local, state or federal regulations have been performed and the Owner has been provided with a copy of each report.

Final as-built drawings have been prepared by the Architect/Engineer and submitted to the Owner in accordance with the requirements of the Contract Documents. The Owner has been provided with a copy of all warranties and guarantees, including the starting date(s) of all warranties and guarantees, written and unwritten, required by the Contract Documents.

(A/E Firm Name)

By: _____

Print Name: _____

Title: _____

ARCHITECT/ENGINEER'S CERTIFICATE OF SUBSTANTIAL COMPLETION

Date: _____

County of Albemarle, Virginia, and/or
The County School Board of Albemarle County, Virginia
c/o Office of Facilities Development
401 McIntire Road, Room 228
Charlottesville, Virginia 22902-4596

Project Title: _____

RFQ/Contract No.: _____

In accordance with the requirements of the Contract Between Owner and Architect/Engineer and based upon the knowledge gained in the performance of the architectural/engineering services provided in said Contract and the reports of the Owner's Inspection and Testing entities, the undersigned Architect/Engineer states that the following portions of the project named above are substantially complete in accordance with the requirements of the Contract Documents and are recommended for use of their intended purpose (*indicate portions which are ready for use and, if applicable, occupancy*):

All applicable tests, certificates and regulatory inspections required by the Contract Documents and any local, state or federal regulations have been performed with respect to the substantially completed portions of the project and the Owner has been provided with a copy of each report, except for the following:

A tentative list of unfinished Work and defective Work, referred to as the "punch list," is attached hereto. The list may not be all-inclusive, and the failure to include an item in it does not alter the responsibility of the Contractor to complete all the Work in accordance with the Contract Documents. The items in the tentative list shall be completed or corrected by the Contractor within _____ days of the above date of Substantial Completion.

(A/E Firm Name)

By: _____

Print Name: _____

Title: _____

Attachment: Punch List

CERTIFICATE OF COMPLETION BY CONTRACTOR

Date: _____

County of Albemarle, Virginia, and/or
The County School Board of Albemarle County, Virginia
c/o Office of Facilities Development
401 McIntire Road, Room 228
Charlottesville, Virginia 22902-4596

Project Title: _____

RFQ/Contract No.: _____

In accordance with the requirements of the Contract Between Owner and Contractor (Form AC-9) the undersigned Contractor hereby states that the above named project has been fully completed in accordance with the requirements of the Contract Documents as modified by approved change orders.

All applicable tests, certificates and regulatory inspections required by the Contract Documents and any local, state or federal regulations have been performed with respect to the completed project and the Owner has been provided with a copy of each report.

As-built marked up prints of the completed project have been provided to the Architect/Engineer as required by the Contract Documents.

The Owner has been provided with a copy of all warranties and guarantees, including the starting date(s) of all warranties and guarantees, written and unwritten, required by the Contract Documents.

All training, operating instructions and maintenance manuals required by the Contract Documents have been provided to the Owner.

(Contractor Name)

By: _____

Print Name: _____

Title: _____

Copy: Architect/Engineer

CERTIFICATE OF PARTIAL OR SUBSTANTIAL COMPLETION BY CONTRACTOR

Date: _____

County of Albemarle, Virginia, and/or
The County School Board of Albemarle County, Virginia
c/o Office of Facilities Development
401 McIntire Road, Room 228
Charlottesville, Virginia 22902-4596

Project Title: _____
RFQ/Contract No.: _____

In accordance with the requirements of the Agreement between the Owner and the Contractor, the undersigned Contractor hereby states that portions of the above named project are substantially completed in accordance with the requirements of the Contract Documents as modified by approved change orders. Those portions of the project now substantially complete are:

All applicable tests, certificates and regulatory inspections required by the Contract Documents and any local, state or federal regulations have been performed with respect to the substantially completed portions of the project and the Owner has been provided with a copy of each report.

As-built marked up prints of the substantially completed portions of the project have been provided to the Architect/Engineer as required by the Contract Documents.

The Owner has been provided with a copy of all warranties and guarantees, including the starting date(s) of all warranties and guarantees, written and unwritten, required by the Contract Documents with respect to the completed portions of the project, except as follows:

All training, operating instructions and maintenance manuals required by the Contract Documents have been provided to the Owner, except as follows:

This certificate does not constitute an acceptance of Work not in accordance with the Contract Documents nor is it a release of CONTRACTOR'S obligation to complete the Work in accordance with the Contract Documents.

(Contractor Name)

By: _____

Print Name: _____

Title: _____

SECTION 01010 - LIST OF DRAWINGS

C 0.0	COVER
C 1.0	SITE PLAN
C 2.0	NOTES AND DETAILS

SECTION 01045 - CUTTING AND PATCHING

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Requirements of the General Conditions of the Construction Contract and Supplemental General Conditions and other Division 1 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. This Section includes administrative and procedural requirements for cutting and patching.

1.3 SUBMITTALS

- A. Cutting and Patching Proposal: Submit a proposal describing procedures well in advance of the time cutting and patching will be performed if the Owner requires approval of these procedures before proceeding. Request approval to proceed. Include the following information, as applicable, in the proposal:
 - 1. Describe the extent of cutting and patching required. Show how it will be performed and indicate why it cannot be avoided.
 - 2. Describe anticipated results in terms of changes to existing construction. Include changes to structural elements and operating components as well as changes in the building's appearance and other significant visual elements.
 - 3. List products to be used and firms or entities that will perform Work.
 - 4. Indicate dates when cutting and patching will be performed.
 - 5. Utilities: List utilities that cutting and patching procedures will disturb or affect. List utilities that will be relocated and those that will be temporarily out-of-service. Indicate how long service will be disrupted.
 - 6. Approval by the Owner to proceed with cutting and patching does not waive the Owner's right to later require complete removal and replacement of unsatisfactory work.

1.4 QUALITY ASSURANCE

- A. Requirements for Structural Work: Do not cut and patch structural elements in a manner that would change their load-carrying capacity or load-deflection ratio. Obtain approval of the cutting and patching proposal before cutting and patching any structural element.
- B. Operational Limitations: Do not cut and patch operating elements or related components in a manner that would result in reducing their capacity to perform as intended. Do not cut and patch operating elements or related components in a manner that would result in increased maintenance or decreased operational life or safety.
 - 1. Obtain approval from the Owner prior to disconnection any part of the HVAC system or electrical system.
- C. Visual Requirements: Do not cut and patch construction exposed on the exterior or in occupied spaces without written approval from the Owner. Do not cut and patch construction

in a manner that would result in visual evidence of cutting and patching. Remove and replace construction cut and patched in a visually satisfactory manner.

1.5 WARRANTY

- A. Existing Warranties: Replace, patch, and repair material and surfaces cut or damaged by methods and with materials in such a manner as not to void any warranties required or existing.

2PART - PRODUCTS

2.1 MATERIALS, GENERAL

- A. Use materials identical to existing materials. For exposed surfaces, use materials that visually match existing adjacent surfaces to the fullest extent possible if identical materials are unavailable or cannot be used submit samples from available products to the Owner for approval. Use materials whose installed performance will equal or surpass that of existing materials.

3PART - EXECUTION

3.1 INSPECTION

- A. Examine surfaces to be cut and patched and conditions under which cutting and patching is to be performed before cutting. If unsafe or unsatisfactory conditions are encountered, take corrective action before proceeding.
 - 1. Before proceeding, meet at the Project Site with parties involved in cutting and patching, including mechanical and electrical trades. Review areas of potential interference and conflict. Coordinate procedures and resolve potential conflicts before proceeding.

3.2 PREPARATION

- A. Temporary Support: Provide temporary support of work to be cut.
- B. Protection: Protect existing construction during cutting and patching to prevent damage. Provide protection from adverse weather conditions for portions of the Project that might be exposed during cutting and patching operations.
- C. Avoid interference with use of adjoining areas or interruption of free passage to adjoining areas.
- D. Avoid cutting existing pipe, conduit, or ductwork serving the building but scheduled to be removed or relocated until provisions have been made to bypass them.

3.3 PERFORMANCE

- A. Cutting: Cut existing construction using methods least likely to damage elements retained or adjoining construction. Where possible, review proposed procedures with the original Installer and comply with the original Installer's recommendations.
1. In general, where cutting, use hand or small power tools designed for sawing or grinding, not hammering and chopping. Cut holes and slots as small as possible, neatly to size required, and with minimum disturbance of adjacent surfaces. Temporarily cover openings when not in use.
 2. To avoid marring existing finished surfaces, cut or drill from the exposed or finished side into concealed surfaces.
 3. Cut through concrete and masonry using a cutting machine, such as a Carborundum saw or a diamond-core drill.
 4. Comply with requirements of applicable Division 2 Sections where cutting and patching requires excavating and backfilling.
 5. Where services are required to be removed, relocated, or abandoned, by-pass utility services, such as pipe or conduit, before cutting. Cut-off pipe or conduit in walls or partitions to be removed. Cap, valve, or plug and seal the remaining portion of pipe or conduit to prevent entrance of moisture or other foreign matter after by-passing and cutting.
 6. When cutting through fire rated assemblies use tools that are designed to make the smallest and cleanest possible opening to accomplish the needed penetration.
- B. Patching: Patch with durable seams that are as invisible as possible. Comply with specified tolerances.
1. Where feasible, inspect and test patched areas to demonstrate integrity of the installation.
 2. Restore exposed finishes of patched areas and extend finish restoration into retained adjoining construction in a manner that will eliminate evidence of patching and refinishing.
 3. Where removing walls or partitions extends one finished area into another, patch and repair floor and wall surfaces in the new space. Provide an even surface of uniform color and appearance. Remove existing floor and wall coverings and replace with new materials, if necessary, to achieve uniform color and appearance.
 - a. Where patching occurs in a smooth painted surface, extend final paint coat over entire unbroken surface containing the patch after the area has received primer and second coat.
 - b. Where patching of concrete occurs, material used for patching, repair and leveling shall be a high strength, polymer modified cement material manufactured specifically for the intended use, including the ability to bond to existing concrete and to allow feather edging.
 4. When patching openings through fire rated walls or floors:
 - a. Position conduits, pipes, or ducts so that all sides may be fully caulked.
 - a. Fill all gaps with 3m CP-25WB+ or other approved fire rated caulk .
 - b. Fill all voids around conduit, sleeves, ducts, or other object that penetrates the fire rated assembly so that there is no space not completely filled with caulk.

3.4 CLEANING

- A. Clean areas and spaces where cutting and patching are performed. Completely remove paint, mortar, oils, putty, and similar items. Thoroughly clean piping, conduit, and similar features before applying paint or other finishing materials. Restore damaged pipe covering to its original condition.

END OF SECTION 01045

SECTION 01300 - SUBMITTALS

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of Contract, including General and Supplementary Conditions and other Division-1 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. This Section specifies administrative and procedural requirements for submittals required for performance of the Work, including;
 - 1. Contractor's construction schedule.
 - 2. Submittal schedule.
 - 3. Shop Drawings.
 - 4. Product Data.
 - 5. Samples.
- B. Administrative Submittals: Refer to other Division-1 Sections and other Contract Documents for requirements for administrative submittals. Such submittals include, but are not limited to:
 - 1. Permits.
 - 2. Applications for payment.
 - 3. Performance and payment bonds.
 - 4. Insurance certificates.
 - 5. List of Subcontractors.
- C. The Schedule of Values submittal is included in Section "Project Meetings and Payments".
- D. Inspection and test reports are included in Section "Quality Control Services".

1.3 SUBMITTAL PROCEDURES

- A. Coordination: Coordinate preparation and processing of submittals with performance of construction activities. Transmit each submittal sufficiently in advance of performance of related construction activities to avoid delay.
 - 1. Coordinate each submittal with fabrication, purchasing, testing, delivery, other submittals and related activities that require sequential activity.
 - 2. Coordinate transmittal of different types of submittals for related elements of the Work so processing will not be delayed by the need to review submittals concurrently for coordination.
 - a. The Engineer reserves the right to withhold action on a submittal requiring coordination with other submittals until related submittals are received.
 - 3. Processing: Allow sufficient review time so that installation will not be delayed as a result of the time required to process submittals, including time for resubmittals.

- a. Allow two weeks for initial review for all mechanical and electrical submittals (seven days for architectural submittals). Allow additional time if processing must be delayed to permit coordination with subsequent submittals. The Engineer will promptly advise the Contractor when a submittal being processed must be delayed for coordination.
 - b. If an intermediate submittal is necessary, process the same as the initial submittal.
 - c. Allow one week for reprocessing each submittal.
 - d. No extension of Contract Time will be authorized because of failure to transmit submittals to the Architect sufficiently in advance of the Work to permit processing.
- B. Submittal Preparation: Place a permanent label or title block on each submittal for identification. Indicate the name of the entity that prepared each submittal on the label or title block.
1. Provide a space approximately 4" x 5" on the label or beside the title block on Shop Drawings to record the Contractor's review and approval markings and the action taken.
 2. Include the following information on the label for processing and recording action taken.
 - a. Project name.
 - b. Date.
 - c. Name and address of Engineer.
 - d. Name and address of Contractor.
 - e. Name and address of subcontractor.
 - f. Name and address of supplier.
 - g. Name of manufacturer.
 - h. Number and title of appropriate Specification Section.
 - i. Drawing number and detail references, as appropriate.
- C. Submittal Transmittal: Package each submittal appropriately for transmittal and handling. Transmit each submittal from Contractor to Architect using a transmittal form. Submittals received from sources other than the Contractor will be returned without action.
1. On the transmittal Record relevant information and requests for data. On the form, or separate sheet, record deviations from Contract Document requirements, including minor variations and limitations. Include Contractor's certification that information complies with Contract Document requirements.
- D. If item requires color selection - Engineer reserves the right to withhold color selection until all colors are selected.

1.4 CONTRACTOR'S CONSTRUCTION SCHEDULE

- A. Bar-Chart Schedule: Prepare a fully developed, horizontal bar- chart type Contractor's construction schedule. Submit within 14 days of the award of Contract.
1. Provide a separate time bar for each significant construction activity. Provide a continuous vertical line to identify the first working day of each week. Use the same breakdown of units of the Work as indicated in the "Schedule of Values".
 2. Prepare the schedule on a sheet, or series of sheets, of stable transparency, or other reproducible media, of sufficient width to show data for the entire construction period.

3. Secure time commitments for performing critical elements of the Work from parties involved. Coordinate each element on the schedule with other construction activities; include minor elements involved in the sequence of the Work. Show each activity in proper sequence. Indicate graphically sequences necessary for completion of related portions of the Work.
 4. Coordinate the Contractor's construction schedule with the schedule of values, list of subcontracts, submittal schedule, progress reports, payment requests and other schedules.
 5. Indicate completion in advance of the date established for Substantial Completion. Indicate Substantial Completion on the schedule to allow time for the Engineer's procedures necessary for certification of Substantial Completion.
- B. Work Stages: Indicate important stages of construction for each major portion of the Work, including testing and installation.
- C. Area Separations: Provide a separate time bar to identify each major construction area for each major portion of the Work. Indicate where each element in an area must be sequenced or integrated with other activities.
- D. Distribution: Following response to the initial submittal, print and distribute copies to the Engineer, Owner, subcontractors, and other parties required to comply with scheduled dates. Post copies in the Project meeting room and temporary field office.
1. When revisions are made, distribute to the same parties and post in the same locations. Delete parties from distribution when they have completed their assigned portion of the Work and are no longer involved in construction activities.
- E. Schedule Updating: Revise the schedule after each meeting or activity, where revisions have been recognized or made. Issue the updated schedule concurrently with report of each meeting.

1.5 SUBMITTAL SCHEDULE

- A. After development and acceptance of the Contractor's construction schedule, prepare a complete schedule of submittals. Submit the schedule within 3 days of the date required for establishment of the Contractor's construction schedule.
1. Coordinate submittal schedule with the list of subcontracts, schedule of values and the list of products as well as the Contractor's construction schedule.
 2. Prepare the schedule in chronological order; include submittals required.
- B. Distribution: Following response to initial submittal, print and distribute copies to the Engineer, Owner, subcontractors, and other parties required to comply with submittal dates indicated. Post copies in the Project meeting room and field office.
1. When revisions are made, distribute to the same parties and post in the same locations. Delete parties from distribution when they have completed their assigned portion of the Work and are no longer involved in construction activities.
- C. Schedule Updating: Revise the schedule after each meeting or activity, where revisions have been recognized or made. Issue the updated schedule concurrently with report of each meeting.

1.6 SHOP DRAWINGS

- A. Submit newly prepared information, drawn to accurate scale. Highlight, encircle, or otherwise indicate deviations from the Contract Documents. Do not reproduce Contract Documents or copy standard information as the basis of Shop Drawings. Standard information prepared without specific reference to the Project is not considered Shop Drawings.
- B. Shop Drawings include fabrication and installation drawings, setting diagrams, schedules, patterns, templates and similar drawings. Include the following information:
 - 1. Dimensions.
 - 2. Identification of products and materials included.
 - 3. Compliance with specified standards.
 - 4. Notation of coordination requirements.
 - 5. Notation of dimensions established by field measurement.
 - 6. Submit a minimum of six (6) blue- or black-line prints for the Engineer's review; the reproducible print will be returned. 3 prints will be retained; the remainder will be returned. One of the prints returned shall be marked-up and maintained as a "Record Document".
 - 7. Do not use Shop Drawings without an appropriate final stamp indicating action taken in connection with construction.

1.7 PRODUCT DATA

- A. Collect Product Data into a single submittal for each element of construction or system. Product Data includes printed information such as manufacturer's installation instructions, catalog cuts, standard color charts, roughing-in diagrams and templates, standard wiring diagrams and performance curves. Where Product Data must be specially prepared because standard printed data is not suitable for use, submit as "Shop Drawings."
 - 1. Mark each copy to show applicable choices and options. Where printed Product Data includes information on several products, some of which are not required, mark copies to indicate the applicable information. Include the following information:
 - a. Manufacturer's printed recommendations.
 - b. Compliance with recognized trade association standards.
 - c. Compliance with recognized testing agency standards.
 - d. Application of testing agency labels and seals.
 - e. Notation of dimensions verified by field measurement.
 - f. Notation of coordination requirements.
 - 2. Do not submit Product Data until compliance with requirements of the Contract Documents has been confirmed.
 - 3. Submittals: Submit 2 copies of each required submittal; submit 4 copies where required for maintenance manuals. The Engineer will retain one, and will return the other marked with action taken and corrections or modifications required.
 - a. Unless noncompliance with Contract Document provisions is observed, the submittal may serve as the final submittal.

4. Distribution: Furnish copies of final submittal to installers, subcontractors, suppliers, manufacturers, fabricators, and others required for performance of construction activities. Show distribution on transmittal forms.
 - a. Do not proceed with installation until an applicable copy of Product Data applicable is in the installer's possession.
 - b. Do not permit use of unmarked copies of Product Data in connection with construction.

1.8 SAMPLES

- A. Submit full-size, fully fabricated Samples cured and finished as specified and physically identical with the material or product proposed. Samples include partial sections of manufactured or fabricated components, cuts or containers of materials, color range sets, and swatches showing color, texture and pattern.
- B. Mount, display, or package Samples in the manner specified to facilitate review of qualities indicated. Prepare Samples to match the Engineer's Sample. Include the following:
 - a. Generic description of the Sample.
 - b. Sample source.
 - c. Product name or name of manufacturer.
 - d. Compliance with recognized standards.
 - e. Availability and delivery time.
2. Submit Samples for review of kind, color, pattern, and texture, for a final check of these characteristics with other elements, and for a comparison of these characteristics between the final submittal and the actual component as delivered and installed.
 - a. Where variation in color, pattern, texture or other characteristics are inherent in the material or product represented, submit multiple units (not less than 3), that show approximate limits of the variations.
3. Submittals: Except for Samples illustrating assembly details, workmanship, fabrication techniques, connections, operation and similar characteristics, submit 3 sets; one will be returned marked with the action taken.
4. Maintain sets of Samples, as returned, at the Project site, for quality comparisons throughout the course of construction.
 - a. Unless noncompliance with Contract Document provisions is observed, the submittal may serve as the final submittal.
 - b. Sample sets may be used to obtain final acceptance of the construction associated with each set.
5. Distribution of Samples: Prepare and distribute additional sets to subcontractors, manufacturers, fabricators, suppliers, installers, and others as required for performance of the Work. Show distribution on transmittal forms.

1.9 ENGINEER'S ACTION

- A. Except for submittals for record, information or similar purposes, where action and return is required or requested, the Engineer will review each submittal, mark to indicate action taken, and return promptly.

1. Compliance with specified characteristics is the Contractor's responsibility.
- B. Action Stamp: The Engineer will stamp each submittal with a uniform, self-explanatory action stamp. The stamp will be appropriately marked, as follows, to indicate the action taken:
1. Final Unrestricted Release: Where submittals are marked "**No Exceptions Taken**," that part of the Work covered by the submittal may proceed provided it complies with requirements of the Contract Documents; final acceptance will depend upon that compliance.
 2. Final-But-Restricted Release: When submittals are marked "**Note Markings**," that part of the Work covered by the submittal may proceed provided it complies with notations or corrections on the submittal and requirements of the Contract Documents; final acceptance will depend on that compliance. Drawings will be resubmitted for record.
 3. Returned for Resubmittal: When submittal is marked "**Resubmit**," do not proceed with that part of the Work covered by the submittal, including purchasing, fabrication, delivery, or other activity. Revise or prepare a new submittal in accordance with the notations; resubmit without delay. Repeat if necessary to obtain a different action mark.
 4. Rejected: When submittals are marked "**Rejected**", the submission does not comply with drawings and/or specifications. Do not proceed with that part of the Work covered by the submittal, including purchasing, fabrication, delivery, or other activity. Revise or prepare a new submittal in accordance with the notations; resubmit without delay. Repeat if necessary to obtain a different action mark.
 - a. Do not permit submittals marked "Rejected or Resubmit" to be used at the Project site, or elsewhere where Work is in progress.

PART 2 - PRODUCTS (Not Applicable).

PART 3 - EXECUTION (Not Applicable).

SECTION 01500 - TEMPORARY FACILITIES

1PART - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of Contract, including General Conditions, Supplemental General Conditions, Special Conditions, and all other Division-1 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. This Section specifies requirements for temporary services and facilities, including utilities, construction and support facilities, security and protection.
- B. Temporary utilities will not be required to be furnished under this Contract. The contractor may connect to the Owner's electrical and water services.

Telephone service shall be provided by mobile telephone. The Owner prohibits any telephone wiring to be installed at the site by the Contractor.

- C. Temporary construction and support facilities required include but are not limited to:
 - 1. Temporary toilets.
- D. Security and protection facilities required include but are not limited to:
 - 1. Temporary fire protection.
 - 2. Barricades, safety fencing for staging area, and warning signs,
 - 3. Environmental protection.
 - 4. Landscape protection

1.3 QUALITY ASSURANCE

- A. Regulations: Comply with industry standards and applicable laws and regulations if authorities having jurisdiction, including but not limited to:
 - 1. Building Code requirements.
 - 2. Health and safety regulations.
 - 3. Utility company regulations.
 - 3. Police, Fire Department and Rescue Squad rules.
 - 4. Environmental protection regulations.
- B. Standards: Comply with NFPA Code 241, "Building Construction and Demolition Operations" and ANSI-A10 Series standards for "Safety Requirements for Construction and Demolition".
- C. Inspections: Coordinate use of utilities with Owner's representative.

PART 3 - PRODUCTS

3.1 MATERIALS

- A. General: Provide new materials; if acceptable to the Engineer, undamaged previously

used materials in serviceable condition may be used. Provide materials suitable for the use intended.

3.2 EQUIPMENT

- A. General: Provide new equipment; if acceptable to the Engineer, undamaged, previously used equipment in serviceable condition may be used. Provide equipment suitable for use intended.
- B. Temporary Toilet Units: Provide self-contained single-occupant toilet units of the chemical, aerated recirculating, or combustion type, properly vented and fully enclosed with a glass fiber reinforced polyester shell or similar nonabsorbent material.
- C. First Aid Supplies: Comply with governing regulations.
- D. Fire Extinguishers: Provide hand-carried, portable UL-rated, class "A" fire extinguishers for temporary offices and similar spaces. In other locations provide hand-carried, portable, UL-rated, class "ABC" dry chemical extinguishers, or a combination of extinguishers of NFPA recommended classes for the exposures.
 - 1. Comply with NFPA 10 and 241 for classification, extinguishing agent and size required by location and class of fire exposure.
 - 2. Contractor shall NOT provide a temporary field office.

PART 3 - EXECUTION

3.1 INSTALLATION

- A. Locate fences and barricades where they will serve the Project adequately and result in minimum interference with operation of the building. Coordinate all work with the Owner's Representative.

3.2 TEMPORARY UTILITY INSTALLATION

- A. General: The Contractor may connect to the Owner's electric and water service. Coordinate all use of utilities with the Owner's representative and minimize impact on the operation of the building.
- B. Temporary Telephones: Telephone communication shall be provided by mobile telephone. Contractor is forbidden from installing telephone service at the site by wired connection.

3.3 TEMPORARY CONSTRUCTION AND SUPPORT FACILITIES INSTALLATION

- A. Provide incombustible construction for offices, shops and sheds located within the construction area, or within 30 feet of building lines. Comply with requirements of NFPA 241.
- B. Toilets: Install self-contained toilet units. Shield toilets to ensure privacy. Use of pit-type privies will not be permitted.
- C. No sign shall be erected at the site, except with permission of the Owner's

representative.

3.4 SECURITY AND PROTECTION FACILITIES INSTALLATION

- A. Temporary Fire Protection:
 - 1. Locate fire extinguishers where convenient and effective for their intended purpose, but not less than one extinguisher on each floor at or near each usable stairwell.
 - 2. Store combustible materials in containers in fire-safe locations.
 - 3. Maintain unobstructed access to fire extinguishers, fire hydrants, temporary fire protection facilities, stairways and other access routes for fighting fires. Prohibit smoking in hazardous fire exposure areas.
 - 4. Provide supervision of welding operations, combustion type temporary heating units, and similar sources of fire ignition.
- B. Barricades, Warning Signs and Lights: Comply with standards and code requirements for erection of structurally adequate barricades. Paint with appropriate colors, graphics and warning signs to inform personnel and the public of the hazard being protected against. Where appropriate and needed provide lighting, including flashing red or amber lights.
- C. Staging area shall be delineated with an plastic or nylon gridded safety fence colored safety orange. Fence shall be approximately six feet tall. Safety fence location is shown on the drawings. Fencing shall encompass entire staging area.

Contractor shall support the fence from metal posts. Contractor is forbidden from making holes in the asphalt paving, concrete sidewalk, or lawn.
- D. Environmental Protection: Provide protection, operate temporary facilities and conduct construction in ways and by methods that comply with environmental regulations, and minimize the possibility that air, waterways and subsoil might be contaminated or polluted, or that other undesirable effects might result. Avoid use of tools and equipment which produce harmful noise. Restrict use of noise making tools and equipment to hours that will minimize complaints from persons or firms near the site.

3.5 OPERATION, TERMINATION AND REMOVAL

- A. Supervision: Enforce strict discipline in use staging area.
- B. Maintenance: Maintain facilities in good operating condition until removal.
- C. Termination and Removal:
 - 1. At Substantial Completion, clean entire area of construction debris. Repair any damage to existing building and/or grounds. Reseed or sod grass that is damaged during construction.

END OF SECTION 01500

SECTION 01700 - PROJECT CLOSEOUT

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of Contract, including General and Supplementary Conditions and other Division-1 Specification Sections, apply to this Section.

1.2 SUMMARY

- A. This Section specifies administrative and procedural requirements for project closeout, including but not limited to:
 - 1. Inspection procedures.
 - 2. Project record document submittal.
 - 3. Maintenance submittal.
 - 4. Submittal of warranties.
 - 5. Final cleaning.
- B. Closeout requirements for specific construction activities are included in the appropriate Sections in Divisions-2 through -16.

1.3 SUBSTANTIAL COMPLETION

- A. Preliminary Procedures: Before requesting inspection for certification of Substantial Completion, complete the following. List exceptions in the request.
 - 1. In the Application for Payment that coincides with, or first follows, the date Substantial Completion is claimed, show 100 percent completion for the portion of the Work claimed as substantially complete. Include supporting documentation for completion as indicated in these Contract Documents and a statement showing an accounting of changes to the Contract Sum.
 - a. If 100 percent completion cannot be shown, include a list of incomplete items, the value of incomplete construction, and reasons the Work is not complete.
 - 2. Submit specific warranties, workmanship bonds, maintenance agreements, final certifications and similar documents.
 - 3. Obtain and submit releases enabling the Owner unrestricted use of the Work and access to services and utilities; include occupancy permits, operating certificates and similar releases.
 - 4. Submit record drawings, maintenance manuals, and similar final record information.
 - 5. Complete final clean up requirements.
 - 6. Submit form AC-13.2a.
- B. Inspection Procedures: On receipt of a request for inspection, the Engineer will either proceed with inspection or advise the Contractor of unfilled requirements. The Owner's Representative will prepare the Certificate of Substantial Completion following inspection, or advise the Contractor of construction that must be completed or corrected before the certificate will be issued.
 - 1. The Architect will repeat inspection when requested and assured that the Work has been substantially completed.
 - 2. Results of the completed inspection will form the basis of requirements for final

acceptance.

1.4 FINAL ACCEPTANCE

- A. Preliminary Procedures: Before requesting final inspection for certification of final acceptance and final payment, complete the following. List exceptions in the request.
1. Submit the final payment request with releases and supporting documentation not previously submitted and accepted. Include certificates of insurance for products and completed operations where required.
 2. Submit an updated final statement, accounting for final additional changes to the Contract Sum.
 3. Submit a certified copy of the Engineer's final inspection list of items to be completed or corrected, stating that each item has been completed or otherwise resolved for acceptance, and the list has been endorsed and dated by the Engineer.
 4. Submit consent of surety to final payment.
 5. Submit a final liquidated damages settlement statement.
 6. Submit evidence of final, continuing insurance coverage complying with insurance requirements.
 7. Submit form AC-13.2.
- B. Reinspection Procedure: The Architect will reinspect the Work upon receipt of notice that the Work, including inspection list items from earlier inspections, has been completed, except items whose completion has been delayed because of circumstances acceptable to the Architect.
1. Upon completion of reinspection, the Engineer will prepare a certificate of final acceptance, or advise the Contractor of Work that is incomplete or of obligations that have not been fulfilled but are required for final acceptance.
 2. If necessary, reinspection will be repeated.

1.5 RECORD DOCUMENT SUBMITTALS

- A. General: Do not use record documents for construction purposes; protect from deterioration and loss in a secure, fire-resistive location; provide access to record documents for the Architect's reference during normal working hours.
- B. Record Drawings: Maintain a clean, undamaged set of blue or black line white-prints of Contract Drawings and Shop Drawings. Mark the set to show the actual installation where the installation varies substantially from the Work as originally shown. Mark whichever drawing is most capable of showing conditions fully and accurately; where Shop Drawings are used, record a cross-reference at the corresponding location on the Contract Drawings. Give particular attention to concealed elements that would be difficult to measure and record at a later date.
1. Mark record sets with red erasable pencil; use other colors to distinguish between variations in separate categories of the Work.
 2. Mark new information that is important to the Owner, but was not shown on Contract Drawings or Shop Drawings.
 3. Note related Change Order numbers where applicable.
 4. Organize record drawing sheets into manageable sets, bind with durable paper cover sheets, and print suitable titles, dates and other identification on the cover of each set.
- C. Maintenance Manuals: Organize maintenance data into suitable sets of manageable size. Bind properly indexed data in individual heavy-duty ring vinyl-covered binders, with pocket folders for folded sheet information. Mark appropriate identification on front and spine of each

binder. Include the following types of information:

1. Inspection reports.
2. Shop Drawings and Product Data.

2 PART - PRODUCTS (Not Applicable)

3 PART - EXECUTION

3.1 CLOSEOUT PROCEDURES

- A. Maintenance Instructions: Arrange roofing installer to meet with the Owner's Representative to provide instruction in proper maintenance. Include a detailed review of the following items:
 1. Maintenance information.
 2. Record documents.
 3. Warranties and bonds.

3.2 FINAL CLEANING

- A. General: General cleaning during construction is required by the General Conditions.
- B. Removal of Protection: Remove temporary protection and facilities installed for protection of the Work during construction.
- C. Compliance: Comply with regulations of authorities having jurisdiction and safety standards for cleaning. Do not burn waste materials. Do not bury debris or excess materials on the Owner's property. Do not discharge volatile, harmful or dangerous materials into drainage systems. Remove waste materials from the site and dispose of in a lawful manner.

END OF SECTION 01700

SECTION 01740 - WARRANTIES AND BONDS

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

1.2 RELATED DOCUMENTS

- A. Drawings and general provisions of Contract, including General and Supplementary Conditions and other Division-1 Specification Sections, apply to this Section.

1.3 SUMMARY

- A. This Section specifies general administrative and procedural requirements for warranties and bonds required by the Contract Documents, including manufacturer's standard warranties on products and special warranties.
 - 1. Refer to the General Conditions for terms of the Contractor's special warranty of workmanship and materials.
 - 2. General closeout requirements are included in Section "Project Closeout."
 - 3. Specific requirements for warranties for the Work and products and installations that are specified to be warranted, are included in the individual Sections of Divisions-2 through -16.
 - 4. Certifications and other commitments and agreements for continuing services to Owner are specified elsewhere in the Contract Documents.
- B. Disclaimers and Limitations: Manufacturer's disclaimers and limitations on product warranties do not relieve the Contractor of the warranty on the Work that incorporates the products, nor does it relieve suppliers, manufacturers, and subcontractors required to countersign special warranties with the Contractor.

1.4 DEFINITIONS

- A. Standard Product Warranties are preprinted written warranties published by individual manufacturers for particular products and are specifically endorsed by the manufacturer to the Owner.
- B. Special Warranties are written warranties required by or incorporated in the Contract Documents, either to extend time limits provided by standard warranties or to provide greater rights for the Owner.

1.5 WARRANTY REQUIREMENTS

- A. Related Damages and Losses: When correcting warranted Work that has failed, remove and replace other Work that has been damaged as a result of such failure or that must be removed and replaced to provide access for correction of warranted Work.
- B. Reinstatement of Warranty: When Work covered by a warranty has failed and been corrected by replacement or rebuilding, reinstate the warranty by written endorsement. The reinstated warranty shall be equal to the original warranty with an equitable adjustment for depreciation.
- C. Replacement Cost: Upon determination that Work covered by a warranty has failed, replace

or rebuild the Work to an acceptable condition complying with requirements of Contract Documents. The Contractor is responsible for the cost of replacing or rebuilding defective Work regardless of whether the Owner has benefitted from use of the Work through a portion of its anticipated useful service life.

- D. Owner's Recourse: Written warranties made to the Owner are in addition to implied warranties, and shall not limit the duties, obligations, rights and remedies otherwise available under the law, nor shall warranty periods be interpreted as limitations on time in which the Owner can enforce such other duties, obligations, rights, or remedies.
 - 1. Rejection of Warranties: The Owner reserves the right to reject warranties and to limit selections to products with warranties not in conflict with requirements of the Contract Documents.
- E. The Owner reserves the right to refuse to accept Work for the Project where a special warranty, certification, or similar commitment is required on such Work or part of the Work, until evidence is presented that entities required to countersign such commitments are willing to do so.

1.6 SUBMITTALS

- A. Submit written warranties to the Engineer prior to the date certified for Substantial Completion. If the Engineer's Certificate of Substantial Completion designates a commencement date for warranties other than the date of Substantial Completion for the Work, or a designated portion of the Work, submit written warranties upon request of the Engineer.
 - 1. When a designated portion of the Work is completed and occupied or used by the Owner, by separate agreement with the Contractor during the construction period, submit properly executed warranties to the Engineer within fifteen days of completion of that designated portion of the Work.
- B. When a special warranty is required to be executed by the Contractor, or the Contractor and a subcontractor, supplier or manufacturer, prepare a written document that contains appropriate terms and identification, ready for execution by the required parties. Submit a draft to the Owner through the Engineer for approval prior to final execution.
 - 1. Refer to individual Sections of Divisions-2 through -16 for specific content requirements, and particular requirements for submittal of special warranties.

2PART - PRODUCTS (Not Applicable).

3PART - EXECUTION

3.1 SCHEDULE OF WARRANTIES

- A. Schedule: Provide warranties and bonds on products and installations as specified in each individual specification section:

END OF SECTION 01740

SECTION 02000 – GENERAL SITEWORK REQUIREMENTS

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. The provisions of the Contract Documents apply to the work of this Section.

1.2 SITEWORK LAYOUT

A. Monuments and Benchmarks

1. Maintain all monuments, property corners, bench marks and other reference points.
2. If these are disturbed or destroyed during construction operations, have them replaced by a surveyor licensed in the Commonwealth of Virginia. This replacement shall be at no additional expense to the Contract.

B. Laying out the Work.

1. Locate all existing bench marks and other reference points.
2. Protect these points throughout construction.
3. Layout work utilizing these reference points.

C. Record Drawings

1. Maintain a record of the locations of all underground utilities and piping.
2. Maintain a record of any variations of the work.
3. Record Drawings shall be certified by a Land Surveyor registered in the Commonwealth of Virginia.
4. Submit these record drawings at Project Closeout.

1.3 MAINTENANCE OF TRAFFIC

- A. Maintain vehicular and pedestrian traffic across the frontage of this project. Comply with all applicable safety requirements.

1.4 SUBMITTALS

- A. For those submittals, close-out documents and O&M manuals requiring review by the architect's consultants, contractor shall ship such documents directly to the consultant, while sending a copy of the transmittal to the engineer.

1.5 CORRELATION OF CONSTRUCTION DOCUMENTS

- A. Review construction documents thoroughly prior to the start of construction.
- B. Report any conflict or discrepancy discovered in the Construction Documents to the Owner's Representative/Engineer prior to the start of construction.
- C. Report any conflict or discrepancy discovered between the Construction Documents and state and local governmental regulations to the Owner's Representative/Engineer prior to the start of construction.

1.6 PROJECT CONDITIONS

- A. The conditions existing at the time of inspection for bidding purposes will be maintained by the Owner to the extent practical. However, minor variations may occur due to natural occurrences prior to the start of clearing work.
- B. The location of existing underground utilities indicated is approximate only. Field locate all existing underground utilities in the area of work, regardless of whether or not they are indicated. Call "Miss Utility" prior to the start of demolition work for assistance in the location of existing underground utilities.
- C. Should charted, uncharted or incorrectly charted utilities be encountered during demolition, contact the Owner immediately for instructions. Cooperate with Owner and utility companies to keep services and facilities in operation.

1.7 SCHEDULING

- A. Refer to drawings for phasing plan.

PART 2 - PRODUCTS

Not Applicable

PART 3 – EXECUTION

3.1 PROJECT CLEAN UP

- A. Clean site as construction progresses. Do not allow trash or other waste materials to accumulate.
- B. Prior to requesting the punch-list inspection, clean the site to the following requirements:
 - 1. Power wash all walks and pavements.
 - 2. The remainder of the site shall be broom clean.
 - 3. Remove all trash and debris.

3.2 EXISTING FACILITIES

- A. Preserve existing signs, markers, guardrails and fences in their original condition unless written permission is obtained for their removal and replacement.
- B. Replace damaged items at no additional cost to the Contract.

END OF SECTION 02000

SECTION 02230 - SITE CLEARING

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. The provisions of the Contract Documents apply to the work of this Section.

1.2 SUMMARY

- A. This Section includes the following:
 - 1. Protection of existing trees.
 - 2. Clearing and grubbing.
 - 3. Removal of trees and other vegetation.
 - 4. Topsoil stripping.

1.3 DEFINITIONS

- A. Remove: Remove and legally dispose of items indicated. Removal includes digging out and off-site disposing of stumps and roots at the contractor's expense.
- B. Tree Protection Zone: The area surrounding individual trees or groups of trees to be protected during construction, and defined by the drip line of individual trees or the perimeter drip line of groups of trees, unless otherwise indicated.
- C. Topsoil: Friable, clay loam surface soil, found in varying depths.

1.4 MATERIALS OWNERSHIP

- A. Except for materials indicated to remain Owner's property, cleared materials shall become Contractor's property and shall be removed from Project site.

1.5 SUBMITTALS

- A. Photographs or videotape, sufficiently detailed, of existing conditions of trees, plantings and other improvements adjoining the construction that might be misconstrued as damage caused by the Work.

1.6 PROJECT CONDITIONS

- A. Traffic: Conduct site clearing operations to ensure minimum interference with roads, streets, walks, and other adjacent occupied or used facilities. Do not close or obstruct streets, walks or other occupied or used facilities without permission from authorities having jurisdiction.
- B. Protection of Existing Improvements: Provide protections necessary to prevent damage to existing improvements indicated to remain in place.
 - 1. Restore existing improvements damaged by clearing operations to their original condition.
- C. The conditions existing at the time of inspection for bidding purposes will be maintained by the Owner to the extent practical. However, minor variations may occur due to natural occurrences prior to the start of clearing work.

- D. Do not commence site-clearing operations until erosion and sedimentation control measures are in place.

PART 2 - PRODUCTS

2.1 TREE PROTECTION FENCING

- A. Tree protection fencing shall conform to standard and specification 3.38-2 (plastic fence) of the Virginia Erosion and Sediment Control Handbook.

PART 3 – EXECUTION

3.1 PROTECTION OF EXISTING TREES AND VEGETATION

- A. Install tree protection fencing as indicated. Erect and maintain a temporary fence around the drip line of individual trees or around the perimeter drip line of groups of trees to remain.
 - 1. Do not store construction materials, debris, topsoil or other excavated material within the tree protection zone.
 - 2. Do not permit vehicles or other equipment within the tree protection zone.
 - 3. Maintain tree protection zones free of weeds and trash.
- B. Protect existing trees and other vegetation indicated to remain in place, against unnecessary cutting, breaking or skinning of roots, skinning or bruising of bark, smothering of trees by stockpiling construction materials or excavated materials within drip line, excess foot or vehicular traffic, or parking of vehicles within drip line.
- C. Provide protection for roots over 1-1/2 inch diameter that are cut during construction operations. Coat cut faces with emulsified asphalt, or other acceptable coating, formulated for use on damaged plant tissues. Temporarily cover exposed roots with wet burlap to prevent roots from drying out; cover with earth as soon as possible.
- D. Repair or replace trees and vegetation indicated to remain which are damaged by construction operations, in a manner acceptable to Owner.

3.2 SITE CLEARING

- A. General: Remove trees, shrubs, grass and other vegetation as required to permit installation of the Work. Cut minor roots and branches of trees indicated to remain in a clean and careful manner, where such roots and branches obstruct installation of the Work.
- B. Clearing and Grubbing: Clear site of trees, shrubs and other vegetation within the clearing limits indicated.
 - 1. Completely remove stumps, roots, and other debris.
 - 2. Use only hand methods for grubbing inside drip line of trees indicated to remain.
 - 3. Fill depressions caused by clearing and grubbing operations with satisfactory soil material, unless further excavation or earthwork is indicated. Place fill material in horizontal layers not exceeding 6 inches loose depth, and thoroughly compact to a density equal to adjacent original ground.

- C. Selective Clearing: Clear areas designated as "Selective Clearing" of all ground covers, underbrush and trees less than 6-inches in diameter at breast height. Coordinate extent of material removed with Owner.
 - 1. Remove trees that appear to be dying or weakening for any reason and at any point during construction up to and including Substantial Completion at the Owner's direction.

3.3 TOPSOIL STRIPPING

- A. Remove heavy growths of grass from areas before stripping.
- B. Strip topsoil to whatever depths are encountered, but to a minimum of at least 4 inches.
- C. Strip topsoil in a manner to prevent intermingling with underlying subsoil or other material.
 - 1. Remove subsoil and non-soil materials from topsoil, including trash, debris, weeds, roots, and other waste materials.
- D. Where existing trees are indicated to remain, leave existing topsoil in place within drip lines to prevent damage to root system.
- E. Temporarily stockpile topsoil in storage piles in areas indicated or directed. Construct storage piles to provide free drainage of surface water. Cover storage piles, if required, to prevent wind erosion.
 - 1. Do not stockpile topsoil within tree protection zones.
 - 2. Stockpile surplus topsoil to allow for re-spreading deeper topsoil.
- F. Dispose of unsuitable or excess topsoil in a legal manner off-site.

3.4 DISPOSAL OF WASTE MATERIALS

- A. Burning on Owner's Property: Will not be allowed.
- B. Removal from Owner's Property: Remove waste materials generated by clearing operations from Owner's property and dispose of in a legal manner off-site.
 - 1. Remove waste materials and debris from the site in a manner to prevent spillage. Pavements and the area adjacent to the site shall remain free from mud, dirt and debris at all times.
 - 2. Clean up debris resulting from site clearing operations continuously with the progress of the work.

END OF SECTION 02230

SECTION 02300 – EARTHWORK

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. The provisions of the Contract Documents apply to the work of this Section.
- B. Refer to Section 02230 for topsoil stripping and Section 02920 for topsoil placement.

1.2 SUMMARY

- A. This Section includes, but is not limited to, the following:
 - 1. Excavating, filling, backfilling, and grading indicated and necessary for proper completion of the work.
 - 2. Excavating and backfilling for structures.
 - 3. Excavating and backfilling of trenches.

1.3 SUBMITTALS

- A. VDOT approved Job Mix for Stone.
- B. Imported fill: Submit location of borrow pit and a sample of the soil for approval to the Owner's Geotechnical Engineer a minimum of fourteen (14) working days prior to use.

1.4 DEFINITIONS

- A. Excavation: Removal of all material encountered to design subgrade elevations indicated for cut areas and to subsoil elevations in fill areas. Excavation also includes subsequent respreading, moisture conditioning, compaction, and grading of satisfactory materials removed.
- B. Unauthorized Excavation: Removal of materials beyond the limits indicated in the definition of "Excavation" without specific direction of the Owner's Representative or Engineer.
- C. Additional Excavation: Removal, disposal and replacement of materials beyond the limits indicated in the definition of "Excavation" at the direction of the Owner's Representative or Engineer. Refer to Part 3 of this Section for requirements of Additional Excavation.
- D. Subgrade: The undisturbed earth (in cut) or the compacted soil layer (in fill) immediately below granular subbase, drainage fill, or topsoil materials.
- E. Subsoil: The undisturbed earth immediately below the existing topsoil layer.
- F. Building Pad: The area extending 10 feet beyond the exterior limits of the building/column footings and down to undisturbed soils at a one horizontal to one vertical slope.

- G. Structures: The area extending a minimum of ten (10) feet beyond the edge of foundation, slabs, curbs, underground tanks, piping or other man-made stationary features occurring above or below ground surface.
- H. Pavements: The area extending 10 feet beyond the exterior limits of paved areas and down to undisturbed soils at a one horizontal to one vertical slope. The area extending 3 feet beyond the exterior limits of walks and down to undisturbed soils at a one horizontal to one vertical slope.
- I. Subbase Material: Artificially graded mixture of crushed gravel or crushed stone meeting VDOT specifications. Material type is indicated on the drawings.
- J. Drainage/Porous Fill: Washed, evenly graded mixture of crushed stone, or crushed or uncrushed gravel meeting the requirements of VDOT No. 57 Stone.

1.5 ADDITIONAL WORK

- A. Paragraph 4.3.4 of General Conditions refers to certain conditions that may require additional excavation work. This paragraph is further defined herein and, where there are conflicts, is superseded by this section.
- B. Claims for concealed, unknown, or unanticipated subsurface conditions are limited to those circumstances where:
 - 1. Additional excavation work is required below the contract limits indicated to provide acceptable bearing for structures or pavements.
 - 2. Additional excavation work below the utility trench design elevations, as required to provide acceptable bearing for the utility.
- C. The risks of concealed, unknown, or unanticipated subsurface conditions from existing ground surface to the design subgrade elevations in cut areas and to subsoil elevations in fill areas shall be included in the Contract Amount and shall not be considered as grounds for additional costs to the Contract. The risks of concealed, unknown, or unanticipated subsurface conditions below the elevations stated above shall be considered as Additional Excavation.
- D. During construction, if concealed, unknown, or unanticipated subsurface conditions are encountered which require that footings or foundations be raised, lowered or revised to provide acceptable bearing for the building or if, outside the structure limits, additional depth of utility trench excavation below the design subgrade or subsoil elevations is required, immediately notify the Owner upon discovery of such condition prior to disturbing the material encountered.
- E. Payment for additional Work
 - 1. The owner will negotiate the unit price for additional excavation prior to award of the contract.
 - 2. No payment will be made for unauthorized excavation.
 - 3. The expense of surveying quantities of additional excavation shall be included in the unit price allowances.

1.6 EARTHWORK BALANCE ADJUSTMENTS

- A. It is anticipated that some material will be required to be imported to achieve the finish grades indicated on the Drawings. Excavation and disposal of the required material off-site in a legal manner shall be a Contract responsibility. **No additional payment will be made for the importing of material or the export and disposal of excess material.**

1.7 QUALITY ASSURANCE

- A. Codes and Standards: Perform excavation work in compliance with applicable requirements of authorities having jurisdiction.
- B. Environmental Compliance:
 - 1. Comply with the requirements of the latest edition of the Virginia Erosion and Sediment Control Handbook for erosion control during earthwork operations.
 - 2. Comply with the permit conditions for all work performed within wetlands.
- C. Testing and Inspection Service: Owner will employ and pay for an independent Geotechnical testing and inspection laboratory to perform soil testing and inspection service during earthwork operations. Cooperate with Owner's Geotechnical Engineer as required for testing and inspection of work. These services do not relieve the responsibility for compliance with Contract Document requirements.

1.8 PROJECT CONDITIONS

- A. Bidders and interested parties (prior to receipt of bids) are encouraged to conduct their own soil and subsurface investigations, examinations, tests, and exploratory borings to determine the nature of the soil conditions underlying the project site. Contact the Owner's office to make an appointment to enter the site for the purpose of conducting your own investigation prior to bid.
- B. Existing Utilities: Do not interrupt existing utilities serving facilities occupied by the Owner of others except when permitted under the following conditions and then only after arranging to provide acceptable temporary utility services:
 - 1. Notify Owner not less than 48 hours in advance of proposed utility interruptions.
 - 2. Do not proceed with utility interruptions without receiving Owner's written permission.
 - 3. Existing utilities across or along the line of work are indicated only in an approximate location. Locate all underground lines and structures. Call "Miss Utility" at 1-800-552-7001 prior to construction. If utilities are marked that are not shown on the plans, locate utility vertically and horizontally and provide information to owner. Repair and correct any damage to underground lines and structures.

1.9 SAFETY

- A. Protection of Persons and Property: Barricade open excavations occurring as part of this work and post with warning lights.

1. Operate warning lights as recommended by authorities having jurisdiction and governing regulations and standards.
2. Protect structures, utilities, sidewalks, pavements, and other facilities from damage caused by settlement, lateral movement, undermining, washout, and other hazards created by earthwork operations.

PART 2 - PRODUCTS

2.1 SOIL MATERIALS

- A. Satisfactory soil materials are defined as those complying with ASTM D2487 soil classification groups CL, GC, SC, GW, GP, GM, SM, SW, and SP.
- B. Unsatisfactory soil materials are defined as those complying with ASTM D2487 soil classification groups CH, OL, OH, MH, ML and PT.
- C. Backfill and Fill Materials: Satisfactory soil materials free of clay, rock or gravel larger than 4 inches in any dimension (2 inches for material used in trench backfill), debris, waste, frozen materials, vegetation and other deleterious matter.
- D. Imported material for structural fill shall comply with ASTM D2487 soil classification groups CL, or SM, or as individually evaluated by geotechnical engineer.

PART 3 - EXECUTION

3.1 PREPARATION

- A. Protect structures, utilities, and other facilities from damage caused by settlement, lateral movement, undermining, washout, and other hazards created by earthwork operations.
- B. Preparation of subgrade for earthwork operations including removal of vegetation, topsoil, debris, obstructions, and deleterious materials from ground surface is specified in Section 02230 "Site Clearing".
- C. Protect and maintain erosion and sedimentation controls during earthwork operations.

3.2 DE-WATERING

- A. Prevent surface water and subsurface or groundwater from flowing into excavations and from flooding project site and surrounding area.
 1. Do not allow water to accumulate in excavations. Remove water to prevent softening of foundation bottoms, undercutting footings, and soil changes detrimental to stability of subgrade and foundations. Provide and maintain pumps, well points, sumps, suction and discharge lines, and other dewatering system components necessary to convey water away from excavations.

2. Establish and maintain temporary drainage ditches and other diversions outside excavation limits to convey rain water and water removed from excavations to collecting or runoff areas. Do not use utility trench excavations as temporary drainage ditches.

- B. Should any springs or running water be encountered in the excavation, notify the Owner and provide discharge by trenches (or other acceptable means) and drain to an appropriate point of disposal. Provide temporary drainage facilities to minimize the flow of rainwater onto adjacent property. Repair any damage to property or to subgrade as a result of construction and/or dewatering (or lack thereof) operations at no additional cost to the Contract. If permanent provision must be made for disposal of water other than as indicated, the Contract price shall be adjusted.

3.3 EXPLOSIVES

- A. Shall NOT be permitted.

3.4 EXCAVATION

- A. Excavation consists of removal, placement and disposal of material encountered when establishing required subgrade or finish grade elevations.

1. Excavation includes removal and disposal of pavements and other obstructions visible on ground surface; underground structures, utilities and other items indicated to be demolished and removed; together with earth and other materials encountered that are not classified as rock or unauthorized excavation. **All excavation shall be considered unclassified.**

- B. Rock Excavation: Removal of rock in accordance with the below requirements shall be considered unclassified excavation and shall not be considered ground for additional cost to the contract.

1. If rock is encountered in grading, remove to depths as follows:
 - a) Under surfaced areas, to 6" under the respective subgrade for such areas.
 - b) Under grass and planted areas – 12" minimum.
 - c) Under trenches – 6" below bottom of trench.

3.5 EXCAVATION FOR STRUCTURES

- A. Conform to elevations and dimensions indicated within a tolerance of plus or minus 0.10 foot, and extending a sufficient distance from footings and foundations to permit placing and removal of concrete formwork, installation of services, other construction and for review.

- B. Excavations for footings and foundations: Do not disturb bottoms of excavation. Excavate by hand to elevations required just before concrete reinforcement is placed. Trim bottoms to required lines and grades to leave solid base to receive other work.

1. Where rock is encountered, carry excavation to required elevations and backfill with crushed stone prior to installation of footing.

3.6 EXCAVATION FOR WALKS AND PAVEMENTS

- A. Cut surface under pavements to comply with cross-sections, elevations and grades as indicated.

3.7 EXCAVATION FOR UTILITY TRENCHES

- A. Excavate trenches to uniform width, sufficiently wide to provide ample working room and a minimum of 6 to 9 inches of clearance on both sides of pipe or conduit. All excavation is considered unclassified.
- B. Excavate trenches to depth indicated or required to establish indicated slope and invert elevations and to support bottom of pipe or conduit on undisturbed soil
 - 1. Where rock is encountered, carry excavation to required elevations and backfill with VDOT #57 crushed stone prior to installation of pipe.
 - 2. For pipes and equipment 6 inches or larger in nominal size, shape bottom of trench to fit bottom of pipe for 90 degrees (bottom $\frac{1}{4}$ of the circumference). Fill depressions with tamped sand backfill. At each pipe joint, dig bell holes to relieve pipe bell of loads ensure continuous bearing of pipe barrel on bearing surface.

3.8 EXCAVATION STABILITY

- A. General: Comply with local codes, ordinances, and requirements of agencies having jurisdiction.
- B. Slope sides of excavations to comply with local codes, ordinances, and requirements of agencies having jurisdiction. Shore and brace where sloping is not possible because of space restrictions or stability of material excavated. Maintain sides and slopes of excavations in safe condition until completion of backfilling.
- C. Shoring and Bracing: Provide materials for shoring and bracing, such as sheet piling, uprights, stringers, and cross braces, in good serviceable condition. Maintain shoring and bracing in excavations regardless of time period excavations will be open. Extend shoring and bracing as excavation progresses.

3.9 SUBGRADE INSPECTION

- A. Notify Owner's Representative when mass, trench and footing excavations have reached required subgrade. The Owner will arrange for an inspection of conditions by the Owner's Geotechnical Engineer. *Alternative procedures for arranging this review may be implemented at the Owner's written option.*
- B. If the Owner's Geotechnical Engineer determines that the subgrade bearing conditions are unacceptable, the Owner will authorize additional excavation until suitable bearing conditions are encountered.
- C. Proof-roll subgrade with heavy pneumatic-tired equipment to identify soft pockets and areas of excess yielding. Do not proof-roll wet or saturated subgrades.

1. Completely proof-roll subgrade in one direction, repeating proof-rolling in direction perpendicular to first direction. Limit vehicle speed to 3 mph (5km/h).
 2. Proof-roll with a loaded 10-wheel, tandem-axle dump truck weighing not less than 15 tons (13.6 tonnes).
 3. Excavate soft spots, unsatisfactory soils, and areas of excessive pumping or rutting, as determined by Owner's Representative, and replace with compacted backfill or fill as directed.
- D. Under supervision of the Owner's Geotechnical Engineer, proofroll subgrade in cut areas with a loaded dump truck or other approved pneumatic tired vehicle. Should any unstable sub-soil be encountered below pavement or structures, break up the top eight inches of ground surface, pulverize, moisture-condition to optimum moisture content, and compact to percentage of maximum density as stated in Percentage of Maximum Density Requirements. Perform this work at no additional cost and/or time to the Contract.
- E. Reconstruct subgrades damaged by freezing temperatures, frost, rain, accumulated water, or construction activities, as directed by Owner's Representative, without additional compensation.
- 3.10 ADDITIONAL EXCAVATION
- A. Additional Excavation (Mass): Remove excavated materials and dispose of off-site at the contractor's expense. Replace this excavated material with satisfactory material placed and compacted as indicated in these contract documents.
- B. Additional Excavation in Trenches: Remove excavated materials and dispose of off-site at the contractor's expense. Replace this excavated material with stone.
- C. Additional Excavation in Footings: Remove excavated materials and dispose of off-site at the contractors expense. Replace this excavated material with lean concrete/flowable fill or with stone extending 12 inches laterally beyond the footing in all directions.
- D. The quantity of material removed as Additional Excavation (Mass, Trench or Footing) shall be calculated by a surveyor licensed in the Commonwealth of Virginia and employed by the Contractor. The Owner's Project Representative shall review the quantity calculated within 48 hours of receiving the survey notes.
- E. Protect the subgrade during construction. During wet conditions, the subgrade soils may become saturated and soften, possibly resulting in damage to the subgrade if disturbed be equipment. Correct subgrade damaged in this manner. **No additional payment will be made to correct subgrade damaged in this manner.**
- 3.11 UNAUTHORIZED EXCAVATION
- A. Correct Unauthorized Excavation as follows:
1. Under foundation bases fill unauthorized excavation by extending indicated bottom elevation of footing or base to excavation bottom without altering required top elevation. Lean concrete fill may be used to bring elevations to proper position when acceptable to Engineer.

2. Elsewhere, backfill and compact unauthorized excavations as indicated for authorized excavations of same classification unless otherwise directed by Owner's Representative.

3.12 STORAGE OF EXCAVATED MATERIALS

- A. Temporarily stockpile excavated materials acceptable for use as backfill and fill. Place, grade, and shape stockpiles for proper drainage. Cover to prevent windblown dust.
 1. Stockpile excavated materials away from edge of excavations. Do not store within the drip line of trees to remain.

3.13 BACKFILL AND FILL

- A. Backfill excavations as promptly as work permits, but not until completion of the following:
 1. Acceptance by local authority having jurisdiction of construction below finished grade, including perimeter insulation.
 2. Review, approval, and recording of the locations of underground utilities.
 3. Removal of concrete formwork.
 4. Removal of shoring and bracing (including backfilling of voids with satisfactory materials).
 5. Removal of trash and debris from excavation.
 6. Permanent or temporary horizontal bracing is in place on horizontally supported walls.
- B. Place backfill on subgrades free of mud, frost, snow or ice.
- C. Ground Surface Preparation: Remove vegetation, debris, obstructions, and deleterious materials from ground surface prior to placement of fills.
- D. Bench sloped surfaces steeper than 1 vertical to 4 horizontal so fill material will bond with existing material. Plow, scarify, bench or break up sloped surfaces flatter than 1 vertical to 4 horizontal so fill material will bond with existing material.
- E. Place soil material in layers to required subgrade elevations, for each area classification listed below, using materials indicated in Part 2 of this Section.
 1. Under grassed areas, use satisfactory excavated or borrow material.
 2. Under pipes and structures, use satisfactory excavated or borrow material.

3.14 UTILITY TRENCH BACKFILL

- A. Place backfill on subgrades free of mud, frost, snow, or ice.
- B. Place and compact bedding course on trench bottoms and where indicated. Shape bedding course to provide continuous support for bells, joints, and barrels of pipes and for joints, fittings, and bodies of conduits.

- C. Backfill trenches with concrete where trench excavations pass within 18 inches of footings and that are carried below bottom of such footings or that pass under wall footings. Place concrete to level of bottom of adjacent footing.
- D. Place and compact initial backfill of satisfactory soil, free of particles larger than 1 inch (25mm) in any dimension, to a height of 12 inches (300mm) over the utility pipe or conduit.
 - 1. Carefully compact initial backfill under pipe haunches and compact evenly up on both sides and along the full length of utility piping or conduit to avoid damage or displacement of piping or conduit. Coordinate backfilling with utilities testing.
- E. Controlled Low-Strength Material: Place initial backfill of controlled low-strength material to a height of 12 inches (300 mm) over the utility pipe or conduit.
- F. Backfill voids with satisfactory soil while installing and removing shoring and bracing.
- G. Place and compact final backfill of satisfactory soil to final subgrade elevation.
- H. Controlled Low-Strength Material: Place final backfill of controlled low-strength material to final subgrade elevation.
- I. Install warning tape directly above utilities, 12 inches (300 mm) below finished grade, except 6 inches (150 mm) below subgrade under pavements and slabs.
- J. Do not backfill trenches until any required testing and inspections have been completed and Owner authorized backfilling. Backfill carefully to avoid damage or displacement of pipe systems.
- K. Under piping and conduit and equipment, use crushed stone where required over rock bearing surface and for correction of unauthorized excavation. Shape excavation bottom to fit bottom 90 degrees of cylinder.
- L. Place backfill and fill materials evenly adjacent to structures, piping, or conduit to required elevations. Prevent wedging action of backfill against structures or displacement of piping or conduit by carrying material uniformly around structure, piping, or conduit to approximately same elevation in each lift.

3.15 SOIL MOISTURE CONTROL

- A. Uniformly moisten or aerate subgrade and each subsequent fill or backfill soil layer before compaction to within 3 percent of optimum moisture content.
 - 1. Do not place backfill or fill soil material on surfaces that are muddy, frozen, or contain frost or ice.
 - 2. Remove and replace, or scarify and air dry otherwise satisfactory soil material that exceeds optimum moisture content by 3 percent and is too wet to compact to specified dry unit weight.
- B. Moisture Control: Where subgrade or layer of soil material must be moisture conditioned before compaction, uniformly apply water to surface of subgrade or layer of soil material. Apply water in minimum quantity as necessary to prevent free water from appearing on surface during or subsequent to compaction operations. Maintain the moisture content of the structural fill materials to within 3% of the optimum moisture content until permanently covered.

- C. Remove and replace, or scarify and air dry, soil material that is too wet to permit compaction to required density.
 - 1. Stockpile or spread soil material that has been removed because it is too wet to permit compaction. Assist drying by discing, harrowing, or pulverizing until moisture content is reduced to a satisfactory value.
 - 2. Work wet materials as directed by the Owner's Geotechnical Engineer. Base bids on working material daily for a maximum of five days of acceptable weather.
 - 3. No additional payment will be made for these operations.

3.16 COMPACTION OF SOIL BACKFILL AND FILLS

- A. Place backfill and fill materials in layers not more than 8 inches in loose depth for material compacted by heavy compaction equipment, and not more than 4 inches in loose depth for material compacted by hand-operated tampers.
- B. Before compaction, moisten or aerate each layer as necessary to provide optimum moisture content. Compact each layer to required percentage of maximum dry density or relative dry density for each area classification. Do not place backfill or fill material on surfaces that are muddy, frozen, or contain frost or ice.
- C. Control soil and fill compaction, providing minimum percentage of density indicated for each area classification indicated below. Correct improperly compacted areas or lifts as directed by Architect if soil density test indicate inadequate compaction.
- D. Percentage of Maximum Density Requirements: Compact soil to not less than the following percentages of maximum density at a moisture content within 3% of optimum in accordance with ASTM D698:
 - 1. Under structures and pipes, compact each layer of backfill or fill material at 95 percent maximum density. This includes ground under future expansion areas.
 - 2. Under grass or unpaved areas, compact each layer of backfill or fill material at 90 percent maximum density.
- E. Seal all fill areas at the end of each working day, utilizing a smooth drum roller.

3.17 GRADING

- A. General: Rough grading of areas within the Project, including cut and fill sections and adjacent transition areas, shall be reasonably smooth, compacted and free from irregular surface changes. The degree of finish shall be that ordinarily obtainable from either blade-grader or motor patrol except as otherwise indicated. The finished subgrade surface from the grassed areas generally shall be not more than 0.2 feet above or below the final grade or approved cross section, with due allowance for topsoil.
- B. Finish all ditches, swales and gutters to drain readily. Provide rounding at top and bottom of cut and fill slopes and at other breaks in grade.
- C. Protection of Graded Areas: Protect newly graded areas and areas of cut, fill and design/subgrade elevations from the actions of the elements and from deterioration as a result

of construction operations and weather conditions (frost, rains, snow, sleet, hail, etc.). Repair any settlement or washing that occurs prior to or after acceptance of the work. Fill to required subgrade levels any areas where settlement occurs. Protect trees to remain, and, at all areas of the Site where construction operations are in progress, provide protection for the safety of occupants of the existing facilities.

- D. General: Uniformly grade areas to a smooth surface, free of irregular surface changes. Comply with compaction requirements and grade to cross sections, lines, and elevations indicated.
 - 1. Provide a smooth transition between adjacent existing grades and new grades.
 - 2. Cut out soft spots, fill low spots, and trim high spots to comply with required surface tolerances.
- E. Site Grading: Slope grades to direct water away from buildings and to prevent ponding. Finish subgrades to required elevations within the following tolerances:
 - 1. Lawn or Unpaved Areas: Plus or minus 1 inch.
 - 2. Pipes and Structures: Plus or minus ½ inch.

3.18 FIELD QUALITY CONTROL

- A. Quality Control Testing During Construction: Allow testing service to inspect and approve each subgrade and fill layer before further backfill or construction work is performed.
 - 1. If in the opinion of the Owner's Representative, based on testing service reports and inspection, subgrade or fills have been placed that are below required density, perform additional compaction and testing until required density is obtained.
- B. The Owner will engage, and pay for, the services of a Geotechnical Engineer whose function shall be to afford complete engineering control by testing of the conditions of all footing subgrades, the placement of all structural fills, and all compaction where required, and to observe the proof rolling in all areas.
- C. The Owner's Geotechnical Engineer will be present as deemed necessary during all phases of the Work requiring filling, compaction operations or testing. The Geotechnical Engineer will provide the Owner with written certification that fill and compaction was completed with accepted materials in accordance with the Documents, and give a professional opinion regarding shrinkage or settlement of fill and safe load bearing capacity of fill.
- D. Site Preparation and Proofrolling: The Owner's Geotechnical Engineer will determine if any additional excavation or in-place densification is necessary to prepare a subgrade for fill placement for pipe and structure support.
- E. Fill Placement and Compaction: The Owner's Geotechnical Engineer will witness all fill operations and take sufficient in-place density test to verify that the indicated degree of fill compaction is achieved. The Owner's Geotechnical Engineer will observe and approve borrow materials used and shall determine if their existing moisture contents are suitable/acceptable.
- F. The Owner's Geotechnical Engineer will submit two (2) copies each of his reports, recommendations and/or opinions to the Engineer and the Owner. Pertinent information will be provided to the Contractor as required.

3.19 EROSION CONTROL

- A. Provide erosion control methods in accordance with requirements of authorities having jurisdiction, the Virginia Erosion and Sediment Control Handbook, and as indicated in the Contract Documents.

3.20 PROTECTION

- A. Repair and re-establish grades in settled, eroded, and rutted areas to indicated tolerances.
- B. Reconditioning Compacted Areas: Where subsequent construction operations or adverse weather disturbs completed compacted areas, scarify surface, reshape, and compact to required density prior to further construction.
- C. Settling: Where settling is measurable or observable at excavated areas during general project warranty period, remove surface (pavement, lawn, or other finish), add backfill material, compact, and replace surface treatment. Restore appearance, quality, and condition of surface or finish to match adjacent work, and eliminate evidence of restoration to greatest extent possible.
- D. Protect excavation bottoms against freezing when atmospheric temperature is less than 35 degrees F.

3.21 DISPOSAL OF WASTE MATERIALS

- A. Removal from Owner's Property: Remove excess and/or waste materials, including trash and debris, and dispose of it off Owner's property in a legal manner at the contractors expense.
- B. Dispose of excess material and materials not acceptable for use as backfill or fill legally offsite at the Contractors expense.
- C. Do not remove topsoil from site until it has been demonstrated to the Owner's satisfaction that it is excess at the Contractors expense.

END OF SECTION 02300

SECTION 02370 - EROSION CONTROL

PART 1 - GENERAL

1.1 RELATED DOCUMENTS:

- A. The provisions of the Contract Documents apply to the work of this Section.
- B. The Virginia Erosion and Sediment Control Handbook, latest edition.

1.2 SUMMARY

- A. This Section includes the installation, maintenance and removal of erosion control measures required for prevention of sediment leaving the project site.
- B. This Section also includes the requirement to file the Virginia Stormwater Management Program (VSMP) General Permit Registration Statement for Storm Water Discharges from Construction Activities with the State Department of Conservation and Recreation.

1.3 EROSION AND SEDIMENT CONTROL PERMIT

- A. Prior to commencement of work, obtain a copy of the approved Erosion and Sediment Control Plan from Albemarle County.
- B. Apply for the Land Disturbance Permit from Albemarle County.
- C. Post Erosion and Sediment Control Bond with Albemarle County.
- D. Schedule a pre-construction conference on-site with the Owner's Representative and Albemarle County. Hold this meeting prior to the start of any construction activities.

1.4 VSMP

- A. During construction, the following requirements shall be met:
 - 1. A copy of the Stormwater Pollution Prevention Plan (SWPP) shall be kept at the job site at all times.
 - 2. Amend the SWPP as necessary to account for significant changes in design, construction or maintenance that would increase the pollution potential of the site. File a copy of the amended plan with DCR and with the Architect.
 - 3. The Responsible Land Disturber shall perform weekly inspections of the erosion and sediment control measures. Inspection reports shall be filed as an appendix to the SWPP. Copy these reports to the Architect and the Owners Representative.

1.5 SUBMITTALS

- A. Responsible Land Disturber registration information.
- B. A copy of the VSMP registration application and a copy of the Stormwater Pollution Prevention Plan.
- C. Copies of the weekly Erosion Control Measure inspection reports. *These may be submitted at the monthly progress meetings.*
- D. Silt Fence

E. Safety Fence

1.6 PAYMENT PROCEDURES FOR EROSION CONTROL MEASURES

- A. Establish a line item in the Schedule of Values for Erosion Control Maintenance. This line item shall represent a minimum of thirty percent (30%) of the total value of the erosion control for the project.
- B. Erosion control maintenance will be paid on a monthly basis, following the satisfactory installation and maintenance of the erosion control measures.

PART 2 - PRODUCTS

2.1 EROSION CONTROL PRODUCTS

A. Safety Fence

- 1. Six foot high chain link fence, complying with the requirements of Standard and Specification 3.01 of the Virginia Erosion and Sediment Control Handbook.
- 2. Post appropriate warning signs along the Safety Fence.

B. Construction Entrance

- 1. Heavy-duty stone aggregate and filter fabric construction entrance, complying with the requirements of Standard and Specification 3.02 of the Virginia Erosion and Sediment Control Handbook.
- 2. Reinforced concrete wash-rack, draining to a sediment trap.
- 3. The water source for washing operations shall be the responsibility of the Contractor.

C. Outlet Protection

- 1. A level area of riprap, placed over filter fabric, complying with the requirements of Standard and Specification 3.18 of the Virginia Erosion and Sediment Control Handbook.

D. Culvert Inlet Protection

- 1. Silt Fence Culvert Inlet Protection, complying with the requirements of Standard and Specification 3.08 of the Virginia Erosion and Sediment Control Handbook.

E. Riprap

- 1. Graded stone, placed over filter fabric, complying with the requirements of Standard and Specification 3.19 of the Virginia Erosion and Sediment Control Handbook.
- 2. The size of the stone required is indicated on the drawings.

F. Temporary Seeding

- 1. Temporary vegetative cover for disturbed areas, complying with the requirements of Standard and Specification 3.31 of the Virginia Erosion and Sediment Control Handbook.

G. Permanent Seeding

- 1. Refer to Section 02920 "Lawns and Grasses" for permanent seeding requirements.

PART 3 - EXECUTION

3.1 INSTALLATION OF EROSION CONTROL MEASURES

- A. Install all erosion and sediment control measures per the requirements of the Virginia Erosion and Sediment Control Handbook.
- B. Protect all points of construction ingress and egress to the site to prevent tracking of mud onto public streets. Provide temporary construction entrances at all points of access to the site.
- C. Clear only those areas necessary for installation of the perimeter erosion control measures. The balance of the site shall not be cleared or otherwise disturbed until the perimeter erosion control measures are installed, functional and approved by Albemarle County.
- D. Follow the construction sequence and install erosion control measures as indicated on the Drawings and as directed by Albemarle County.
- E. Install additional measures as necessary to prevent sediment from leaving the project site.

3.2 MAINTENANCE OF EROSION CONTROL MEASURES

- A. Maintain all erosion and sediment control measures per the requirements of the Virginia Erosion and Sediment Control Handbook.
- B. At a minimum, the following maintenance is required:
 - 1. Safety Fence
 - a) Review fence regularly for damage. Repair any damage immediately.
 - b) Secure the fence at the end of each working day. Repair or replace all locking devices as necessary.
 - 2. Construction Entrance
 - a) Wash and rework stone and/or place additional stone as required to prevent tracking of mud onto the roadways.
 - b) Clean out the sediment-trapping device for the wash rack.
 - c) Remove all materials spilled, dropped, washed or otherwise tracked onto roadways or into storm sewers immediately. Do not use water trucks to wash the roadways.
 - 3. Culvert Inlet Protection
 - a) Inspect immediately following each rainfall and at least daily during prolonged rainfall.
 - b) Remove and clean or replace stone filters that have been clogged with sediment. Make any required repairs immediately
 - c) Remove accumulated sediment as required. Do not allow sediment to accumulate higher than one-half the height of the measure.
 - 4. Riprap
 - a) Inspect riprap following every storm event. Re-lay riprap as necessary to prevent concentrated flow from running under or around the riprap.
 - b) Clean out accumulated sediment from the riprap.
 - 5. Temporary Seeding

- a) Re-seed and mulch areas where cover is inadequate to protect against erosion until adequate cover is obtained.
- C. Remove accumulated sediment as required and at appropriate intervals to maintain the effective function of all erosion control measures.
- D. Inspect, repair and remove accumulated sediment from erosion control measures following significant (greater than ½") rainfall events.
- E. If erosion control measures become clogged, causing the impoundment of water, restore the measures immediately. Pounded water poses a potential drowning hazard and shall be relieved immediately by either pumping (through an approved dewatering structure) or by removal of the blockage.

3.3 REMOVAL OF EROSION CONTROL MEASURES

- A. Remove all temporary erosion control measures following the stabilization of the site. Do not remove erosion control measures until authorized by Albemarle County.
- B. Topsoil, permanently seed and stabilize areas occupied by erosion control measures.

END OF SECTION 02370

SECTION 02920 - LAWNS AND GRASSES

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. The provisions of the Contract Documents apply to the work of this Section.

1.2 SUMMARY

- A. This Section includes the following:
 - 1. Fine grading and preparing lawn areas (including courtyards)
 - 2. Topsoil Placement
 - 3. Soil amendments
 - 4. Fertilizers
 - 5. Seeding
 - 6. Hydroseeding

1.3 DEFINITIONS

- A. Finish Grade: Elevation of finished surface of planting soil.
- B. Lawns: All areas disturbed by construction and not otherwise covered by paving, buildings or other structures.

1.4 SUBMITTALS

- A. Certification by product manufacturer that the following products supplied comply with requirements:
 - 1. Grass Seed
 - a) Certification of grass seed from seed vendor for each grass-seed mixture stating the botanical and common name and percentage by weight of each species and variety, and percentage of purity, germination, and weed seed. Include the year of production and date of packaging.
 - b) Blue Tag Certification tag for each bag of seed.
- B. Installers qualifications
 - 1. Provide a list, with references, of the past three projects of a similar magnitude.
- C. Topsoil Amendment Plan.
 - 1. Provide copy of topsoil testing report.
 - 2. List of amendments proposed for topsoil, including application rates.

1.5 QUALITY ASSURANCE

- A. Installer Qualifications: Engage an experienced installer, who has successfully completed lawn establishment projects similar in size and complexity to this project. The installer's primary business (defined as a minimum of 60% of total billings) shall be establishment of lawns.

1.6 DELIVERY, STORAGE, AND HANDLING

- A. Seed: Deliver seed in original sealed, labeled, and undamaged containers.

1.7 COORDINATION AND SCHEDULING

- A. Planting Season: Sow lawn seed during normal planting seasons for type of lawn work required.
 - 1. Spring Planting Season: March 15 through May 15
 - 2. Fall Planting Season: September 15 through November 15
- B. Weather Limitations: Proceed with planting only when existing and forecast weather conditions are suitable for work.
- C. Lawn Seeding Schedule
 - 1. If job completion schedule does not allow seeding within a normal planting season, provide interim temporary seeding necessary to stabilize site. Complete permanent seeding during the next planting season.

1.8 LIMITS OF SEEDING

- A. Spread topsoil and seed lawn areas.
- B. Hydroseed all slopes greater than 3:1.

PART 2 – PRODUCTS

2.1 TOPSOIL

- A. Topsoil: ASTM D 5268, pH range of 5.5 to 7, a minimum of 6 percent organic material content; free of stones 1" or larger in any dimension and other extraneous materials harmful to plant growth.
 - 1. Topsoil Source: Reuse surface soil stockpiled on-site. Verify suitability of stockpiled surface soil to produce topsoil. Clean surface soil of roots, plants, sod, stones, clay lumps, and other extraneous materials harmful to plant growth.
 - a) Supplement with imported or manufactured topsoil from off-site sources when quantities are insufficient. Obtain topsoil displaced from naturally well-drained construction or mining sites where topsoil occurs at least 4 inches (100 mm) deep; do not obtain from agricultural land, bogs or marshes.
- B. Have topsoil tested by a certified soil testing laboratory to determine the type and quantity of soil amendments necessary. Add amendments to topsoil as necessary to meet these requirements.

2.2 INORGANIC SOIL AMENDMENTS

- A. If the topsoil analysis indicates the need for inorganic soil amendments, the following standards apply:
- B. Lime: ASTM C 602, agricultural limestone containing a minimum 80 percent calcium carbonate equivalent and as follows:
 - 1. Class: Class O, with a minimum 95 percent passing through No. 8 (2.36-mm) sieve and a minimum 55 percent passing through No. 60 (0.25-mm) sieve.
 - 2. Provide lime in form of dolomitic limestone.
- C. Sulfur: Granular, biodegradable, containing a minimum of 90 percent sulfur, with a minimum 99 percent passing through No. 6 (3.35-mm) sieve and a maximum 10 percent passing through No. 40 (0.425-mm) sieve.
- D. Iron Sulfate: Granulated ferrous sulfate containing a minimum of 20 percent iron and 10 percent sulfur.
- E. Aluminum Sulfate: Commercial grade, unadulterated.
- F. Perlite: Horticultural perlite, soil amendment grade.
- G. Agricultural Gypsum: Finely ground, containing a minimum of 90 percent calcium sulfate.
- H. Sand: Clean, washed, natural or manufactured, free of toxic materials.
- I. Diatomaceous Earth: Calcined, diatomaceous earth, 90 percent silica, with approximately 140 percent water absorption capacity by weight.
- J. Zeolites: Mineral clinoptilolite with at least 60 percent water absorption by weight.

2.3 ORGANIC SOIL AMENDMENTS

- A. If the topsoil analysis indicates the need for organic soil amendments, the following standards apply:
- B. Compost: Well-composted, stable, and weed-free organic matter, pH range of 5.5 to 8; moisture content 35 to 55 percent by weight; 100 percent passing through 3/4-inch (19-mm) sieve; soluble salt content of 5 to 10 decisiemens/m; not exceeding 0.5 percent inert contaminants and free of substances toxic to plantings; and as follows:
 - 1. Organic Matter Content: 50 percent of dry weight.
 - 2. Feedstock: Agricultural, food, or industrial residuals; biosolids; yard trimmings; or source-separated or compostable mixed solid waste.
 - 3. Peat: Finely divided or granular texture, with a pH range of 6 to 7.5, containing partially decomposed moss peat, native peat, or reed-sedge peat and having a water-absorbing capacity of 1100 to 2000 percent.
 - 4. Wood Derivatives: Decomposed, nitrogen-treated sawdust, ground bark, or wood waste; of uniform texture, free of chips, stones, sticks, soil, or toxic materials.
 - 5. Manure: Well-rotted, unleached, stable or cattle manure containing not more than 25 percent by volume of straw, sawdust, or other bedding materials; free of toxic substances, stones, sticks, soil, weed seed, and material harmful to plant growth.

2.4 FERTILIZER

- A. Bonemeal: Commercial, raw or steamed, finely ground; a minimum of 4 percent nitrogen and 20 percent phosphoric acid.

- B. Superphosphate: Commercial, phosphate mixture, soluble; a minimum of 20 percent available phosphoric acid.
- C. Commercial Fertilizer: Commercial-grade complete fertilizer of neutral character, consisting of fast- and slow-release nitrogen, 50 percent derived from natural organic sources of urea formaldehyde, phosphorous, and potassium in the following composition:
 - 1. Composition: Nitrogen, phosphorous, and potassium in amounts recommended in topsoil analysis reports from a qualified soil-testing agency.
 - 2. Minimum Composition: No less than 1 lb/1000 sq. ft. (0.45 kg/92.9 sq. m) of actual nitrogen, 4 percent phosphorous, and 2 percent potassium, by weight.

2.5 SEED

- A. Grass Seed: All grass seed must be fresh, clean, and dry.
- B. Seed Species

1. General Lawn Areas

Proportion by Weight	Grass Species	Min. % Germination	Min. % Pure Seed	Max. % Weed Seed
10%	Kentucky bluegrass (<u>Poa pratensis</u>).	80	85	0.50
90%	Tall Fescue (<u>Festuca arundinacea</u>).	85	98	0.50

2. General Slope (3:1 or less)-Refer to Erosion Control Requirements for location-150 lbs./acre

Proportion by Weight	Grass Species	Min. % Germination	Min. % Pure Seed	Max. % Weed Seed
2%	Red Top Grass	85	85	0.50
85%	Tall Fescue (<u>Festuca arundinacea</u>).	85	98	0.50
13%	Tall Fescue (<u>Festuca arundinacea</u>).	85	85	0.50

3. Low-Maintenance Slope (Steeper than 3:1)-Refer to Erosion Control Requirements for location-150 lbs/acre.

Proportion by Weight	Grass Species	Min. % Germination	Min. % Pure Seed	Max. % Weed Seed
72%	Kentucky 31 Fescue	85	98	0.50
2%	Red Top Grass	85	85	0.50

13%	Seasonal Nurse Crop*	85	85	0.50
13%	Sericea lespedeza**	85	85	0.50

- C. Varieties shall be selected from the 2010-2011 lists of recommended turf grass varieties, published by Virginia Tech.
- D. All seed shall be Blue Tag certified by the Oregon State Seed Laboratory. Tags must be attached to each bag delivered on site.

2.6 MULCHES

- A. Straw Mulch: Provide air-dry, clean, mildew- and seed-free, salt hay or threshed straw of wheat, rye, oats, or barley.
- B. Peat Mulch: Finely divided or granular texture, with a pH range of 6 to 7.5, containing partially decomposed moss peat, native peat, or reed-sedge peat and having a water-absorbing capacity of 1100 to 2000 percent.
- C. Compost Mulch: Well-composted, stable, and weed-free organic matter, pH range of 5.5 to 8; moisture content 35 to 55 percent by weight; 100 percent passing through 1-inch (25-mm) sieve; soluble salt content of 5 to 10 decisiemens/m; not exceeding 0.5 percent inert contaminants and free of substances toxic to plantings; and as follows:
 - 1. Organic Matter Content: 50 percent of dry weight.
- D. Fiber Mulch: Biodegradable, dyed-wood, cellulose-fiber mulch; nontoxic; free of plant-growth or germination inhibitors; with maximum moisture content of 15 percent and a pH range of 4.5 to 6.5.

2.7 EROSION-CONTROL MATERIALS

- A. Erosion-Control Fiber Mesh: Biodegradable twisted jute or spun-coir mesh, a minimum of 0.92 lb/sq. yd. (0.5 kg/sq. m), with 50 to 65 percent open area. Include manufacturer's recommended steel wire staples, 6 inches (150 mm) long.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Examine areas to receive lawns and grass for compliance with requirements and for conditions affecting performance of the Work. Do not proceed with installation until unsatisfactory conditions have been corrected.

3.2 PREPARATION

- A. Protect structures, utilities, sidewalks, pavements, and other facilities, trees, shrubs, and plantings from damage caused by planting operations.
- B. Provide erosion-control measures to prevent erosion or displacement of soils and discharge of soil-bearing water runoff or airborne dust to adjacent properties and walkways.
- C. Protect adjacent and adjoining areas from hydroseed overspray.

3.3 TOPSOIL PLACEMENT FOR LAWNS

- A. Limit subgrade preparation to areas that will be planted in the immediate future.
- B. Loosen subgrade to a minimum depth of 4 inches. Remove stones, sticks and roots larger than 2 inches in any dimension from subgrade, 1" in playing fields. Completely remove trash and other extraneous debris from subgrade.
- C. Have topsoil tested by a certified soil testing laboratory to determine the type and quantity of soil amendments necessary.
- D. Sift topsoil to remove stones and other objects larger than 1" in any dimension. Sift topsoil to remove stones and other objects larger than ½" in any dimension in all playing fields. Maximum object size for topsoil shall be achieved by sifting not by hand removal or raking following placement of topsoil.
- E. Mix soil amendments and fertilizers with topsoil at rates required by soil testing. Delay mixing fertilizer if planting does not follow placing of planting soil within 4 days. Either mix soil before spreading or apply soil amendments on surface of spread topsoil and mix thoroughly into top 4 inches (100 mm) of topsoil before planting.
- F. Mix lime with dry soil prior to mixing fertilizer.
- G. Spread topsoil to a minimum depth of six inches (6").

3.4 SEEDING LAWNS

- A. Sow seed with a spreader or a seeding machine. Do not broadcast or drop seed when wind velocity exceeds 5 mph (8 km/h). Evenly distribute seed by sowing equal quantities in 2 directions at right angles to each other.
- B. Do not use wet seed or seed that is moldy or otherwise damaged in transit or storage.
- C. Sow seed at the following rates:
 - 1. Seeding Rate: 200 lbs./acre.
- D. Rake seed lightly into top 1/4 inch of topsoil, roll lightly, and water with fine spray.
- E. Hydroseed all slopes 3:1 or steeper.
- F. Protect seeded areas 3:1 slope/grade or steeper against erosion by providing erosion-control blankets installed and stapled according to manufacturer's recommendations.
- G. Protect seeded areas less than 3:1 slope/grade against erosion by spreading straw mulch after completion of seeding operations. Spread uniformly at a minimum rate of 2 tons per acre (45 kg per 100 sq. m) to form a continuous blanket 1-1/2 inches (38 mm) loose depth over seeded areas. Spread by hand, blower, or other suitable equipment.
 - 1. Anchor straw mulch by crimping into topsoil by suitable mechanical equipment.

3.5 MAINTENANCE OF NEW LAWNS

- A. Begin maintenance of lawns immediately after each area is planted and continue until acceptable lawn is established. Maintain seeded lawns until Substantial Completion. Maintain all grassed areas as necessary to ensure a satisfactory lawn is achieved at Substantial Completion.

- B. Maintain and establish lawns by watering, fertilizing, weeding, mowing, trimming, replanting, and other operations. Roll, regrade, and replant bare or eroded areas and remulch to produce a uniformly smooth lawn.
 - 1. Replant bare areas with same materials as for lawns.
 - 2. Replace disturbed mulch.
- C. Watering: Provide and maintain temporary hoses, and lawn-watering equipment to convey water from a water source to keep lawns uniformly moist to a depth of 4 inches.
 - 1. Provide a source of water for irrigation. Utilize temporary irrigation meters, a well or water trucks as necessary for the water source.
 - 2. Water seeded areas as necessary to promote vigorous growth of grass but at the minimum rate of 1 inch per week.
 - 3. Replace disturbed mulch.
- D. Mow lawns as soon as there is enough top growth to cut with mower set at indicated height. Repeat mowing as required to maintain indicated height without cutting more than 40 percent of the grass height (minimum of 3 mowings). Remove no more than 40 percent of grass-leaf growth in initial or subsequent mowings. Do not delay mowing until grass blades bend over and become matted. Do not mow when grass is wet. Schedule initial and subsequent mowings to maintain following grass height:
 - 1. Mow grass to a finished height of 2 to 3 inches high.
- E. Apply pre-emergent herbicide to lawns areas. Apply 60 – 90 days after planting.

3.6 SATISFACTORY LAWN

- A. Seeded lawns shall be considered satisfactory/acceptable provided requirements, including maintenance, have been met and a healthy, uniform, close stand of grass is established, free of weeds, bare spots exceeding 5 by 5 inches (125 by 125 mm), and surface irregularities.
- B. Replant lawns that do not meet requirements and continue maintenance until lawns are satisfactory/acceptable.
- C. Substantial Completion of the building and the remainder of the project may be achieved (pending prior Architect and Owner approval) before achieving a satisfactory/acceptable lawn. Continue to replant and maintain unsatisfactory/unacceptable lawn areas until acceptance is obtained. Warranties for lawns shall begin at the time of acceptance of the lawn.

3.7 CLEANUP AND PROTECTION

- A. Promptly remove soil and debris created by lawn work from sidewalks and paved areas. Clean wheels of vehicles before leaving site to avoid tracking soil onto surface of roads, walks, or other paved areas.
- B. Erect barricades and warning signs as required to protect newly planted areas from traffic. Maintain barricades throughout maintenance period until lawn is established.

END OF SECTION 02920